

CONTACT

WESTERN CAPE Cape Town - Head Office

sales@mactool.co.za

Unit 6 Pennisi Park, No.3 Jig Ave, Montague Gardens

GAUTENG

Johannesburg salesjhb@machool.co.za Oll 823 1077

Unit 4 Hughes Industrial Park, Cnr Oscar & Romeo Rd, Hughes

KWAZULU-NATAL

Durban saleskzn@mactool.co.za 03l 350 4004

Unit 3 Mulsanne Business Park, 4 Lemans Place, Pinetown

EASTERN CAPE

East London salesec@mactool.co.za 044 220 022l





Contractor Blades



TOOL-CO ECONOMY RED

CODE	E TAILS	
HS115EC	115 x 2 x 7 x 22.23mm - Segmented	
HS230EC	230 x 2.4 x 7 x 22.23mm - Segmented	
HS230ECB	230 x 2.4 x 7 x 22.23mm - Segmented No Packaging MOQ 20pcs	
Dry chip free cutting of ceramics and natural stone tiles		
HC115EC	115 x 2 x 7 x 22.23mm - Continuous Rim	
HC230EC	230 x 2.4 x 7 x 22.23mm - Continuous Rim	
Dry fast cutting of concrete, bricks, ceramic and natural		

stone tiles

HT115EC	115 x 2 x 7 x 22.23mm - Turbo
HT230EC	230 x 2.4 x 7 x 22.23mm - Turbo

TOOL-CO TRADE PRO

Do it yourself dry cutting for concrete, tiles, stone, and general masonry, masonry.

Dry cutting diamond blade for concrete, general masonry, stone, and tiles.

CODE	ŒTAILS
HS115TC	115 x 2 x 7 x 22.23mm - Segmented
HS180TC	180 x 2 x 7 x 25.4mm - Segmented
HS230TC	230 x 2.4 x 7 x 22.23mm - Segmented
Dry chip free	cutting of ceramics and natural stone tiles.
HC115TC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230TC	230 x 2.4 x 7 x 22.23mm - Continuous Rim
Dry fast cutting stone tiles	ng of concrete, bricks, ceramic and natural
HT230TC	230 x 2.4 x 7 x 22.23mm - Turbo





SEGMENTED TRI-PACK

stone and concrete.

CODE	ŒTAILS
HS115TC3	115 x 2 x 7 x 22.23mm

CONTINUOUS RIM TRI-PACK

Pack of three dry cutting diamond blades for general masonry, Pack of three dry cutting diamond blades for tiles and stone.

CODE	ŒTAILS
HC115TC3	115 x 2 x 7 x 22.23mm





SEGMENTED YELLOW

CODE	ŒTAILS
BS230DA	230 x 2.4 x 10 x 22.23mm

SEGMENTED BLUE

Dry cutting blade with good cutting speed and life for general masonry and concrete.

Contractor's blade for dry cutting of hard masonry, hard reinforced concrete, concrete lintels and natural stone.

CODE	ŒTAILS
BS115TC	115 x 2 x 7 x 22.23mm
BS230TC	230 x 2.4 x 10 x 22.23mm





SEGMENTED BLACK

Contractor's blade for dry cutting of concrete and general masonry products. Excellent blade for electrical and plumbing applications.

CODE	E TAILS
BS230TCA	230 x 2.4 x 10 x 22.23mm
BS230TCB	230 x 2.4 x 10 x 22.23mm - Segmented No Packaging MOQ 20pcs

SEGMENTED SILVER

A semi-professional blade with good life for dry cutting of concrete and masonry products.

CODE	Œ TAILS
BS230TCP	230 x 2.4 x 10 x 22.23mm





SEGMENTED ABRASIVE PROProfessional blade with long life for dry cutting of cement

blocks, stock bricks, asphalt and all abrasive products.

CODE	ŒTAILS
BS115ABP	115 x 2.1 x 8.5 x 22.23mm
BS125ABP	125 x 2.2 x 8.5 x 22.23mm
BS180ABP	180 x 2.5 x 10 x 22.23mm
BS230ABP	230 x 2.4 x 10 x 22.23mm

SEGMENTED CONCRETE PROProfessional blade with long life for dry cutting of hard pre-cast concrete and hard masonry.

CODE	ŒTAILS
BS115GP	115 x 2 x 10 x 22.23mm
BS125GP	125 x 2 x 10 x 22.23mm
BS150GS	150 x 2.4 x 10 x 22.23mm
BS180GS25	180 x 2.4 x 10 x 25.4mm (22.23mm Bush)
BS230GS	230 x 2.4 x 10 x 22.23mm





RESCUE BLADES
These jack-of-all trade blades are designed for cutting multiple materials including but not limited to: carbon steel, ductile iron, steel section, steel bar, steel tube, wood, plastic, PVC, stone, and brick.

CODE	ŒTAILS
LVR115P	115 x 2.5 x 22.23mm
LVR230P	230 x 2.8 x 22.23mm
LVR300P	300 x 3.1 x 25.4mm
LVR350P	350 x 3.1 x 25.4mm

HARD MATERIALS PRO

Dry cutting of very hard materials including mild steel and hard refractory bricks.

CODE	E TAILS
LSDC115	115 x 2.4 x 7 x 22.23mm
LSDC230	230 x 2.4 x 7 x 22.23mm
LSDC300	300 x 2.4 x 7 x 25.4mm
LSDC350	350 x 3.2 x 5 x 25.4mm
LSDC450	450 x 4 x 7 x 25.4mm



Crack Chasing & Joint Widening Blades



CRACK CHASER BLADES

Professional diamond blade for chasing cracks and cutting joints.

CODE	DETAILS	
BTC125P	125 x 6 x 22.23mm	
BTC180P	180 x 6 x 22.23mm	

JOINT WIDENING BLADES

Wet / Dry joint widening or reaming of concrete and asphalt.

CODE	Œ TAILS
BTP125P	125 x 6.4 x 10 x 22.23mm
BTP180P	180 x 6.4 x 10 x 22.23mm
BTP350P6	350 x 6 x 10 x 25.4mm
BTP350P8	350 x 8 x 10 x 25.4mm
BTP350P10	350 x 10 x 10 x 25.4mm
BTP350P12	350 x 12 x 10 x 25.4mm



Asphalt Blades / New Concrete



ASPHALT / NEW CONCRETE TRADE PRO

CODE	DETAILS
HA350TP	350 x 3.2 x 12 x 25.4mm

ASPHALT / NEW CONCRETE YELLOW

Competitively priced blade for wet cutting of asphalt, pre-mix, new concrete and abrasive materials.

Economy blade with good life for wet cutting of asphalt, pre-mix, new concrete, and abrasive materials.

CODE	DETAILS
BA350DA	350 x 3.2 x 15 x 25.4mm



ASPHALT / NEW CONCRETE **STANDARD**

CODE	DETAILS
BA300AS	300 x 3.2 x 10 x 25.4mm
BA350AS	350 x 3.2 x 15 x 25.4mm
BA400AS	400 x 3.2 x 10 x 25.4mm
BA450AS	450 x 3.2 x 10 x 25.4mm
BA600AS	600 x 4.2 x 10 x 25.4mm

ASPHALT / NEW CONCRETE **PREMIUM**

Contractor's blade for wet cutting of asphalt, pre-mix, new concrete, and abrasive materials.

A premium contractor's blade for wet cutting of asphalt, pre-mix, new concrete, and abrasive materials.

CODE	DETAILS
BA350AP	350 x 3.2 x 15 x 25.4mm





NEW CONCRETE SUPER

A professional blade for wet cutting of asphalt, new concrete, and abrasive materials.

CODE	DETAILS
BA350ASU	350 x 3.2 x 15 x 25.4mm





Old Concrete Blades



OLD CONCRETE TRADE PRO

Competitively priced blade for wet cutting of all old concrete, reinforced concrete and general masonry products.

CODE	E TAILS
HO350TP	350 x 3.2 x 12 x 25.4mm
HO450FS	450 x 3.7 x 12 x 25.4mm
HO600FS	600 x 4.6 x 12 x 25.4mm
HO800FS	800 x 4.5 x 12 x 25.4mm
HO900FS	900 x 4.5 x 12 x 25.4mm

OLD CONCRETE YELLOW

Economy blade with good life for wet cutting of all old concrete, reinforced concrete and general masonry products.

CODE	ŒTAILS
BO300DA	300 x 3 x 12 x 25.4mm
BO350DA	350 x 3.2 x 15 x 25.4mm



Tad Co

OLD CONCRETE STANDARD

Contractor's blade for wet cutting of all old concrete, reinforced concrete and general masonry products.

CODE	Œ TAILS
BO300CS	300 x 3 x 12 x 25.4mm
BO350CS	350 x 3.2 x 15 x 25.4mm

OLD CONCRETE PREMIUM

Premium contractor's blade for wet cutting of all old concrete, reinforced concrete, and general masonry products.

CODE	ŒTAILS
BO350CP	350 x 3.2 x 15 x 25.4mm (15-35 HP)
BO400CP	400 x 3.2 x 10 x 25.4mm (15-35 HP)
BO450CP	450 x 3.6 x 10 x 25.4mm (15-35 HP)
BO500CP	500 x 3.6 x 10 x 25.4mm (15-35 HP)
BO600CP	600 x 4.3 x 10 x 25.4mm (15-35 HP)
BO700CP	700 x 4.2 x 12 x 25.4mm (35+ HP)

abrasive concrete

BO550ABP 550 x 4 x 16 x 25.4mm (15-35 HP)





HARD CONCRETE PREMIUM


Premium contractor's blade for wet cutting of hard concrete, reinforced concrete, and hard masonry products.

CODE	IETAILS
BO350CH	350 x 3 x 15 x 25mm

OLD CONCRETE SUPER

Professional blade for wet cutting of all old concrete, reinforced concrete and general masonry products.

CODE	ETAILS
BO350CU	350 x 3.2 x 15 x 25.4mm (15-35 HP)
BO450CU	450 x 3.6 x 15 x 25.4mm (15-35 HP)
BO600CU2	600 x 4.5 x 14 x 25.4mm (10 -20 HP)
BO600CU	600 x 4.5 x 10 x 25.4mm (35+ HP)
BO800CU	800 x 5 x 10 x 25.4mm (35+ HP)
BO900CU	900 x 5 x 9.5 x 25.4mm (35+ HP)





OLD CONCRETE / ASPHALT MULTI CUT

Economy all purpose blade for wet cutting of old concrete, various building materials, and occasionally asphalt.

CODE	Œ TAILS
BOA350TC	350 x 3.2 x 10 x 25.4mm

Our new Tool-Co all-purpose multi-cut diamond blade has a unique alternating Turbo/Standard segment designed to allow durable and smooth cutting in a vast range of materials without changing the blade.



Floor Saws



TOOL-CO MGA500 FLOOR SAW

This versatile and compact petrol push floor saw fits a 300mm to 500mm diamond blade with a unique ability to cut either side of the saw. Ideal for small to mid-sized service and repair jobs in asphalt and concrete. Cuts up to 180mm deep.

Excluding Diamond Blade

	CODE	BMGA500
۱	Petrol Engine	Honda 9.7kW (13 Hp)
5	Max Blade Size	500mm
9	Max Cutting Depth	180mm
	Weight	110kg

FS524 FLOOR SAW

Our convenient FS 524 is a powerful, yet compact, self-propelled petrol floor saw ideal for asphalt and concrete cutting. Suitable for small to medium-sized service and repair jobs, up to 241mm cutting depth.

Excluding Diamond Blade

CODE	H965I50205	
Petrol Engine	Honda 15.5kW (21 Hp)	
Max Blade Size	600mm	
Max Cutting depth	241mm	
Weight	231kg	



Floor Saws



FS 7000 D FLOOR SAW

The FS 7000 D is a powerful diesel walk-behind floor saw with low emissions, developed to be compliant with Tier 4 / Stage IIIB regulations. It's Ideal for asphalt and concrete cutting up to 411 mm deep. It's highly versatile thanks to a high output, compact size and good manoeuvrability. Equipped with an intuitive digital control panel making all important functions easy to monitor.

Excluding Diamond Blade

Available On Request	
Diesel Engine	50.4kW
Max Blade Size	1000mm
Max Cutting Depth	411mm
Power at blade shaft	50kW (67Hp)
Weight	1032kg

SOFF-CUT 4000

The Soff-Cut 4000 self-propelled petrol saw is designed for heavy-duty commercial, industrial and paving applications. It is features technology that enables concrete to be cut within the first one or two hours of finishing and before final set. Soff Cut™ machines provide the best solution for minimising the risk of random cracking, and it simplifies the working process.

Excluding Diamond Blade

CODE	H966845502
Petrol Engine	15.3kW (20.5Hp)
Max Blade Size	350mm
Max Cutting Depth	70mm
Weight	190.51kg
Soff-cut Diamond Blade	h542756114



NOTE: OTHER MACHINE SIZES ARE AVAILABLE UPON REQUEST

HAND SAW BLADES

Premium contractor's blades for dry/wet cutting of reinforced concrete and bricks. Used with a hand-held petrol or hydraulic power cutter for the fastest cut and lowest cost in professional sawing.

CODE	ŒTAILS	
LS350PRZ	350 x 2.8 x 14mm- Z-Type	
LS400PRE	400 x 3.2 x 25.4mm - Red (Long Life)	
LS400PRO	400 x 3.2 x 25.4mm - Blue (Quick Cut)	
LS400RCP	400 x 3.2 x 25.4mm - Hydraulic	
LS400HCP	400 x 4 x 25.4mm- Pre-Cut	
LS400PRZ	400 x 2.8 x 14mm- Z-Type	
LS500PRZ	500 x 3.2 x 14mm- Z-Type	
LS500RCP	500 x 3.5 x 25.4mm - Hydraulic	
Dre cut blade to be used in conjunction with a cine Saw		

Pre-cut blade to be used in conjunction with a r ing Saw Please see page 5

HYCON HCSI6 400mm SAW

This hydraulic cut-off saw is capable of cutting every material, including re-bar. The saw offers high safety with it's built-in Automatic Safety Cut Off system (ASCO) which automatically cuts off the power if the disc jams.

Excluding Diamond Blades

CODE	HY303040I
Max Blade Size	400mm
Max Cutting Depth	162mm
Oil Flow	20-40lpm
Working Pressure	120bar
Max Pressure	172bar
Noise level 1 m LPA dB	97
Noise level 1 m LWA dB	108
Vibration level m/s²	<2.5
Weight w/o Equipment	7.8kg
Recommended Blade	I \$400PR7 - 400mm 7-Tyne



Handheld Saws

HYCON POWER PACK

The HPP18V hydraulic power pack features infinitely variable flow adjustment from 0 to 40 lp.m. With its great flow range, it can operate all tools, but it is typically used for cut-off saws, diamond chain saws, ring saws and other 40 lp.m. tools.

CODE	HX5050018	
Oil Flow, l.p.m.	1x20-30-40	
Maximum Pressure, bar	160	
Noise level 1m LPA dB	89	
Noise level LWA dB	101	
Weight	105kg	
6m Twin hose	hY4040008	

HYCON HCS20 500mm SAW

A larger, more powerful version of the Hycon 400mm Hydraulic Cut-off Saw with all the same features.

Excluding Diamond Blade

CODE	HY3030500	
Max Blade size	500mm	
Max Cutting Depth	212mm	
Oil Flow	30-40lpm	
Working Pressure	120bar	
Max Pressure	172bar	
Noise level 1 m LPA dB	99	
Noise level 1 m LWA dB	110	
Vibration level m/s²	<2.5	
Weight w/o equipment	9.2kg	
Recommended Blade	LS500PRZ - 500mm Z-Type	





The C16 is a hand-held saw for concrete, masonry, and stone. Designed for wet cutting but is also perfectly suitable for dry cutting. The vacuum port can be used either for wet slurry collection or for dry dust collection. Includes full electronic overload and thermal protection.

Excluding Diamond Blade

CODE	PTM-CI6
Power	3.2kW
Rated RPM	2100RPM
Max Blade Size	405 x 25.4mm
Max Cutting Depth	150mm
Weight w/o Equipment	9.6kg
Recommended Blade	LS400PRZ - 400mm Z-Type

K4000 POWER CUTTER

This electric all-round cutter minimises the amount of water and slurry. Unlike other electric cutters, the blade rotates forward, cutting into the material efficiently with minimum effort on the operator. It's easily adaptable for dry cutting with the Vac attachment accessory for minimal dust generation.

Excluding Diamond Blade

CODE	H96707980I
Blade size	350mm
Cutting Depth	125mm
Arbor Diameter	25.4mm
Engine Voltage	220-240V, 12A
Engine RPM	19350rpm
Output Shaft RPM	3600prm
Recommended Blade	LS350PRZ - 350mm Z-Type





SCAN FOR

Handheld Saws



K7000 POWER SAW & PP65

The K7000 is equipped with high frequency technology for powerful and precise cutting.

The PP 70 is a versatile electric power pack. The low weight, compact design and user-friendly interface with digital menu makes the PP 70 very easy to use and transport. Connects to both 3- and 1-phase power

Excluding Diamond Blade

CODE		H96708290I
Power 3-phase		5500W
Power 1-phase		3000W
Max Blade Size		400 x 25.4mm
Max Cutting De	pth	155mm
Weight w/o equ	iipment	9.8kg
Recommended	Blade	LS400PRZ - 400mm Z-Type
PP70 Power F	Pack	h967828303

K7000 RING SAW & PP65

The K 7000 Ring is equipped with high frequency technology, making it our most powerful electric cutter ever. The high power output, well-balanced body and low vibration levels make this machine very efficient and easy to use.

The PP 70 is a versatile electric power pack. Connects to both

Excluding Diamond Blade

CODE	H97044980I
Power 3-phase	5500W
Power 1-phase	3000W
Max Blade Size	370mm
Max Cutting Depth	270mm
Weight w/o equipment	13.1kg
PP70 Power Pack	h967828303
r ing Saw Diamond Blade f or hard concrete	h58702420I



K7000 CHAIN & PP65

The K 7000 Chain is equipped with high frequency technology, making it a very powerful electric chain cutter. The high power output, well-balanced body and low vibrations makes this machine very efficient and easy to use. With K 7000 Chain it is possible to cut 455 mm deep from one side, making this machine a great complement to wall saws to avoid overcutting at corners. It is also ideal for cutting irregular or small openings (as small as 11x11 cm).

The PP 70 is a versatile electric power pack. Connects to both

3- and 1-phase power.

CODE	H97044970I
Power 3-phase	5500W
Power 1-phase	3000W
Max Cutting Depth	450mm
Weight	9.1kg
PP70 Power Pack	h967828303
r eplacement Diamond chain	h5449084-05

CUT-N-BREAK

The K4000 Cut-n-Break enables you to cut as deep as 400mm from one side. Suitable for flush cutting close to walls and floors as well as for smaller jobs like window openings where you want to avoid over-cutting at the corners.

The new K 4000 has a upgraded electric motor with pop-up

carbon brushes for a longer service life.

Includes a set of Diamond Blades

K4000 Cul-n-Break	H96707970I
Power 1-Phase	2700W
Max Blade Size	230mm
Max Cutting Depth	400mm
Weight incl. cable & blades	10.4kg
r eplacement Blade Set	h574836202



ICS Chain Saws



PETROL CONCRETE CHAIN SAW

The new ICS 695XL features include an easy to start engine with higher energy ignition system and durable, long-lasting components including a new muffler, carburettor and piston & cylinder. Available with 30cm or 40cm guide bars and the entire line of MAX, ProForce and PowerGrit series diamond chains. Based on the best-selling 695 saw platform, the 695XL is the highest horsepower ICS gas saw for frequent-use by general contractors and concrete professionals

Weight w/o equipment

Excluding Diamond Chain		
CODE	ICS575826	
Power	4.8kW	
Torque	5.7Nm	
Noise Level	115dB	

9.5kg

HYDRAULIC CONCRETE CHAIN SAW

The ICS 890F4 Series hydraulic cutting system offers the superior strength of FORCE4® technology. From the redesigned, more durable rear handle, to the easy to replace drive sprocket, this saw is engineered to stand up to your toughest jobs. In a package that exceeds industry standards this sleek powerhouse is packed with features designed to make it work as hard as you do. Available in 30lpm or 45lpm hydraulic supply on request

Excluding Diamond Chair

CODE	IC5566357
Power (30LPM / 45LPM)	4.6kW / 6kW
Torque (30LPM / 45LPM)	13.78Nm / 19.2Nm
Noise Level	107dB
Weight w/o equipment	12.4kg





ICS CHAINSAW CHAINS

PowerGrit® Utility Saw Chains provide improved access to the cut with less excavation. From ductile iron to plastic pipe, PowerGrit will get you in and out of the job faster, safer and easier than other products.

The ProFORCE™ Diamond Chain Series is designed to be used only with the FORCE4® system, it is the strongest, longest lasting diamond chain ever made. Available in five configurations to meet most concrete cutting challenges.





Wall Chasing



AGP CGISO WALL CHASER

Specifically designed for cutting double slots and channels in reinforced concrete, masonry, and similar materials.

Including Diamond Blade

CODE	PTM-CGI50
Power	2500W
Max Blade Size	150 x 22.23mm
Max Cutting Depth	50mm
Channel Width	47mm
Cut To Ceiling / Edge	25mm / 28mm
Weight w/o equipment	7.2kg



Diamond Saw Blade to fit the AGP CG150 wall chaser.

CODE	E TAILS
BS150GS	150 x 2.2 x 10 x 22.23mm

AIRCHASER CUTTING AND CHASING DUST GUARD

Turn your angle grinder into a chaser for cutting grooves into walls, ceilings, and floors for electrical cables and wires. The device is easily and quickly installed on 115, 125, and 230mm angle grinders. Featuring ergonomic clamping knobs for adjusting and fixing the depth of the cut, plastic wheels ensure smooth movement on the surface. The aerodynamic system and brush seal effectively remove dust from the cutting area!

CODE	ŒTAILS
PED-10032	AIRCHASER 115-125mm
PFD-10031	AIRCHASER 230mm







Wall Saw Machine & Blades




WS440 HF - 800MM GUARD

WS 440 HF - BUUNINI GUARD
WS 440 HF electric wall saw gives you increased possibilities for fast and efficient cutting in reinforced concrete, brick and other building materials, up to 530mm thickness. Usethis wall saw for all kinds of openings and sawing including stair, bevel and flush cutting. WS 440 HF can be combined with CS 10, transforming it into a perfect wire saw. Including an 800mm Blade Guard (Cutting Depth = 330mm) Excluding Diamond Blade

CODE	H9668683I3
Motor	Electric 3-phase 1200rpm
Spindle output, max	13kW
Blade Size, min / max	600mm / 1200mm
Cutting depth, max	530mm (1200mm Blade)
code for I200mm Blade Guard	h57766040I

WALL SAW BLADES

Professional wall saw blades with Diamond Arrayed Technology. Guaranteed fastest cut and lowest cost.



CODE	ETAILS
BW0600SB	600 x 4.5 x 12 x 60mm
BW0800HB	800 x 5 x 12 x 60mm PRE CUT
BW0800Z	800 x 4.5 x 12 x 60mm Z-Type
BW0900Z	900 x 4.5 x 12 x 60mm Z-Type
BW1200Z	1200 x 4.5 x 12 x 60mm Z-Type
BW1600Z	1600 x 4.5 x 9.5 x 60mm Z-Type

NOTE: OTHER MACHINE SIZES ARE AVAILABLE UPON REQUEST

Pre-Stressed Blades



PRE-STRESSED BLADES

Professional pre-stressed saw blades with a high concentration of diamonds. High quality guaranteed, consistency and performance providing the lowest cost per cut.

CODE	ŒTAILS
BHC0600P	600 x 5 x 10 x 40mm
BHC800P	800 x 7.5 x 10 x 100mm
BHD0900P	900 x 6 x 10 x 70mm
BHD1000P	1000 x 7 x 10 x 60mm



Electro-Plated & Vacuum Brazed



Tad Co

FIBREGLASS BLADES

For cutting all types of fibreglass products.

CODE	E TAILS
electroplate	ed
LVC115TC	115 x 22.23mm
EP180	180mm (Made To Order)
EP200	200mm (Made To Order)
EP250	230mm (Made To Order)
EP300	300mm (Made To Order)
Vacuum Brazed	
LVRS230P	230 x 2.3 x 5 x 22.23mm
LVRS350P	350 x 2.3 x 5 x 32mm (Bush to 25.4mm Optional)


VACUUM BRAZED DIAMOND CORE BITS

Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.

CODE	ŒTAILS	CODE	DETAILS
LVRC020P	20 x 3.5 x 7mm x M14	LVRC065P	65 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14	LVRC070P	70 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14	LVRC075P	75 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14	LVRC082P	82 x 3.5 x 7mm x M14
LVRC040P	40 x 3.5 x 7mm x M14	LVRC090P	90 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14	LVRC102P	102 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14	LVRC120P	120 x 3.5 x 7mm x M14
LVRC060P	60 x 3.5 x 7mm x M14		



Rescue Blades



TOOL-CO RESCUE BLADES

A specialised vacuum brazed diamond blade that delivers cost efficiency with a much longer tool life and reduces downtime in changing worn abrasive discs by lasting up to 50 times longer than standard abrasives based on internal testing. These jack-of-all trade blades are designed for cutting a long list of materials including but not limited to: carbon steel, ductile iron, steel section, steel bar, steel tube, wood, plastic, PVC, stone, and brick.

CODE	ŒTAILS
LVR115P	115 x 2.5 x 22.23mm
LVR125P	125 x 2.5 x 22.23mm
LVR230P	230 x 2.8 x 22.23mm
LVR300P	300 x 3.1 x 25.4mm
LVR350P	350 x 3.1 x 25.4mm

















Handheld Cutting & Grinding Dust Control



AIRDUSTER ANGLE GRINDER DUST GUARD

Device that clips directly onto the existing blade guard, enabling clean, dust free cutting suitable for ALL 115-230mm angle grinders! Features an open construction that gives a clear visual of the cutting area while also allowing for cooling of the blade. Made of durable meterials, the AIRDUSTER is available in two variations, 115-125mm and 230mm.

CODE	ŒTAILS
PED-10001	AIRDUSTER 115-125mm
DED 10003	AIDDLISTED 220mm



DUSTER 45 CLEAN, DUST-FREE 45-DEGREE CUTS

Device for angle grinders that significantly reduces dust when cutting ceramic tiles at a 45-degree angle. It also provides a plastic support for less hand fatigue and a window for visual motoring of the cutting process. This versatile tool fits 115 and 125 angle grinders, ensuring cleaner, more comfortable tile grinding.

CODE	ŒTAILS
PED-10003	DUSTER 45 115-125mm







AIRSLIDER 90 CLEAN, PRECISE 90-DEGREE CUTS

ŒTAILS

The AIRSLIDER is a versatile attachment for 115-125 mm angle grinders. It provides precise, clean cuts on various materials like ceramic tile, granite, wood, and more. With adjustable depth and a plastic lining for surface protection, it ensures a perpendicular cut. Safety and dust control are enhanced with a connected vacuum cleaner. Compatible with any angle grinder model, it's a must-have for quality and safe cutting.

Designed for small floor grinders and hand held power tools. Uses a single motor with a two-stage filtering system. Compatible with the continuous drop down bagging system for ease of use and efficiency.

TOOL-CO

DROP DOWN BAG SOLD SEPARATELY, SEE PG46



PED-10021	AIRSLIDER 90 115-125mm	

CODE	VCM-AZ00280
Power	1700W
Max Air Flow	300m3/h
Max Vacuum	220mbar
Primary Filter	1400 cm2, F8
Second Filter	1250 cm2, H13
Dimensions	60 x 37 x 105cm
Weight	35kg
Drum Pre-f ilter	Vcc-Bm0043I
r ear f ilter	Vcc-Bm00287



Masonry Blades

MASONRY BLADES

Standard wet cutting masonry blades featuring a unique design that provides low cutting cost and high performance when used on a wide range of masonry materials.

CODE	ŒTAILS
BM300MS	300 x 3.2 x 10 x 25.4mm
BM350MS	350 x 3.2 x 10 x 25.4mm

HARD MATERIALS PRO

 $\mbox{\rm Dry}\,/$ wet cutting of very hard products including mild steel and hard refractory bricks.

E TAILS
300 x 2.4 x 7 x 25.4mm
350 x 3.2 x 5 x 25.4mm
450 x 4 x 7 x 25.4mm



Masonry Machines



TOOL-CO BRICK SAW

Heavy Duty brick cutter for cutting bricks, stone and tiles. It has a sliding table that moves under a cutting head. The cutting head can turn to cut 45degrees as well as move up and down to control depth of cut.

Excluding Diamond Blade

CODE	BCA350TC
Voltage	230V
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	110mm
Max Cutting length	630mm
Mitre Cut	0° - 45°

ALBA TVR 350 BRICK SAW

This dynamic machine offers safety features including a thermal overload protector, it also offers dual head settings, using both the 300mm or 350mm diameter blade on the TVR350. The TVR 350 comes in both single and three phase versions. Vertical positioning can also be used, allowing bricks or blocks to be cut from 1 cm and 15cm. This machine offers mitre cuts as well, from 0 degrees to 45 degrees. You can even regulate height when doing mitre cutting.

Excluding Diamond Blade

CODE - Single Phase	AL06242
CODE - Three Phase	ALO6243 (On Reque
Voltage 1-/3-Phase	230V / 380V
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	110mm
Max Cutting length	630mm
Mitre Cut	0° - 45°





SCAN FOR

HEAVY DUTY BRICK SAW

Single phase masonry and refractory saw. Also available in 3-phase.

Excluding Diamond Blade

CODE	1471000 (On Request)
Voltage	230V
Power	2.2kW
Max Blade	500mm
Bore	25.4mm
Max Cutting depth	190mm
Max Cutting length	500mm

ALBA TVR 450 BRICK SAW Shares the same features as the ALBA TVR 350, but allows you

Shares the same features as the ALBA TVR 350, but allows you to fit a bigger, 450mm diamond blade.

Excluding Diamond Blade

AL06224
230V
2.2kW
450mm
25.4mm
150mm
630mm
0° - 45°





PETROL BRICK SAW

Petrol powered 350mm masonry saw.

Excluding Diamond Blade

CODE	BCP350 (On Request
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	75mm
Max Cutting length	650mm
Weight	106kg

BS650 BLOCK SAW

Powerful block saw for the long term use on any job-site or large construction project.

Excluding Diamond Blade

CODE	(On Request)	
Voltage	400V	
Power	5.5kW	
Max Blade	650 x 60mm bore	
Bore	25.4mm	
Max Cutting depth	260mm	
Max Cutting length	500mm	
Feed	Manual	
RPM	1020	
Weight	230kg	



Tiling Blades



Tool-co **RED**

ETAILS

Dry chip free culting of ceramics and natural stone tiles. HC115EC $115\,x\,2\,x\,7\,x\,22.23mm\,$ - Continuous Rim HC230EC $230\,x\,2.4\,x\,7\,x\,22.23mm~$ - Continuous Rim

Dry fast cutting of concrete, bricks, ceramic and natural stone tiles

HT115EC 115 x 2 x 7 x 22.23mm - Turbo HT230EC 230 x 2.4 x 7 x 22.23mm - Turbo

TOOL-CO TRADE PR

Do it yourself dry cutting for concrete, tiles, stone, and general masonry.

Dry cutting diamond blade for general masonry, concrete, tile and abrasive material.

Dry chip free culting of ceramics and natural stone tile HC115TC 115 x 2 x 7 x 22.23mm - Continuous Rim HC230TC $230\,x\,2.4\,x\,7\,x\,22.23mm\,$ - Continuous Rim

Dry fast cutting of concrete, bricks, ceramic and natura stone tiles

HT230TC 230 x 2.4 x 7 x 22.23mm - Turbo





TRI-PACKS

Pack of three dry cutting diamond blades for general masonry, stone, concrete, and tiles.


CODE	ŒTAILS
HS115TC3	115 x 2 x 7 x 22.23mm For Cutting Masonry, Concrete & Stone
HC115TC3	115 x 2 x 7 x 22.23mm For Cutting Tiles & Stone

BLADE SHARPENING ABRASIVE BARS

Used to re-sharpen diamond blades by making cuts on either the F120 or F240 side of the abrasive bar. It's advisable to use a clamp to secure the bar for better control while using the blade sharpening abrasive bar.



PED-10040 250 x 50 x 25mm x F120/240





CONTINUOUS RIM DRY

Dry chip free cutting of ceramics, porcelain and natural stone

CODE	DETAILS
BC115TC	115 x 2 x 7 x 22.23mm - Standard
BC115TE	115 x 1.6 x 7 x 22.23mm - Porcelain
BC115TP	115 x 1.6 x 7 x 22.23mm - Premium
BC125TP	125 x 1.6 x 7 x 22.23mm - Premium
BC180TP	180 x 1.6 x 7 x 22.23mm - Premium
BC230TP	230 x 1.65 x 7 x 22.23mm - Premium

TURBO DRY

Dry fast cutting of ceramic, porcelain, natural stone tiles, hard concrete and hard bricks.

CODE	ETAILS
BT115E	115 x 8 x 1.8 x 22.23mm - Standard
Sintered Ston	e & Porcelain Professional Blades
LTE115P	115 x 7.5 x 1.3 x 22.23mm
LTE125P	125 x 7.5 x 1.3 x 22.23mm
LTE180P	180 x 7.5 x 1.8 x 22.23mm





CONTINUOUS RIM WET

Chip free cutting of ceramics, and natural stone tiles.

CODE	DETAILS
BC180TS	180 x 1.5 x 7 x 25.4mm (22.23mm Bush)
BC200TS	200 x 1.5 x 7 x 25.4mm (22.23mm Bush)
BC230TS	230 x 1.5 x 7 x 25.4mm (22.23mm Bush)
BC250TS	250 x 1.8 x 7 x 25.4mm (22.23mm Bush)
BC300TS	300 x 2 x 7 x 25.4mm
BC350TS	350 v 2 2 v 7 v 25 4mm

TURBO SUPER THIN WET **PREMIUM**

Chip free and super-fast cutting of hard porcelain, hard ceramics, and natural stone tiles. Can cut up to 15mm tile thickness.

CODE	DETAILS	
BT180P	180 x 1.4 x 8 x 25.4mm	
BT200P	200 x 1.8 x 8 x 25.4mm	
BT230P	230 x 1.8 x 8 x 25.4mm	
BT250P	250 x 1.8 x 8 x 25.4mm	
BT300P	300 x 2 x 8 x 25.4mm	
BT350P	350 x 2 x 8 x 25.4mm	





MUSIC SLOT WET **PROFESSIONAL**

Professional blade with cooling slots for fast chip free cutting of porcelain and other hard materials

CODE	DETAILS
LCJ250P	250 x 2 x 10 x 25.4mm
LCJ300P	300 x 2 x 10 x 25.4mm
LCJ350P	350 x 2 x 10 x 25.4mm
LCJ400P	400 x 2 x 10 x 25.4mm

MUSIC SLOT WET **SILVER**

Professional blade designed for multi-blade tile cutting machines.

CODE	DETAILS
LCP250P60XF	250 x 1.8 x 10 x 60mm
LCP310P60XF	310 x 1.6 x 10 x 60mm





CONTINUOUS RIM WET GLASS

Premium blade for straight, true chip free cutting into various types of glass.

CODE	E TAILS
LCJ250G	250 x 1.7 x 5 x 25.4mm
LCJ300G	300 x 1.7 x 5 x 25.4mm



Tile Drilling

PORCELAIN CORE DRILLS

ECOFast drilling into all types of tiles: Porcelain, hard ceramics,

natural stone. Estimated life between 5-20 holes depending on the hardness and thickness of the tile. USE WITH WATER

CODE	DETAILS
LZV005	5 x 40mm x 10mm Hex Shank
LZV006	6 x 40mm x 10mm Hex Shank
LZV008	8 x 40mm x 10mm Hex Shank
LZV010	10 x 40mm x 10mm Hex Shank

PORCELAIN CORE DRILLS **PREMIUM**

Professional drilling into all types of tiles: Porcelain, hard ceramics, natural stone. Estimated life between 50-100 holes depending on the

hardness and thickness of the tile. USE WITH WATER

CODE	ŒTAILS
LZK006P	6mm x 44mm x 1/2" BSP
LZK008P	8mm x 44mm x 1/2" BSP
LZK010P	10mm x 44mm x 1/2" BSP
LZK012P	12mm x 44mm x 1/2" BSP
LZK016P	16mm x 44mm x 1/2" BSP
LZK020P	20mm x 44mm x 1/2" BSP
LZK032P	32mm x 44mm x 1/2" BSP
LWST10	Water Swivel 10mm Shank x 1/2" BSP







Adaptor Pin

GRANITE CORE DRILLS - BLACK

Economic drilling of all marble and granite. Good life with slower drilling speed. USE WITH WATER

CODE	DETAILS
BZG020P	Core Drill - 20 x 105mm x M14
BZG025P	Core Drill - 25 x 105mm x M14
BZG032P	Core Drill - 32 x 105mm x M14
BZG035P	Core Drill - 35 x 105mm x M14
BZG051P	Core Drill - 51 x 105mm x M14
BZG065P	Core Drill - 65 x 105mm x M14
BZG080S	Core Drill - 80 x 105mm x M14
BZG085P	Core Drill - 85 x 105mm x M14
BZG102P	Core Drill - 102 x 105mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8





CORE DRILLING GUIDES

Keeps your core bit in the correct position and prevents the bit from jumping or skipping. Produces clean and accurate holes with ease, every time.

CODE	Details
FTTO0116	Diamond Core Bit Guide (Small) 5-12mm
FTT00118	Diamond Core Bit Guide (Large) 20-65mm



TILE CORE DRILLS - BLUE

Fast drilling into all types of tiles: Porcelain, ceramics, and natural stone. USE WITH WATER

CODE	DETAILS
LZG005P	Dowel Drill - 5 x 40mm x Straight Shank
LZG006P	Dowel Drill - 6 x 40mm x Straight Shank
LZG008P	Core Drill - 8 x 40mm x Straight Shank
LZG010P	Core Drill - 10 x 40mm x Straight Shank
LZG012P	Core Drill - 12 x 40mm x Straight Shank
LZG014P	Core Drill - 14 x 40mm x Straight Shank
LZG016P	Core Drill - 16 x 40mm x Straight Shank
LZG006M	Core Drill - 6 x 40mm x M14
LZG008M	Core Drill - 8 x 40mm x M14
LZG010M	Core Drill - 10 x 40mm x M14
LZG016M	Core Drill - 16 x 40mm x M14
LZG018P	Core Drill - 18 x 40mm x M14
LZG020P	Core Drill - 20 x 50mm x M14
LZG025P	Core Drill - 25 x 50mm x M14
LZG032P	Core Drill - 32 x 70mm x M14
LZG035P	Core Drill - 35 x 70mm x M14
LZG040P	Core Drill - 40 x 70mm x M14
LZG045P	Core Drill - 45 x 70mm x M14
LZG052P	Core Drill - 52 x 70mm x M14
LZG065P	Core Drill - 65 x 70mm x M14
LZG078P	Core Drill - 78 x 70mm x M14
LZG080P	Core Drill - 80 x 70mm x M14
LZG090P	Core Drill - 90 x 70mm x M14
LZG095P	Core Drill - 95 x 70mm x M14
LZG102P	Core Drill - 102 x 70mm x M14
LZG120P	Core Drill - 120 x 70mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8







CONTINUOUS RIM WET
Professional blade for cutting a 45° profile on tiles.

	Pro
1 20	CO RA
	R.A
	R.A

CODE	DETAILS
RAD179CC250B	250mm 45° Bevel Blade
RAD179SET300B	300mm Straight Porcelain Blade

VACUUM BRAZED DIAMOND CORE BITS

Designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.

CODE	WITAU C	cope	WITAU C
CODE	E TAILS	CODE	ŒTAILS
LVRC020P	20 x 3.5 x 7mm x M14	LVRC065P	65 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14	LVRC070P	70 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14	LVRC075P	75 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14	LVRC082P	82 x 3.5 x 7mm x M14
LVRC040P	40 x 3.5 x 7mm x M14	LVRC090P	90 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14	LVRC102P	102 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14	LVRC120P	120 x 3.5 x 7mm x M14
LVRC060P	60 x 3.5 x 7mm x M14		



Electric Tile Saws



RAIMONDI PIKUS 130

Ideal for cutting granite, marble, porcelain and ceramics. Straight, 45° bevel (Jolly), & plunge cuts. Machine includes a Diamond Blade.

Technical DeTail S

Power	1.1kW
Max Blade Size	250mm x 25.4mm
Cut Thickness Single Pass	80mm
Cut Thickness Double Pass	150mm
CODE	RAI30PIK
RAS423BL130ADV	Tile Holding Device

RAS423KITDL Folding Extensions & Left Square 90°

RAS192SQ04A Right Hand Sliding Square RAS192SQ07A Left Hand Sliding Square RAS191CL04A Counter-square RAS240 Water Pump

RAS374RU10D40 Self Standing 10 Roller Bench





MANTA I50 & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. The head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts.

EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

Technical DeTail S	manta 150 / 200
Power	230V, 2.2kW
Max Blade Size	350mm x 25.4mm
Max cutting length	1500mm / 2000mm
Max cutting depth	110mm
Weight	210kg / 260kg
CODE - MANTA 150	MNI20350ED
CODE - MANTA 200	MNI20458
CODE - MANTA 200 MNS17M003	MNI20458 Side Stop
MNS17M003	Side Stop
MNS17M003 MNS17M004	Side Stop Long Diagonal Square 50cm
MNS17M003 MNS17M004 MNS17M005	Side Stop Long Diagonal Square 50cm Short Diagonal Square






SIGMA JOLLY CUT (TO BE DISCONTINUED)

The Sigma Jolly cut is designed to cut Jolly angles effortlessly. This machine is suited for heavy work. It is fitted with a 2.2kw motor and a 300mm diamond blade. The work table slides on bearings. The machine is made of galvanised steel sheet and painted with high resistance epoxy paint.
Including Diamond Blade

Technical DeTail S

Power	2.2kW	
Max Blade Size	300mm x 30mm	
Max Tile Size	750mm x 750mm	
Weight	61kg	
CODE	CICTOCOL	
CODE	SIGTOOOI	
SIGT0002	Complete square with guide & support	
,		
SIGT0002	Complete square with guide & support	






CODE	DETAILS	ART. №	SIGMA 370 <i>SIG03001</i> ART. 7F	SIGMA 620 <i>SIG06201N</i> ART. 4BN	SIGMA 760 <i>SIG07601N</i> ART. 4CN	SIGMA 950 <i>SIG09501N</i> ART. 4DN	SIGMA 1.25 <i>SIG12501N</i> ART. 4EN	SIGMA 1.55 <i>SIG15501N</i> ART. 4FN
SIG03003	370 - Handle 6mm Grove, 12mm Wheel	24F	Х					
SIGS0001	330/350/670/770/950 - Wheel & Bolt	14A	Х					
SIGS0002	12mm Scoring Wheel & Bolt Titanium	14T	X					
SIGS0008	670 To 1.29 Handle Guide Wheel	10144	Х					
SIGS0004	670 To 2.45 - Ruler Clamping Lever	108621		Х	Х	Х	Х	х
SIGS0013	Base Rubber Foot	106725		Х	Х	Х	Х	х
SIGS0020	Ruler Tape Replacement (330mm - 1280mm)	107126		X	X	Х	Х	х
SIGS0025	Spring Button Kit For 90 Degree	108337					Х	х
SIGS0029	NEX Replacement Handle	24N		Х	Х	Х	Х	х
SIGS0028	NEX Handle Scoring Wheel	14N		Х	Х	Х	Х	Х
SIGS0030	NEX Handle "No-Mark" Protection	104096		Х	Х	х	х	х
SIGS0031	Bearing with groove for Series 4 Handles	10168		Х	Х	Х	Х	х
SIGS0032	260mm Square for Series 4	19N		X	X	Х	X	X
SIGS0038	Swivel Measuring Bar 47-0-35cm	90NB		Х				
SIGS0039	Swivel Measuring Bar 54-0-40cm	90NC			X			
SIGS0040	Swivel Measuring Bar 64-0-46cm	90ND				Х		
SIGS0033	Swivel Measuring Bar 64-0-64cm	90NE					X	Х
SIGS0037	Plug for Spare Parts Compartment on Series 4	106742		X	X	X	X	X
SIGS0034	Nut M8 Square 20 for Clamping Knob Lever	108362		X	X	X	X	X
SIGS0026	Complete Left Support	483		X	X	X	Х	X
SIGS0027	Complete Right Support	484		X	X	X	Х	X
SIGS0036	16mm Titanium Scoring Wheel	14NT		X	X	X	Х	Х



CODE	DETAILS	ART. №	SIG20501 ART. I2DI	SIG24501 ART. I2EI
SIG20502	13mm Scoring Wheel & Bolt	14X	х	Х
SIGS0003	Ruler Guide	19D	X	Х
SIG20504	Swivel Ruler 55cm-0-55cm	90LG	х	х
SIGS0004	Ruler Clamping Lever	108621	х	х
SIGS0005	Ruler Clamping Level Nut	1079104	х	Х
SIG20503	Handle 20mm Groove, 13mm Scoring Wheel	24XL	Х	Х
SIG15103	Handle Foot Rubber	104058	Х	Х
SIGS0033	Front Measure From 410-0-410mm	90E3	Х	Х
SIG24502	Complete Left Support Arm	1089143	Х	Х
SIG24503	Complete Right Support Arm	1089144	Х	Х
SIG24504	XL Base Plate	10882	Х	Х

SIGMA Series 3 Spares

sigma Series 3 Spares




				CODE. 31009301			CODE: SIG15101	
CODE	DETAILS	ART. №	SIGMA 350 <i>SIG03501</i> ART. 4A	SIGMA 670 <i>SIG06301</i> ART. 3B4	SIGMA 770 <i>SIG07501</i> ART. 3C2	SIGMA 950 <i>SIG09301</i> ART. 3D4	SIGMA 1.29 <i>SIG12801</i> ART. 3E4K	SIGMA 1.56 <i>SIG15101</i> ART. 3F4M
SIGS0001	12mm Scoring Wheel & Bolt	14A	Х	Х	Χ	Х		
SIG12802	15mm Scoring Wheel and Bolt	14C					Х	
SIGS0010	19mm Scoring Wheel & Bolt	14MX					Х	Х
SIG06303	Handle 8mm Groove, 12mm Wheel	24E	Х	Х				
SIG09304	Handle 10mm Groove, 12mm Wheel	24AE			Х	Х		
SIG12804	Handle 15mm Groove, 15mm Wheel	24EK					Х	
SIG15102	Handle 20mm Groove, 19mm Wheel	24M20X						Х
SIG03502	Ruler Guide	19	Χ					
SIGS0003	Ruler Guide	19D		Х	X	Х	Х	Х
SIG03503	Folding Extension	17	Х					
SIGS0008	Universal - Handle Guide Wheel	10144	Х	X	Х	Χ	Χ	
SIGS0007	Universal - Handle Foot Rubber	104033	Χ	X	Χ	Χ	Χ	
SIG15103	Handle Foot Rubber	104058					Χ	Χ
SIG15104	Handle Guide Wheel	10166					Χ	Χ
SIGS0004	Ruler Clamping Lever	108621		Χ	Χ	Χ	Χ	Χ
SIGS0005	Ruler Clamping Level Nut	1079104		Х	Χ	Х	Х	Х
SIGS0016	Complete Adjustable Support Screw	20B		Χ	Χ	Χ	Χ	Χ
SIGS0006	Sliding Bar Support Screw	020A	Χ					
SIG06306	Sliding Bar Support Screw	020	Х					
SIGS0009	Universal - Spring	10659		Х	Χ	Χ	Χ	
SIG06302	Swivel Ruler 47cm-0-35cm	90LB		Χ				
SIG07502	Swivel Ruler 54cm-0-40cm	90LC			Χ			
SIG09302	Swivel Ruler 64cm-0-46cm	90LD				Χ		
SIG12803	Swivel Ruler 64cm-0-64cm	90LE					Χ	X
SIG12806	Sliding Bar (NO HOLES)	039P2					Χ	
SIG12805	Sliding Bar (WITH HOLES)	039P					Χ	
SIG09303	Sliding Bar	039N				Х		
SIG07503	Sliding Bar	039B			Х			
SIG06304	Sliding Bar	039L		X				
SIGS0002	12mm Titanium Scoring Wheel & Bolt	14T	Х	Χ	Х	Х		
SIGS0012	15mm Max Handle	24M15X					Х	
SIGS0013	Base Rubber Foot	106725	Х	X	Х	X	X	Χ
SIGS0014	10mm Klick Klock Handle	24AK			Х	X		
SIGS0015	15mm Klick Klock Handle	24EK					X	
SIGS0020	Ruler Tape Replacement	107126	Х	Χ	Х	Х	Х	Х
SIG03503	Folding Extension 21-34cm	17	Х					

NOTE: SIGMA DISPLAY STANDS AVAILABLE, TILE CUTTERS ARE SOLD SEPARATELY.

DISPLAY STAND CODE: SIGZ001





SIGMA Large Format Tiling Tools

sigma



KERA-CUT

The Sigma Kera-Cut is designed to cut large format tiles. The sliding guide in a single piece is light and strong and remains accurate even in the event of accidental falls. It can be fixed either with suction cups to the tile or attached to a work bench for

CODE	DETAILS
SIGK0013	Kera-Cut Rail and Cutter 332cm (8AE)
SIGK0014	Kera-Cut Rail Extension 550mm (8AEP)
SIGK0012	Kera-Cut Replacement Suction Cups (51C)
SIGK0002	Kera-Cut 12mm scoring wheel & bolt (14G)
SIGK0003	Kera-Cut 19mm scoring wheel & bolt - Old Model (14K)
SIGK0005	Universal Separator for breaking tiles between 20-30mm (41D)
SIGK0008	Kera-Flex Attachment, inc. Blade, exc. Grinder (38F13D)
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)
POG125K003	KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)



Kera-Flex Attachment

Turbo Cup Grinder









SCAN FOR MORE INFO

SIMPLE BEVEL

Precision Machine for chamfering porcelain tiles, marble, granite & glass. Rests on top of the tile and slides along it's edge to create a uniform chamfer along the entire length of the edge. It will follow the curves in the tile which would not be possible if using a rigid guide. Bevel from 1 to 12mm (from 1 to 6mm on porcelain) Adjustable to any angle between 22° and 90°. The BULL is obtained with multiple passes at different angles. Allows finishing of the lateral edge of the tile. (max 30mm)

CODE	DETAILS
SIGK006	Sigma Simple Bevel - Excluding Grinder (36A4D)
LCGC105P	Turbo Cup Grinder 105mm x M14 (Course)
LCGM105P	Turbo Cup Grinder 105mm x M14 (Medium)
LCGF105P	Turbo Cup Grinder 105mm x M14 (Fine)
BPAD115	Backing Pad 100mm x M14
BPN0050	Polishing Pad 100 x 3mm x 50# Light Blue
BPN0200	Polishing Pad 100 x 3mm x 200# Yellow
BPN0800	Polishing Pad 100 x 3mm x 800# Dark Green
BPN1500	Polishing Pad 100 x 3mm x 1500# Orange
SIGK008	Sigma Simple Bevel Table Fixing Kit (36C4)
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)
POG125K003	KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)





JOLLY EDGE

The Jolly Edge is a combination of the Jolly Bull and the Jolly Angle. It rests on the edge of the tile/slab (stoneware, marble, granite, etc.) to ensure the uniformity of the chamfer along the entire edge being worked. It will follow the curves of the slab, which would not be possible with a cutter guided by a rigid guide. It can work in a single pass on tiles with thickness of 5mm to 20mm. If it is fitted with a diamond blade, it can cut a flat bevel at any angle from 40° to 50°. If it is fitted with a diamond grinding wheel, it can create a bullnose with radius of 6mm, 8mm, or 10mm.

CODE	DETAILS
SIGJE001	Sigma Jolly Edge - Excluding Grinder (37A1D)
BNT115P	Laser Slot Continuous Rim - Premium 115 x 1.3 x 22.23mm
BGS125DN	125mm ADW Epic Diamond Blade
SIGJE006	Jolly Edge Bullnose Wheel R6mm (072L06)
SIGJE005	Jolly Edge Bullnose Wheel R8mm (072L)
SIGJE004	Jolly Edge Bullnose Wheel R10mm (072L10)
BPAD115	Backing Pad 100mm x M14
BPD0200	Polishing Pad, Dry 100 x 1.5mm x 200#
BPD0800	Polishing Pad, Dry 100 x 1.5mm x 800#
BPD1500	Polishing Pad, Dry 100 x 1.5mm x 1500#
SIGJE002	Sigma Jolly Edge Table Fixing Kit (37C)
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)

POG125K003 KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)





Polishing Pads





SCAN FOR MORE INFO

RAIMONDI Large Format Tiling Tools







EASY-MOVE MKIV

The Easy-Move is designed for the handling and installation of large format tiles and slabs. It incorporates stain-free, tilting suction cups with vacuum gauges. The maximum tile/slab length is 329cm while the minimum is 100cm, in order to handle shorter lengths you can separate the two profiles and use a single profile. The suction cups can slide along the aluminium profiles thanks to the quick lock/ release handle system. The vacuum suction cups are 150mm in diameter and are perfect for smooth or textured tiles and is built with special stain-free rubber. It is possible to restore or increase the vacuum while the suction cups are still attached

CODE	DETAILS
RAL432EM04TA	EASY-MOVE MKIV + crossbars & 8 vacuum gauge suction cups
RAL432EO04TR	Pair of crossbars for the EASY-MOVE MKIV
RAL432EO04VA	Pair of 2 vacuum suction cups with gauge (For MKIV)
RAL432EO03VV	Pair of 2 vacuum suction cups without gauge (For MKIII)
RAL185V150CP	Replacement Suction Cup
RAL185V150GO	Gray rubber replacement for vacuum gauge suction cups





Vacuum Suction Cup For Crossbars



Replacement Suction Cup







CAM MKIII - LARGE FORMAT TILE CART

Cart designed for transport and handling of large format tiles. It allows to easily and safely spread adhesive in the back of the tile ("back-buttering"). For this purpose it comes with two height-adjustable hooks for holding our Easy Move frame. When the easy move is on the CAM ADV, the suction cups remain fully accessible. This allows you to restore the vacuum easily if needed. This feature is particularly relevant when installing textured large format tiles.

CODE		169CM	

Maximum load 250kg

140cm x 43cm x 30cm

Weight 34kg





BMI80 MKII - MODULAR WORK BENCH

BM180 MkII is the ideal working bench for cutting and processing large format slabs. Worktop dimension (1 single table): 180×90cm; up to 270×90cm with extension. Combining two BM180 MkII tables together and the resulting worktop dimension is 360×90cm, which can be extended up 420×150cm with optional extensions. Ideal for any size tile 300×100cm or bigger. It also comes in a PLUS variant with an adjustable width with a minimum of 100cm and a maximum of 150cm with intermediate steps.

DETAILS CODE

RAL394MAPLUS BM180 With Variable Width and Folding Legs RAL394BLOPIACP Stand-alone tile holder for 3-30mm thickness

RAL394CC01A Kit of 20 tile-support cylinders



Cylinders



BC45 BEVEL CUTTING DEVICE ("JOLLY")

A device to perform 45° bevel cuts directly on the construction site! It works by sliding across the edge of the tile or slab with anti-scratch plastic slides. This guarantees a fast and precise execution and allows you to work without any length limits. The maximum tile or slab thickness with a 115mm blade is 16mm, while a 125m blade can cut up to 20mm. There are dedicated knobs for adjusting the cutting depth to determine the best amount of material to remove. Once you make the adjustment, it is set for any future cutting of any tile thickness. Suitable with almost all angle grinders between 600-1100W that have an M14

arbour attachment.

Angle Grinder Sold Separately. Ask Your Sales Rep For Assistance

CODE DETAILS

RAL433BCOHEU BC45 Mitre Cut (Jolly) Excl. Grinder BNT125P 125mm Turbo Diamond Blade BGS125DN 125mm ADW Epic Diamond Blade MS3270W Plastic 10L Mesto PROFI water tank, 3bar RAL324RA01A

Spray Bottle Water Valve



RAIMONDI Large Format Tiling Tools

RAIZOR CUTTING SYSTEM

The Raimondi Raizor is a cutting system for large format tiles up to 332cm. The guides are made of sturdy aluminium extruded profiles, each one with 3 stainfree Ø88mm suction cups, totalling 6 suction cups. The suction cups' handles perform a 180° movement in order not to interfere with the cutting unit. The cutting unit is made of die cast aluminium and runs onto the guide thanks to three polyoxymethylene wheels, each equipped with two internal bearings. It is provided with fine adjustment systems which allows for the perfect coupling of the cutting unit with the guide, increasing the precision and quality of the cut.

CODE	DETAILS
RAL433CRR	Raizor Cutting System 3320mm
RAL433CRP100	1150mm Extension Bar
RAL135D16A	Wheel, 16mm with axle
RAL169TM01AN	Cutting-off pliers for 6-20mm Thick Tiles/Slabs
RAL433GT01A	Raizor Cutting Head Including Scoring Wheel
RAS185GO03SG	Replacement Suction Cup





Cutting off Pliers 6-20mm Tile/Slab Thickness









POWER RAIZOR

A multi-angle cutting unit to be used with most popular angle grinders and the RAIZOR cutting guide. It performs cuts with the following angles: 45°, 90°, and 180°. It also has a tilting movement for plunge cuts to adjust the depth of the cut. Can be used for both dry and wet use if you purchase the wet cut kit.

CODE	DETAILS
RAL433PWROHR	Power Raizor (Grinder Not Included)
BNT115P	Laser Slot Continuous Rim Premium 115 x 1.3 x 22.23m
BGS125DN	ADW Epic Diamond Blade 125 x 10 x 22.23mm
RAL179FLEX006SE	Shaping Wheel Half Bullnose 6mm
RAL179FLEX010SE	Shaping Wheel Half Bullnose 10mm
RAL179FLEX012SE	Shaping Wheel Half Bullnose 12mm
RAL179FLEX045SE	Shaping Wheel 45 Profile
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
RAL324RA01A	Spray Bottle Water Valve
RAL433PWZPA	Dust Containment Device
BPH0060	Handheld Diamond Polishing Block 60# (Other Grits Available On Page 57)





KYNKO KD69 125mm ANGLE GRINDER

CODE	P0Gl25K003	
Power	800W	
Size	125mm	
Speed	11000rpm	
Weight	1.7kg	

KYNKO KD69-VS I25mm VARIABLE SPEED GRINDER

	,
CODE	P0G125K002
Power	800W
Size	125mm
Speed	3000-11000RPM
Weight	1.8kg





WET POLISHING PADS WHITE

CODE	Œ TAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

BACKING PADS

Backing pads for use with Wet Polishing Pads

01	
CODE	DETAILS
BPAD115	105mm x M14
BPAD100F	105mm x M14 - Foam Flex



RAIMONDI Large Format Tiling Tools



A pair of face-up mitre-clamping-devices for stairs and countertops of any length.

CODE

RALI7ITGRAI





KOMPASS

The Kompass is a device to perform large diameter circular cuts on large format tiles using the score and snap system. It is possible to cut centered (Ø22cm - Ø100cm), and off centered holes(Ø32cm-Ø100cm). It is possible to perform a full circular hole, a semicircular hole, and ¼ circle, rounding the corner of the slab

CODE

RAL433KOMP50

CLOSER

A slab, for example sized 300x150cm, once positioned is hard to move in order to bring it closer to an adjacent slab properly. This is what the Raimondi Closer is made for. It is the perfect device to mechanically accost slabs with ease.

RALI85DALOIA



















The MotoKompass is a device designed to perform large diameter circular cuts on a large format tiles and provide a rounded corner finishing with half bullnose and jolly edge profiles.

RAL433KOMOHR

Suitable for most angle grinders between 600-1100W Angle Grinder and Shaping Wheels Not Included



It is fundamental to properly apply adhesive with the correct notched trowel using the "back-buttering" technique. When spreading the tile adhesive with a slanted ridge, the ridge overlaps and collapses to provide superior adhesive coverage and rudeces any air pockets occuring under the tile/slab. The absence of air under the tile improves the transmission of heat in case of underfloor heating and reduces the chance of cracking.





CUDE



CODE **DETAILS**

RAT183HFV6 Slant Ridge Notch-6mm x 36cm RAT184HFV10G Slant Ridge Notch- 10mm x 36cm RAT183Q3G Square Notched-3mm x 36cm





E-FOX BATTERY POWERED TILE VIBRATOR

The e-FOX is a professional large format tile and slab vibrator designed to expel air from underneath the tile or slab by producing high frequency vibrations, removing air pockets and optimising the distribution of the tile adhesive.

Replaces the Raimondi Volpino Corded Vibrator

CODE

RAL32IBATPRF









TILE BEATER The Raimondi Anti-Bouncing Tile Beater with rubber bottom

(145x350mm) is used to remove the air beneath tile slabs, which if left alone increases the chance that the slabs will break

RALI426 CODE



Tool-Co Large Format Tiling Tools



TOOL-CO CARRY SYSTEM **6 x VACUUM PUMP**

Designed for the effortless handling and installation of large format tiles and slabs. It features suction cups equipped with vacuum gauges. These suction cups are suitable for both smooth and textured surfaces and are made of special stain-free rubber. The device is adaptable for handling various lengths of tiles or slabs.

С				
			EΤ	

Carrying System With 6 Vacuum Pumps MTT15000

TOOL-CO WORKBENCH 1.8m x 1.4m

The perfect adjustable workbench for cutting and processing large format slabs. The table is designed to be extendible, allowing for a range of worktop dimensions to suit various project needs job sites.



MTT15001 1.8m x 1.4m Workbench





TOOL-CO TRANSPORT CART

For the transportation and handling of large format tiles, streamlining the process of applying tiling adhesive, commonly known as "back-buttering." When the Tool-Co Carry System frame is mounted on the cart, the suction cups remain fully accessible, making it convenient to restore or adjust the vacuum as needed. This feature is especially useful when working with textured large format tiles

	D			LS

MTT15003 Large Format Tile & Slab Transport Cart

TOOL-CO TILE BEATER

Designed to ensure optimal adhesion and alignment, this handy device eliminates air pockets and voids between your tile and substrate. Its ergonomic handle and padded surface make it easy to use without damaging your tiles. Ideal for largeformat tiles, the Tile Beater is your go-to for achieving a level, secure, and professional-looking finish.



MTT15004 Tile Beater with Non-Marking Rubber Base





TOOL-CO ELECTRIC TILE VIBRATOR

For effortless and precise tile installations. Engineered for optimal convenience, this electric-powered tile beater ensures seamless adhesion by eliminating air pockets and voids between your tile and the substrate. With its easy-touse controls and ergonomic design, achieve a perfectly level and secure installation every time. Ideal for large-format tiles, the Electric Tile Vibrator takes the hard work out of tiling, delivering professional results at the push of a button.

ПΠ			15


MTT15005 Electrically Powered Tile Beater

TILE TEMPLATE XL

An effective solution to enhance productivity and accuracy when working with large format. This multifunctional device allows you to transfer the positions of various elements, including holes for sockets, water pipes of different diameters, holes for pre-installed pipes, and even non-standard diameters with the help of a plastic stencil. Additionally, it facilitates drawing angles for columns and other elements, making it a valuable tool for large format tilling projects.



MTT09016 TILE TEMPLATE XL





SLIDER 45


Cutting tiles at a 45-degree angle has been simplified with the Slider 45! This device easily attaches to both 115 and 125 angle grinders. You can adjust the cutting angle using angle grinders. You can adjust the cutting angle using the scale to suit your specific task. The accessory's increased surface size and stiffening structure guarantee precise blade positioning for accurate cuts. Ergonomic fasteners ensure precise adjustments, simplifying the job of cutting tiles at a 45-degree angle.

CC	DE		ΕΤΑΙ	10
LU	ᅜ	ш	EIAI	

PED-10022 SLIDER 45 Cutting Guard 115-125mm

PED-10023 DUST PIPE For SLIDER 45







430mm MANUAL TILE CUTTER

DETAIL S

MTT11000 Manual Tile Cutter DIY 430mm

MTT11003 Replacement Scoring Wheel (15 x 6 x 1.5mm)

600mm MANUAL TILE CUTTERS

Available in Heavy Duty and Light Duty versions. These cutters are for ceramic tiles only.

DETAILS CUDE

MTT11001 Light Duty 600mm Tile Cutter

MTT11002 Heavy Duty 600mm Tile Cutter

Replacement Scoring Wheel (22 x 6 x 2mm)





porcelain tiles.

DETAILS MTT11009 Heavy Duty 1200mm Tile Cutter

MTT114027 Replacement Scoring Wheel (22 x 6 x 6mm)



1650mm MANUAL TILE CUTTER

A heavy duty manual tile cutter for cutting ceramic and porcelain tiles

MTT11020 Heavy Duty 1650mm T Cutter MTT11010 Replacement Scoring Veel (22 x 6 x 6mm) MTT11010 Ruler Angle (Complete

DETAILS

CHECK OUR WEBSITE FOR SPARES

RAIMONDI Bullnose Machine





BULL DOG ADVANCED BULLNOSE MACHINE
The Raimondi Bulldog Advanced Bullnose Machine enables you to perform perfect bullnose and 45-degree mitre cuts on just about any Porcelain or Natural Stone up to 30mm thick. It has a dual motor assembly operating two different diamond wheels in one pass and will produce a perfect edge, regardless of the thickness of

It has an extend length of shaping up to 120cm tiles thanks to side extensions and table available for large materials.

CODE	RA428BI-BULL
Maximum Length	120cm
Mill Radius	8mm - 30mm
Motor Power	1000W, Single Phase
Weight	155kg



























Bullnose Wheels For Polishing

RAIMONDI Large Format Tile Cutter





- LAB 330 BRIDGE WET SAW

 For straight and 45° angle cut of porcelain, ceramic, granite, marble, etc.
 Plunge cut and adjustable cutting depth.
 Heavy duty water pump and multiple jet nozzles for superior cooling.
 Framework made of aluminum (die-cast and extruded) and galvanized steel.
 Easy-to-remove polypropylene tank for easy cleaning. Capacity 38 lt.
- Equipped with the motor feed system with wheel kit.


LAB 330 Single Phase RAL379CA330EU

LAB 330 Three Phase	RAL379CA330V400
Power:	2.2kw
Blade Speed:	2800RPM
Blade Size:	200mm
Thickness in 90° Cut:	20mm
Thickness in 45° Cut:	16mm
Max Length:	3300mm
Max Width	1610mm

400 x 170 x 120cm x 241kg Dimensions: Shipping Dimensions: 408 x 94 x 127cm x 315kg

RAL374BRU2F2 2 Extra Side Benches and Connection Kit RAD179SET200SP Raimondi 200mm Porcelain Diamond Blade









SCAN THE QR CODE ABOVE FOR MORE INFORMATION



Tool-Co Tile Levelling Systems








Clips for tiles with a thickness of 3-12mm

Tile Spacing of 1.5mm





Clips for tiles with a thickness of 11-20mm

Tile Spacing of 1.5mm



For tile spacing larger than 1.5mm use standard tile spacers in conjunction with Tool-Co Levelling Systems (See page 21)



Tool-Co

Leveling System Tile Size Chart. Dip emperio aratte a Magni essa.


THE SUIT	20	30	50	60	75	80	90	100	120	150	180	200
10	495	680	396	530	396	371	330	297	330	330	330	347
15	326	438	263	279	263	248	219	197	219	219	219	230
20	490	485	291	242	255	244	214	192	200	192	186	192
25	891	385	282	198	208	192	171	153	160	153	143	153
30	488	431	256	212	212	198	176	157	157	146	1 30	140
40	365	325	191	158	158	148	131	117	117	109	103	104
45	324	205	168	141	140	131	116	104	101	95	91	92
50	291	255	152	126	126	117	104	9.5	93	88	82	63
55	264	232	138	114	114	107	94	154	54	78	74	75
60	242	212	126	105	104	97	86	77	77	71.	68	68
75	250	212	126	104	99	99	82	73	71	64	60	59
500	241	195	117	97	93	87	77	85	66	60	55	55
50	214	175	104	86	82	77	66	61	59	53	49	49
100	192	157	58	77	78	68	61	54	52	47	44	44
120	200	157	93	77	71	66	59	25	49	44	40	39
150	192	146	86	71	64	60.	53	47	44	88	34	33
180	186	139	82	68	60	56	49	44	40	34	31	80
200	192	140	83	68	59	55	49	44	39	33	30	20


NOTE: Table Suitable For Both Systems











_		DCT

MTT01566	50pcs x Spin Tile Levelling Caps (Reusable)
MTT01561	100pcs x 1.5mm Levelling Base
MTT01563	100pcs x 3mm Levelling Base
MTT01569	100pcs x Anti-Friction Pads (Reusable)

Tiling Tools



TILE SPACERS

CODE	DETAILS
MTT01002	2mm x 300pcs
MTT01003	3mm x 120pcs
MTT01005	5mm x 120pcs
MTT01006	6mm x 120pcs
MTT01008	8mm x 60pcs
MTT01010	10mm x 60pcs

GROUT REMOVERS

CODE	DETAILS
MTT06000	Light Duty Grout Remover
MTT06001	Heavy Duty Grout Remover (Includes 2 Blades)
MTT06002	Heavy Duty Grout Remover Replacement Blades (2pcs)






NIPPERS & CUTTERS

CODE	DETAILS
MTT03000	Mosaic Nipper
MTT03001	Tile Cutter Pliers
MTT03002	Tile Nipper
MTT03003	Tile Scorer

NOTCHED TROWELS

CODE	DETAILS
RAT183Q3G	Square Notched Trowel 3mm
MTT05007	Square Notched Trowel 6mm
MTT05006	Square Notched Trowel 8mm
MTT05005	Square Notched Trowel 10mm
SIGRO001	Sigma No-Air Trowel 280 x 130mm
RAT184HFV10G	Raimondi Slant Ridge Trowel 10mm







SILICONE GUNS

CODE	DETAILS
MTT05008	Silicone Sealant Gun
GS0024	Bulk Fill Gun 12inch

SILICONE SEALANT SET

CODE	DETAILS
MTT05009	Silicone Sealant Set



Raimondi Slant Ridge Trowel



CHIPPING HAMMER

CODE	DETAILS
MTT02005	Chipping Hammer
MTT02006	Chipping Hammer Blade Refill (each)

RUBBER MALLETS

CODE	DETAILS
MTT02002	Rubber Mallet Black 340g
MTT02003	Rubber Mallet White 340g
RAT176500B	Solid Rubber Mallet White 500g
MTT02004	Rubber Mallet White 680g





APPLICATORS

CODE	DETAILS
MTT05000	Dual Purpose Squeegee
MTT05001	Grout Floor Squeegee & Applicator 10x10mm
MTT05002	Grout Wall Squeegee & Applicator 6x6mm
MTT05003	Plastic Floor Applicator 10x10mm
MTT05004	Plastic Wall Applicator 6x6mm

		KNEE PADS
CODE	DETAILS	
MTT10003	Knee Pads Plain	
MTT10004	Knee Pads Plastic Cap	



Tiling Tools

CHINA MARKERS

CODE	DETAILS
GM0004	Yellow China Markers (Single)
GM0005	Red China Markers (Single)

CHALK LINE & PENCILS

LUDE	DETAILS
MTT09007	Chalk Line - Including Chalk
MTT12001	Carpenters Pencil (Twin Pack)











IAPE MEASURES

CODE	DETAILS
MTT09000	Tape Measure 3m x 16mm Rubber Case Magnetic H/D
MTT09001	Tape Measure 5m x 19mm Rubber Case Magnetic H/D
MTT09002	Tape Measure 8m x 25mm Rubber Case Magnetic H/D
MTT09003	Tape Measure 10m x 25mm Rubber Case Magnetic H/D
MTT09008	Tape Measure 3m x 16mm Plastic Case 2-Stop
MTT09009	Tape Mesure 5m x 19mm Plastic Case 2-Stop
MTT09010	Tape Measure 8m x 25mm Plastic Case 2-Stop

SPIRIT LEVELS

CODE	DETAILS
MTT09004	Spirit Level 400mm
MTT09005	Spirit Level 600mm





SUCTION CUPS Suction cups used for lifting slabs and tiles.

CODE	DETAILS
MTT13000	Single Suction Cup
MTT13001	Double Suction Cup
MTT13002	Triple Suction Cup
RAT185	Raimondi Single Suction Cup





Cleaning Sponge Sigma Sponge



TILE CLEANING

CODE	DETAILS
MTT12000	Cleaning Sponge
SIGX0001	Sigma Sponge - 300x140mm (Complete)
SIGX0002	Sigma Sponge Refill
RAT244SWE4	Raimondi Smart Bucket & Sponge



BLOCK BRUSH

CODE	DETAILS
MTT12005	Block Brush Synthetic 190g





FA-SQ91500

MICROFIBRE MOP & FLOOR SQUEEGEE

CODE	DETAILS
FAPA1000	Microfibre Mop - Complete
FAPA1001	Microfibre Mop - Frame 385 x 110mm
FAPA1022	Microfibre Mop - Sleeve (Dry) 450 x 140mm
FAPA1023	Microfibre Mop - Sleeve (Wet) 460 x 150mm
FA-HA1300	Aluminium Broomstick Handle 1.3m x 22mm
FA-HA1500	Aluminium Broomstick Handle 1.5m x 22mm
FA-SQ91500	Flooring Squeegee
	10



CLOTHS & RAGS

CODE	DETAILS
MTT12004	Mutton Cloth 400g roll
GM0044	Rags 5kg Assorted Colours





Rags Assorted Colours

Electric Mixers

RAIMONDI IPERBET

230v mixer, including two 45 litre drums.

CODE	DETAILS
RAI110	Iperbet Mixer with two 45 litre drums included.
RAI289IPER	Standalone black 45 litre drum to fit the lperbet.



A mixing drum attached to a trolley to easily manoeuvre and pour out the contents.
Mixing machines sold separately.

CODE	DETAILS
RA238EUN	Raimondi Fluid Mix Bucket





MI4 PADDLE MIXERS

Helix style mixing paddles to fit the AGP EV160 and mixers that accept a M14 thread.

General Purpose Paddle: Ideal for liquid materials with a low

viscosity, including wall paints, lacquers, concrete paints, chemicals, and coating compounds.

High Viscosity Paddles: Extra-robust stirring paddle for finished mortar, finished plaster, floor compounds, refractory concrete, insulating materials and epoxy resins.

CODE	DETAILS
PT0101003	160 x 590mm x M14 (General Purpose)
PT0101004	120 x 590mm x M14 (High Viscosity)
PT0101005	140 x 590mm x M14 (High Viscosity)
PT0101006	160 x 590mm x M14 (Highest Viscosity)

AGP EVI60

The AGP EV series electric mixers with revolutionary ergonomic design and sturdy mechanics features electronic speed control thumb wheels which allows the operator to adjust the speed without taking his hands off the handles. Compound, curved handle gives extra strength and ideal ergonomic hand positioning. Locking trigger switch. Fibre reinforced nylon motor housing with easily accessible brushes. Anti-dust staggered vent.

We recommend using the AGP EV160 electric mixer with our Raimondi Fluid Mix bucket.

CODE	PTM-EVI60
Voltage	230V
Power	1600W
Load Speed	180 - 350 / 280 - 550rpm
Thread	M14
Dimensions	350 x 322 x 190mm
Weight	5.6kg






PT0101006

STRAIGHT SHANK PADDLE MIXERS

To be used with normal chuck drills.

CODE	DETAILS
MTT04000	Tile Grout & Adhesive Mixer Light Duty
MTT04001	Tile Grout & Adhesive Mixer Heavy Duty



Tiling Chemicals



LEM-3 DETERGENT

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

CODE	DETAILS
GB06201	Lem-3 Neutral Detergent 1L
GB06202	Lem-3 Neutral Detergent 5L

L&L CLEAN & POLISH

Product for an easy and quick maintenance of ceramic, natural and agglomerated stone floors. Used for the maintenance of polished or waxed natural stones.

CODE	DETAILS
GB06401	L & L Clean & polish 1L



1

MOULD OFF

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

CODE	DETAILS
GB05702	Mould off 500ml

ALGAKILL

A concentrated cleaner, it removes and prevents deposits of algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming pools.

CODE	DETAILS
GB05701	Algae Killer 1L





ULTRA STRIPPER

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

CODE	DETAILS
GB06101	Ultra-stripper Concentrate Cleaner - 1L
GB06102	Ultra-stripper Concentrate Cleaner - 5L

TILE & GROUT CLEANER

Specific solvent-free cleaner for joints and grouts. It respects the environment, EC ECOLABEL.

CODE	DETAILS
GB12001	Tile & Grout Cleaner 500ml





DECER DOS

How many times have you seen floors become yellow or covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted the waxremoving power of DECER-DOS remains unchanged and removes all traces of wax from the floor while restoring its natural appearance.


CODE	DETAILS
GB10001	Decer Dos De-waxer - 1L

EUREKA POLISHING GEL

The new line of products in gel specifically formulated for polish and maintain porcelain.







Tile Trim Edging





STRAIGHT EDGE

CODE	DETAILS	
SEA5	5mm x 2.5m- Aluminium	
SEA8	8mm x 2.5m- Aluminium	
SEA10	10mm x 2.5m- Aluminium	
SEA12	12mm x 2.5m- Aluminium	
SEA15	15mm x 2.5m- Aluminium	
SEA225	22.5mm x 2.5m- Aluminium	
430 Gr aDe l	Pol iSheD	
SES8P	8mm x 2.5m- Stainless Steel	
SES10P	10mm x 2.5m- Stainless Steel	
SES12P	12mm x 2.5m- Stainless Steel	
SES15P	15mm x 2.5m- Stainless Steel	
SES225P	22.5mm x 2.5m- Stainless Steel	
304 Gr aDe maTT		
SES8	8mm x 2.5m- Stainless Steel	
SES10	10mm x 2.5m- Stainless Steel	
SES12	12mm x 2.5m- Stainless Steel	
SES15	15mm x 2.5m- Stainless Steel	
SES225	22.5mm x 2.5m- Stainless Steel	
al UminiUm economY		

SQUARE EDGE

CODE	DETAILS	
QEA10	10mm x 10mm x 2.5m- Aluminium	
QEA12	12mm x 10mm x 2.5m- Aluminium	
430 Gr aDe F	Pol iSheD	
QES8P	8mm x 10mm x 2.5m- Stainless Steel	
QES10P	10mm x 10mm x 2.5m- Stainless Steel	
QES12P	12mm x 10mm x 2.5m- Stainless Steel	
QES15P	15mm x 10mm x 2.5m- Stainless Steel	
QES225P	22.5mm x 10mm x 2.5m- Stainless Steel	
304 Gr aDe matt		
QES8	8mm x 10mm x 2.5m- Stainless Steel	
QES10	10mm x 10mm x 2.5m- Stainless Steel	
QES12	12mm x 10mm x 2.5m- Stainless Steel	
QES15	15mm x 10mm x 2.5m- Stainless Steel	

22.5mm x 10mm x 2.5m- Stainless Steel

QES225





Aluminium



Stainless Steel





45 RAMP

ESEA10

ESEA12

CODE	DETAILS
RA4510	10mm x 2.5m- Aluminium
R A // 512	12mm v 2 5m- Aluminium

10mm x 2.5m- Aluminium

12mm x 2.5m - Aluminium

T-PIECE

ODE	DETAILS
EE	22mm Wide x 2.5m









FORMABLE EDGE

CODE	DETAILS
FEA8	8mm x 2.5m- Aluminium
FEA10	10mm x 2.5m- Aluminium
FEA12	12mm x 2.5m- Aluminium
FEA15	15mm x 2.5m- Aluminium
FEA225	22.5mm x 2.5m- Aluminium
430 Gr aDe	Pol iSheD
FES8P	8mm x 2.5m- Stainless Steel
FES10P	10mm x 2.5m- Stainless Steel
FES12P	12mm x 2.5m- Stainless Steel
FES15P	15mm x 2.5m- Stainless Steel
FES225P	22.5mm x 2.5m- Stainless Steel
304 Gr aDe	maTT

FES10 10mm x 2.5m- Stainless Steel

HEAVY DUTY MOVEMENT JOINT Available in Black or Grey. (Add B/G to end of code)

CODE	DETAILS	
HDA10	10mm x 2.5m- Aluminium	
HDA12	12mm x 2.5m- Aluminium	
HDA15	15mm x 2.5m- Aluminium	
HDA22.5	22.5mm x 2.5m- Aluminium	
430 Gr aDe Pol iSheD		
HDS10	10mm x 2.5m- Stainless Steel	
HDS12	12mm x 2.5m- Stainless Steel	
HDS15	15mm x 2.5m- Stainless Steel	
HDS22.5	22.5mm x 2.5m- Stainless Steel	






RETRO STAIR NOSING

_	CODE
	RET2.5
	RETS2.5B
	RETS2.5G
	RETS3B
	RETD2.5B

CODE	DETAILS
RET2.5	40mm x 25mm x 2.5m- Aluminium
RETS2.5B	2.5m- Aluminium Single Insert - Black RUBBER INSERT INCLUDED
RETS2.5G	2.5m- Aluminium Single Insert - Grey RUBBER INSERT INCLUDED
RETS3B	3m- Aluminium Single Insert - Grey RUBBER INSERT INCLUDED
RETD2.5B	2.5m- Aluminium Double Insert - Black RUBBER INSERT INCLUDED
RETD2.5G	2.5m- Aluminium Double Insert - Grey RUBBER INSERT INCLUDED

COVER STRIP

	LUVER STRIP
CODE	DETAILS
CSA1	40mm x 1m- Aluminium - Drilled
CSA3	40mm x 3m- Aluminium - No Holes
CSA3D	40mm x 3m- Aluminium - Drilled
CSA1AB	40mm x 1m- Aluminium - No Holes Anodised Bronze
CSA3AB	40mm x 3m- Aluminium - No Holes- Anodised Bronze









CODE	DETAILS	
LIS10	10mm x 10mm x 2.5m- Aluminium	
LIS30	30mm x 10mm x 2.5m- Aluminium	
430 Gr aDe Pol iSheD		
LISS2010P	20mm x 10mm x 2.5m- Stainless Steel	
LISS2012P	20mm x 12mm x 2.5m- Stainless Steel	

TILE IN CORNER PROTECTOR

	TICC IN CORNER PROTECTO	
CODE	DETAILS	
TICPA10	30mm x 30mm x 10mm x 2.5m- Aluminium	
430 Gr aDe Pol iSheD		
STIC3010P	30mm x 30mm x 10mm x 2.5m Stainless Steel	
STIC5010P	50mm x 50mm x 10mm x 2.5m Stainless Steel	









RETRO CORNER PROTECTOR

CODE	DETAILS	
ANG12163	12mm x 12mm x 1.6mm x 3m- Aluminium	
ANG15153	15mm x 15mm x 1.5mm x 3m- Aluminium	
ANG19163	19mm x 19mm x 1.6mm x 3m- Aluminium	
ANG25163	25mm x 25mm x 1.6mm x 3m- Aluminium	
ANG50	50mm x 50mm x 2mm x 3m- Aluminium	
430 Gr aDe Pol iSheD		
SRC30P	30mm x 30mm x 2.5m- Stainless Steel	
SRC50P	50mm x 50mm x 2.5m- Stainless Steel	

ROUND EDGE

CODE	DETAILS	
REA8	8mm x 2.5m- Aluminium	
REA10	10mm x 2.5m- Aluminium	
REA12	12mm x 2.5m- Aluminium	
430 Gr aDe Pol iSheD		
RES10P	10mm x 2.5m- Stainless Steel	
RES12P	12mm x 2.5m- Stainless Steel	
al UminiUm economY		
EREA10	10mm x 2.5m - Aluminium	
EREA12	12mm x 2.5m - Aluminium	





TILE IN STEP

CODE	DETAILS	
TSA10	10mm x 2.5m- Aluminium	
TSA12	12mm x 2.5m- Aluminium	

CARPET TO TILE

CODE	DETAILS	
CTT1	1m- Aluminium	
CTT25	2.5m- Aluminium	







UNE	: אווב	ח אחח	ND F	DUE
-----	--------	-------	------	-----

CODE	DETAILS
VAR1	1m- Aluminium
VAR2.5	2.5m- Aluminium

CARPET TREAD COVER

ODE	DETAILS
TRE2.5	2.5m- Aluminium







WOOD EXPANSION COVER STRIP

LUDE	DETAILS
EXP2.5	33mm x 2.5m- Aluminium

WOOD TRANSITION RAMP

CODE	DETAILS
TR A 3	44mm x 3m- Aluminium







PVC MOVEMENT JOINT

CODE	DETAILS
PVCMJ10DG	10mm x 2.5m- Dark Grey
PVCMJ10LG	10mm x 2.5m- Light Grey
PVCMJ12DG	12mm x 2.5m- Dark Grey
PVCMJ12LG	12mm x 2.5m- Light Grey
PVCMJ10BL	10mm x 2.5m- Black

FLEXIBLE SEALS

CODE	DETAILS
PVCI9LG	9mm x 3m- Flexi Seal - Light Grey
PVCI9W	9mm x 3m- Flexi Seal - White
PVCF12LG	12mm x 3m- Flexi Seal - Light Grey
PVCF12W	12mm x 3m- Flexi Seal - White







PVC ROUND EDGE

Sold in Packs of 10

CODE	DETAILS
PVC7B	7mm x 2.4m- Black
PVC7BF	7mm x 2.4m- Buff
PVC7C	7mm x 2.4m- Cappuccino
PVC7DB	7mm x 2.4m- Dark Brown
PVC7DG	7mm x 2.4m- Dark Grey
PVC7I	7mm x 2.4m- Ivory
PVC7LB	7mm x 2.4m- Light Brown
PVC7LG	7mm x 2.4m- Light Grey
PVC7T	7mm x 2.4m- Terracotta
PVC7W	7mm x 2.4m- White
PVC9BI	9mm x 2.4m- Black
PVC9BF	9mm x 2.4m- Buff
PVC9C	9mm x 2.4m- Cappuccino
PVC9DB	9mm x 2.4m- Dark Brown
PVC9DG	9mm x 2.4m- Dark Grey
PVC9I	9mm x 2.4m- Ivory
PVC9LB	9mm x 2.4m- Light Brown
PVC9LG	9mm x 2.4m- Light Grey
PVC9T	9mm x 2.4m- Terracotta
PVC9W	9mm x 2.4m- White

DETAILS PVC12BL 12mm x 2.4m- Black

PVC12BF

PVC12C 12mm x 2.4m- Cappuccino 12mm x 2.4m- Dark Brown PVC12DB PVC12DG 12mm x 2.4m- Dark Grey PVC12I 12mm x 2.4m- Ivory PVC12LB 12mm x 2.4m- Light Brown PVC12LG 12mm x 2.4m- Light Grev PVC12T 12mm x 2.4m- Terracotta PVC12W 12mm x 2 4m- White

12mm x 2.4m- Buff



GENERAL CLEANING:

ROUTINE CLEANING:

Stainless Steel / Aluminium / PVC
The best method for cleaning Stainless Steel is quite simply soap, or a mild detergent (such as SUNLIGHT LIQUID®) in warm water, applied with a soft cloth or synthetic sponge. Rinse in hot water, dry with a soft cloth or allow to "drip dry". Occasionally, the use of a mild household cleaner (HANDY ANDY®) and fine synthetic scourer (Green SCOTCH-BRITE®) or a brush with nylon bristles may be used. Routine cleaning applied over several days will generally remove heavy soiling and staining.

IISF:

Routine gentle cleaning.

Household cleaners showing "Suitable for Stainless Steel".
Repeated routine gentle cleaning rather than a single aggressive cleaning.

Coarse abrasive powders. Metallic scourers. Silver or brass cleaners.

DISCLAIMER:

- The 430 grade of Stainless Steel is recommended to be used for indoor use in dry areas only.
 The 304 grade of Stainless Steel is recommended for outside use and wet / moist areas indoors.
 The 316 grade of Stainless Steel is available for highly corrosive applications salt water, sea-spray, mist and fog.

Cutting & Grinding Discs



INOX / STAINLESS STEEL ABRASIVE CUTTING DISCS

Excels in heavy-duty environments such as construction, heavy fabrication work, and when cutting through thicker or harder materials.

	CODE	ŒTAILS
--	------	---------------

CMI1151.0GP 115 x 1.0 x 22.23mm - 25 Pack / Box of 600 CMI2302.0GP 230 x 1.9 x 22.23mm - 15 Pack / Box of 120

INOX / STAINLESS STEEL ABRASIVE CUTTING DISCS

Super-thin cutting wheel is perfect for precise crafting, fine metal work, or precision manufacturing.

ODE ETAILS

CMI1151.0 115 x 0.8 x 22.23mm - 25pack / box of 500





METAL ABRASIVE CUTTING DISCS

ישראטוער בט וווויט שוכב.

CMM1152.4	115 x 2.4 x 22.23mm - 10pack / box of 60
CMM2303	230 x 3.0 x 22.23mm - 10pack / box of 40
CMM3503	350 x 3.0 x 25.4mm - 5pack / box of 25

METAL ABRASIVE GRINDING DISCS

CODE ETAILS

CMG1156.0 115 x 6.0 x 22.23mm - 5pack / box of 25





STONE ABRASIVE CUTTING DISCS

CODE	Œ TAILS
CMS1152.4	115 x 2.4 x 22.23mm - 10pack/box of 60
CMS2303.0	230 x 3.0 x 22.23mm - 10pack/box of 40





SEMI-FLEX GRINDING DISCS

For grinding Marble, Granite, Terrazzo, Concrete, China Clay, Enamels, Fibreglass, Cast Iron, and cleaning of ship hulls.

CODE	DETAILS
CEC115C16	115mm x 22.23mm x 16# - 10 Pack
CEC115C24	115 x 22.23mm x 24# - 10 Pack
CEC115C40	115 x 22.23mm x 40# - 10 Pack
CEC17EC16	170 v 22 22mm v 16# Single Disc

ABRASIVE FLAP DISCS

Aluminium oxide flap discs for steel.







VonArx Pneumatic Tools



PNEUMATIC NEEDLE SCALERS & CHISEL HAMMER


Quickly removes rust, dirt, weld slag, etc. Essentially cleans uneven surfaces. The tool's flexible needles can easily adapt to work on any surface, even those with projections. You will always find the right Von Arx-Needle Scaler to handle every job.

CODE	DETAILS
VXN-700312	Needle Scaler 23B
VXN-700297	2mm Point 23B
VXN-700298	3mm Point 23B
VXN-700294	Chisel Holder For 23B
VXN-700364	Needle Scaler 34B
VXN-700349	2mm Point 34B
VXN-700352	3mm Point 34B
VXN-700347	Chisel Holder For 34B
VXIN700409	Needle Scaler 45B
VXN-7003997	3mm Point 45B
VXN-700J400	4mm Point 45B
VXN-7/00314	23 B Chisel Hammer
VXN-700193	24mm x 190mm Flat Chisel











TCT Blades



TCT WOOD BLADES

121 11002	, be, lbes
CODE	Œ TAILS
BX16024W	160 x 20 x 16mm x 24T
BX16040T	160 x 20 x 16mm x 40T
BX16048W	160 x 20 x 16mm x 48T (Triple Chip)
BX18524W	185 x 30mm (25.4, 20mm) x 24T
BX18540W	185 x 30mm (25.4, 20mm) x 40T
BX18524W1	185 x 16mm x 24T
BX18540W1	185 x 16mm x 40T
BX19024W	190 x 30mm (25.4, 20, 16mm) x 24T
BX19040W	190 x 30mm (25.4, 20, 16mm) x 40T
BX21024W	210 x 30mm (25.4, 20, 16mm) x 24T
BX21040W	210 x 30mm (25.4, 20, 16mm) x 40T
BX21624W	216 x 30mm (25.4, 20, 16mm) x 24T
BX21640W	216 x 30mm (25.4, 20, 16mm) x 40T
BX21664W	216 x 30mm (25.4, 20, 16mm) x 64T
BX23024W	230 x 30mm (25.4, 20, 16mm) x 24T
BX23040W	230 x 30mm (25.4, 20, 16mm) x 40T
BX23060W	230 x 30mm (25.4, 20, 16mm) x 60T
BX25024W	250 x 30mm (25.4, 20, 16mm) x 24T
BX25040W	250 x 30mm (25.4, 20, 16mm) x 40T
BX25060W	250 x 30mm (25.4, 20, 16mm) x 60T
BX30572W	305 x 25.4mm x 72T
BX30596WT	305 x 25.4mm x 96T (Triple Chip)
BX30596WB	305 x 25.4mm x 96T (Alt Bevel)
BX35096WT	350 x 25.4mm x 96T (Triple Chip)



TCT COLD SAW BLADES

Cold saw blades for Everising or similar machines

CODE	ŒTAILS
BXM25072	250 x 2 x 50mm x 72T
BXM28580	285 x 2 x 50mm x 80T
BXM36080	360 x 2.7 x 50mm x 80T



TCT MILD STEEL BLADES
Cold saw blades for bur free cutting of mild steel.
(Max RPM 1500)

CODE	DETAILS
TCTM230TC	230 x 2.6 x 30mm x 48T
TCTM305TC	305 x 2.4 x 25.4mm x 60T
TCTM355TCC	355 x 2.4 x 25.4mm x 80T



TCT ALUMINIUM BLADES

For cutting aluminium & non-ferrous materials

CODE	DETAILS
BX21060A	210 x 30mm (25.4, 20, 16mm) x 60T
BX25080A	250 x 30mm (25.4, 20, 16mm) x 80T
BX30596A	305 x 25.4mm x 96T

TCT STAINLESS STEEL BLADES Cold saw blades for burr free cutting of stainless steel.

(Max RPM 1500)

CODE	DETAILS
TCTSS30516	305 x 2 x 25.4mm x 80T (316 Grade)
TCTSS355TC	355 x 2.4 x 25.4mm x 90T



TCT Core Drill Bits



TUNGSTEN M22 CORE BITS DIY / ECONOMY

ETAILS

For general masonry drilling. No hammer action needed.

ı	TCTBB030P	TCT Core Bit - 30mm x M22	
	TCTBB040P	TCT Core Bit - 40mm x M22	
	TCTBB045P	TCT Core Bit - 45mm x M22	
	TCTBB050P	TCT Core Bit - 50mm x M22	
	TCTBB055P	TCT Core Bit - 55mm x M22	
	TCTBB060P	TCT Core Bit - 60mm x M22	
	TCTBB065P	TCT Core Bit - 65mm x M22	
	TCTBB070P	TCT Core Bit - 70mm x M22	
	TCTBB080P	TCT Core Bit - 80mm x M22	
	TCTBB090P	TCT Core Bit - 90mm x M22	
	TCTBB100P	TCT Core Bit - 100mm x M22	
	TCTBB115P	TCT Core Bit - 115mm x M22	
	eXTenSionS anD aDaPTor S		
	TCTBBE001	TCT SDS Plus pilot drill bit SDS	
	TCTBBE110	Plus Extension 110mm x M22 SDS	
	TCTBBE350	Plus Extension 350mm x M22 SDS	
	TCTBBE350M	Max Extension 350mm x M22 SDS	



TCT Drill Bits

STRAIGHT SHANK FOR STEEL

SIZE(mm) | ENGTH TCTR01.0.0034 Pack of 10 TCTR01.2.0038 Pack of 10 TCTR01.5.0040 Pack of 10 TCTR01.8.0046 Pack of 10 Pack of 10 TCTR02.0.0049 TCTR02.2.0053 2.2 53 Pack of 10 TCTR02.5.0061 Pack of 10 2.5 61 Pack of 10 TCTR02.8.0061 2.8 61 Pack of 10 TCTR03.0.0065 3.0 65 TCTR03.2.0070 3.2 70 Pack of 10 Pack of 10 TCTR03.3.0070 3.3 70 Pack of 10 TCTR03.5.0075 3.5 75 Pack of 10 TCTR03.6.0075 3.6 75 TCTR03.8.0075 75 Pack of 10 3.8 75 Pack of 10 TCTR04.0.0075 4.0 TCTR04.1.0080 4.1 80 Pack of 10 TCTR04.2.0080 4.2 80 Pack of 10 TCTR04.5.0080 4.5 80 Pack of 10 TCTR04.8.0086 4.8 86 Pack of 10 TCTR05.0.0086 5.0 86 Pack of 10 TCTR05.2.0086 86 Pack of 10 TCTR05.5.0093 93 Pack of 10 TCTR05.8.0093 93 Pack of 10 TCTR06.0.0093 93 Pack of 10 TCTR06.2.0101 101 Pack of 10 TCTR06.5.0101 Pack of 10 TCTR06.8.0109 109 Pack of 5 TCTR07.0.0109 Pack of 5 TCTR07.5.0109 7.5 109 Pack of 5 TCTR08.0.0117 8.0 117 Pack of 5 TCTR08.5.0117 8.5 117 Pack of 5 TCTR09.0.0125 9.0 125 Pack of 5 TCTR10.0.0133 10.0 133 Pack of 5



10.5

11.0

12.0

12.5

13.0

14.0

133

142

151

151

151

160

Pack of 5

TCTR10.5.0133

TCTR11.0.0421

TCTR12.0.0151

TCTR12.5.0151

TCTR13.0.0151

TCTR14.0.0160

DOUBLE ENDED STRAIGHT SHANK FOR STEEL

-		
CODE	SIZE(mm)	LENGTH
TCTW03.0.0045	3.0	45
TCTW03.2.0049	3.2	49
TCTW03.5.0052	3.5	52
TCTW04.0.0055	4.0	55
TCTW04.2.0055	4.2	55
TCTW04.5.0062	4.5	62
TCTW04.8.0062	4.8	62
TCTW05.0.0062	5.0	62
TCTW05.5.0062	5.5	62
TCTW06.0.0062	6.0	62

STRAIGHT SHANK FOR MASONRY

CODE	SIZE(mm)	LENGTH	
TCTQ03.0.0060	3.0	60	
TCTQ04.0.0075	4.0	75	
TCTQ05.0.0085	5.0	85	
TCTQ05.5.0100	5.5	100	
TCTQ06.0.0100	6.0	100	
TCTQ06.0.0400	6.0	400	
TCTQ06.5.0100	6.5	100	
TCTQ07.0.0100	7.0	100	
TCTQ07.5.0100	7.5	100	
TCTQ08.0.0120	8.0	120	
TCTQ08.0.0400	8.0	400	
TCTQ09.0.0120	9.0	120	
TCTQ10.0.0120	10.0	120	
TCTQ10.0.0400	10.0	400	
TCTQ11.0.0150	11.0	150	
TCTQ12.0.0150	12.0	150	
TCTQ13.0.0150	13.0	150	
TCTQ14.0.0150	14.0	150	
TCTQ16.0.0160	16.0	160	



STRAIGHT SHANK FLAT BITS FOR WOOD

CODE	SIZE(mm)	LENGTH
TCTF10.0.0155	10.0	155
TCTF12.0.0155	12.0	155
TCTF13.0.0155	13.0	155
TCTF14.0.0155	14.0	155
TCTF19.0.0155	19.0	155
TCTF20.0.0155	20.0	155
TCTF25.0.0155	25.0	155
TCTF32.0.0155	32.0	155



SDS PLUS GRANITE CROSS CUT FOR GRANITE

CODE	SIZE(mm)	LENGTH
TCTP-G12.0160	12.0	160
TCTP-G14.0160	14.0	160
TCTP-G16.0160	16.0	160



SDS MAX FOR CONCRETE / MASONRY

	-	
CODE	SIZE(mm)	LENGTH
TCTX10.0.0280	10.0	280
TCTX10.0.0505	10.0	505
TCTX12.0.0280	12.0	280
TCTX12.0.0340	12.0	340
TCTX12.0.0400	12.0	400
TCTX12.0.0505	12.0	505
TCTX12.0.0570	12.0	570
TCTX14.0.0280	14.0	280
TCTX14.0.0340	14.0	340
TCTX14.0.0400	14.0	400
TCTX14.0.0505	14.0	505
TCTX14.0.0570	14.0	570
TCTX16.0.0280	16.0	280
TCTX16.0.0340	16.0	340
TCTX16.0.0400	16.0	400
TCTX16.0.0505	16.0	505
TCTX16.0.0570	16.0	570
TCTX18.0.0280	18.0	280
TCTX18.0.0340	18.0	340
TCTX18.0.0400	18.0	400
TCTX18.0.0505	18.0	505
TCTX18.0.0570	18.0	570
TCTX20.0.0280	20.0	280
TCTX20.0.0400	20.0	400
TCTX20.0.0505	20.0	505
TCTX20.0.1000	20.0	1000
TCTX22.0.0340	22.0	340
TCTX22.0.0400	22.0	400
TCTX22.0.0505	22.0	505
TCTX22.0.0570	22.0	570
TCTX22.0.1000	22.0	1000
TCTX24.0.0340	24.0	340
TCTX24.0.0570	24.0	570
TCTX25.0.0340	25.0	340
TCTX25.0.0400	25.0	400
TCTX25.0.0505	25.0	505
TCTX25.0.0570	25.0	570
TCTX25.0.1000	25.0	1000
TCTX26.0.0570	26.0	570
TCTX28.0.0280	28.0	280
TCTX28.0.0400	28.0	400
TCTX28.0.0570	28.0	570
TCTX30.0.0280	30.0	280
TCTX30.0.0400	30.0	400
TCTX30.0.0570	30.0	570
TCTX30.0.1000	30.0	1000
TCTX32.0.0505 TCTX35.0.0570	32.0	505
	35.0	570 570
TCTX38.0.0570	38.0	570

SDS PLUS FOR CONCRETE / MASONRY

	MASONR\	1
	THE CHARLES	-
CODE	SIZE(mm)	LENGTH
TCTP04.0.0110	4.0	110
TCTP04.0.0160	4.0	160
TCTP05.0.0110	5.0	110
TCTP05.0.0160	5.0	160
TCTP05.0.0210 TCTP05.5.0160	5.0 5.5	210 160
TCTP05.5.0100	6.0	110
TCTP06.0.0160	6.0	160
TCTP06.0.0210	6.0	210
TCTP06.0.0260	6.0	260
TCTP06.5.0160	6.5	160
TCTP07.0.0160	7.0	160
TCTP08.0.0110	8.0	110
TCTP08.0.0160	8.0	160
TCTP08.0.0210 TCTP08.0.0260	8.0	210 260
TCTP08.0.0200	8.0	310
TCTP10.0.0160	10.0	160
TCTP10.0.0210	10.0	210
TCTP10.0.0260	10.0	260
TCTP10.0.0310	10.0	310
TCTP10.0.0400	10.0	400
TCTP10.0.0450	10.0	450
TCTP10.0.0600	10.0	600
TCTP12.0.0110	12.0	110
TCTP12.0.0160 TCTP12.0.0210	12.0 12.0	160 210
TCTP12.0.0210	12.0	260
TCTP12.0.0450	12.0	450
TCTP12.0.0600	12.0	600
TCTP13.0.0210	13.0	210
TCTP14.0.0160	14.0	160
TCTP14.0.0210	14.0	210
TCTP14.0.0260	14.0	260
TCTP14.0.0310	14.0	310
TCTP14.0.0400 TCTP14.0.0450	14.0 14.0	400 450
TCTP14.0.0600	14.0	600
TCTP15.0.0160	15.0	160
TCTP16.0.0160	16.0	160
TCTP16.0.0210	16.0	210
TCTP16.0.0260	16.0	260
TCTP16.0.0310	16.0	310
TCTP16.0.0400	16.0	400
TCTP16.0.0450	16.0	450
TCTP16.0.0600 TCTP16.0.1000	16.0 16.0	600 1000
TCTP18.0.0210	18.0	210
TCTP18.0.0310	18.0	310
TCTP18.0.0400	18.0	400
TCTP18.0.0450	18.0	450
TCTP18.0.0600	18.0	600
TCTP20.0.0210	20.0	210
TCTP20.0.0260	20.0	260
TCTP20.0.0310	20.0	310
TCTP20.0.0400	20.0	400
TCTP20.0.0450 TCTP20.0.0600	20.0 20.0	450 600
TCTP20.0.0000	22.0	210
TCTP22.0.0310	22.0	310
TCTP22.0.0400	22.0	400
TCTP22.0.0450	22.0	450
TCTP24.0.0400	24.0	400
TCTP25.0.0400	25.0	400
TCTP25.0.0450	25.0	450
TCTP26.0.0450	26.0	450

TCTX40.0.0570 40.0

570

Chisels & Spades



CHISEL - POINT HEX

Commonly used in construction tools for breaking or cutting through tough materials such as concrete and stone

CODE	DETAILS	
CPH-28x400	W28mm x L400mm	

CHISEL - FLAT HEX

Suitable for construction tasks that requires precise cutting and shaping of materials like concrete or stone.

CODE	DETAILS
CPH-28x400x36	W28mm x L400mm x P36mm
CPH-28x400x75	W28mm x L400mm x P75mm



CHISEL - POINT SDS MAX

Suitable for breaking and chipping hard materials such as concrete and masonry.

CODE	DETAILS
CPM-18x400x00	W18mm x L400mm

CHISEL - FLAT SDS MAX

Effective for precise cutting and shaping of materials such as concrete and masonry.

CODE	DETAILS
CPM-18×400×25	W18mm x L400mm x P25mm
CPM-18×400×40	W18mm x L400mm x P40mm
CPM-18×400×50	W18mm x L400mm x P50mm
CPM-18×400×75	W18mm x L400mm x P75mm



CHISEL - POINT SDS PLUS

For applications such as chiseling and breaking through materials such as concrete and masonry.

CODE	DETAILS
CPS-14x250x00	W14mm x L250mm

CHISEL - FLAT SDS PLUS

Suitable for construction and masonry work. It has a flat cutting edge for precise cutting, shaping, or material removal.

CODE	DETAILS
CPS-14x250x20	W14mm x L250mm x P20mm
CPS-14x250x40	W14mm x L250mm x P40mm



CHISELS SPECIALISED

Chisels made to be compatible with specialised

BUSH HAMMER & CLAY SPADE SDS MAX

Bush Hammer: Features tooth-like projections arranged in a pattern on the working surface, creating a textured finish on surfaces like concrete and stone for applications such as coating preparation or decorative finishes.

Clay Spade: Features a wide, flat, spade-like blade, making it effective for digging through compacted soils, clay, or similar materials in construction and excavation projects.









Dry Diamond Core Bits

DRY DRILLING CORE BITS

Dry drilling for all masonry and concrete products. Good life and cutting speed. Our dry core bit accessories can be used on these bits.

Not recommended for heavily reinforced concrete.

CODE	ŒTAILS	
HDC038S	38 x 150mm	
HDC041S	41 x 150mm	
HDC052S	52 x 150mm	
HDC065S	65 x 150mm	
HDC078S	78 x 150mm	
HDC107S	107 x 150mm	
HDC117S	117 x 150mm	
HDC127S	127 x 150mm	
HDC152S	152 x 150mm	

PCD DRY DRILLING CORE BIT

Dry drilling for all masonry and abrasive concrete products. Our dry core bit accessories can be used on these bits.

CODE	DETAILS
HDP068	68 x 80mm
HDP082	82 x 80mm





DRY CORE BIT ACCESSORIES

CODE	E TAILS
HAHEXEX	Extension 13mm Hex Bar (160mm Long)
HAEXSDS	Extension SDS Plus (160mm Long)
HAHEX13	Adaptor 13mm Hex
HASDSAD	Adaptor SDS Plus
HASDSMX	Adaptor SDS Max
HAPILOT230	Pilot Bit (230mm Long)
HADRIFT	Drift

DUSTLESS CORE DRILLING HOOD

A device that is used along with a vacuum to stick to a surface and collect any dust created while drilling.

PED-BA90	90mm
PED-BA180	180mm
son in	

DETAILS





90mm 180mm

Percussion Core Drilling



DMTISP MICRO PERCUSSION BRUSHLESS CORE DRILL MOTOR

Brushless micro-percussion core drill motor for dry core drilling with dust shroud included.

Power: 1500w Max Drill Diameter: 132mm

No Load Impact Speed: 24000/48000bpm

Thread: M18 (No Dust Extraction) OR 1-1/4" UNC (With Dust Extraction Adaptor)

CODE

PTM-DMT15P 1500w Micro Percussion Core Drill Motor

DMT22P MICRO PERCUSSION CORE DRILL MOTOR

Micro-percussion core drill motor with external carbon brushes for easy maintenance.

CODE

Max Drill Diameter Handheld: 202mm

No Load Impact Speed: 16000/38000bpm Thread: 1-1/4" UNC and 1/2" G



PTM-DMT22P 2200w Micro Percussion Core Drill Motor



ST250 DRILL STAND

DMT22P Suitable for: DMT8 DM9

CODE	PTM-ST250
Travel Length	580mm
Shipping Dimensions	1045 x 230 x 455mm
Weight	13.5kg

PERCUSSION CORE DRILL BITS
Specilised micro percussion drill bits are for hand-held machine with rated power range from 1800-3000w. Suitable for dr drilling through reinforced concrete, masonry, and other building materials.

CODE	DETAILS
LZB052P	52 x 300mm x 1-1/4" UNC
LZB062P	62 x 300mm x 1-1/4" UNC
LZB076P	76 x 300mm x 1-1/4" UNC
LZB102P	102 x 300mm x 1-1/4" UNC
LZB112P	112 x 300mm x 1-1/4" UNC
LZB132P	132 x 300mm x 1-1/4" UNC





Wet Diamond Core Bits



WET CORE BIT

Wet drilling of all types of concrete, reinforced concrete and general masonry.

CODE	ŒTAILS	CODE	Œ TAILS
LZW012P	12 x 400mm x 1/2" BSP Pin	BZW042LS	42 x 38 x 450mm x 1 1
LZW014P	14 x 400mm x 1/2" BSP Pin	BZW052LS	52 x 43 x 450mm x 1 1
LZW016P	16 x 400mm x 1/2" BSP Pin	BZW065LS	65 x 55 x 450mm x 1 1
LZW018P	18 x 400mm x 1/2" BSP Pin	BZW075LS	75 x 70 x 450mm x 1 1
LZW020P	20 x 400mm x 1/2" BSP Pin	BZW089LS	89 x 81 x 450mm x 1 1
LZW022P	22 x 400mm x 1/2" BSP Pin	BZW102LS	102 x 94 x 450mm x 1
LZW024P	24 x 400mm x 1/2" BSP Pin	BZW112LS	112 x 104 x 450mm x
LZW025P	25 x 400mm x 1/2" BSP Pin	BZW132LS	132 x 124 x 450mm x
LZW028P	28 x 400mm x 1/2" BSP Pin	BZW152LS	152 x 146 x 450mm x
LZW030P	30 x 400mm x 1/2" BSP Pin	BZW159LS	159 x 151 x 450mm x
LZW032P	32 x 400mm x 1/2" BSP Pin	BZW180LS	180 x 172 x 450mm x
LZW035P	35 x 400mm x 1/2" BSP Pin	BZW200LS	200 x 191 x 450mm x
LZW037P	37 x 400mm x 1/2" BSP Pin	BZW250LS	250 x 240 x 450mm x

WET CORE BIT - STANDARD

Wet drilling with very long life. For general use on all types of concrete, reinforced concrete and general masonry.

CODE	ETAILS
BZW042LS	42 x 38 x 450mm x 1 1/4" UNC Box
BZW052LS	52 x 43 x 450mm x 1 1/4" UNC Box
BZW065LS	65 x 55 x 450mm x 1 1/4" UNC Box
BZW075LS	75 x 70 x 450mm x 1 1/4" UNC Box
BZW089LS	89 x 81 x 450mm x 1 1/4" UNC Box
BZW102LS	102 x 94 x 450mm x 1 1/4" UNC Box
BZW112LS	112 x 104 x 450mm x 1 1/4" UNC Box
BZW132LS	132 x 124 x 450mm x 1 1/4" UNC Box
BZW152LS	152 x 146 x 450mm x 1 1/4" UNC Box
BZW159LS	159 x 151 x 450mm x 1 1/4" UNC Box
BZW180LS	180 x 172 x 450mm x 1 1/4" UNC Box
BZW200LS	200 x 191 x 450mm x 1 1/4" UNC Box
BZW250LS	250 x 240 x 450mm x 1 1/4" UNC Box



WET CORE BIT - PREMIUM

Featuring the latest technology with optimised patterns of diamonds that improve both cutting speed and bit life. Performs significantly better than most other bits on the market.

market.	
CODE	ŒTAILS
LZZ042P	42 x 510mm x 1 1/4" UNC Z-TYPE
LZZ052P	52 x 510mm x 1 1/4" UNC Z-TYPE
LZZ056P	56 x 510mm x 1 1/4" UNC Z-TYPE
LZZ060P	62 x 510mm x1 1/4" UNC Z-TYPE
LZZ067P	67 x 510mm x 1 1/4" UNC Z-TYPE
LZZ077P	77 x 510mm x 1 1/4" UNC Z-TYPE
LZZ082P	82 x 470mm x 1 1/4 UNC Z-TYPE
LZZ092P	92 x 510mm x 1 1/4" UNC Z-TYPE
LZZ102P	102 x 510mm x 1 1/4" UNC Z-TYPE
LZZ109P	109 x 510mm x 1 1/4" UNC Z-TYPE
LZZ112P	112 x 510mm x 1 1/4" UNC Z-TYPE
LZZ117P	117 x 510mm x 1 1/4" UNC Z-TYPE
LZZ127P	127 x 510mm x 1 1/4" UNC Z-TYPE
LZZ132P	132 x 510mm x 1 1/4" UNC Z-TYPE
LZZ152P	152 x 510mm x 1 1/4" UNC Z-TYPE
LZZ160P	160 x 510mm x 1 1/4" UNC Z-TYPE
LZZ180P	182 x 510mm x 1 1/4" UNC Z-TYPE
LZZ201P	202 x 460mm x 1 1/4" UNC Z-TYPE
LZZ250P	250 x 460mm x 1 1/4" UNC Z-TYPE
LZZ301P	301 x 460mm x 1 1/4" UNC Z-TYPE
LZZ350P	350 x 460mm x 1 1/4" UNC Z-TYPE
LZW400P	400 x 450mm x 1 1/4" UNC
BZW450LS	450 x 450mm x 1 1/4" UNC

WET CORE BIT - ASPHALT

Wet core drilling of asphalt that uses the same diamond technology as the premium wet core bits.

CODE	ŒTAILS	*
LZZ109A	109 x 510mm x 1 1/4" UNC Z-TYPE	1




WET CORE BIT SEGMENTS **ASPHALT**

For re-tipping of asphalt core drill bits.

CODE	ETAILS
BWC109A	109mm (24 x 4 x 10mm)



Core Bit Segments



WET CORE BIT SEGMENTS PREMIUM Z-TYPE

For re-tipping of concrete core drill bits. Great life and drilling speed (Shape = Rooftop)

opeca (onape	neonop)
CODE	ŒTAILS
BWC042L	42mm (20 x 3.26 x 12mm)
BWC052L	52mm (24 x 3.44 x 12mm)
BWC065L	60 - 65mm (24 x 3.5 x 12mm)
BWC080L	80 - 89mm (24 x 3.5 x 12mm)
BWC102L	102 - 112mm (24 x 3.55 x 12mm)
BWC130L	130 - 138mm (24 x 3.5 x 12mm)
BWC150L	140 - 160mm (24 x 4.5 x 12mm)
BWC200L	180 - 250mm (24 x 4.5 x 12mm)
BWC300L	300 - 350mm (24 x 5.3 x 12mm)
BWC400L	400 - 450mm (24 x 5.3 x 12mm)
BWC700L	500 - 700mm (24 x 5.3 x 12mm)

WET CORE BIT SEGMENTS HARD CONCRETE

For re-tipping concrete core drill bits. Designed for very hard and heavily reinforced concrete. (Shape = Rooftop)

CODE	E TAILS
BWA040S	50mm (24 x 4.5 x 10mm)
BWA046S	50mm (24 x 4.4 x 10mm)
BWA063S	60 - 65mm (24 x 4.3 x 10mm)
BWA083S	75 - 89mm (24 x 4.3 x 10mm)
BWA102S	102 - 109mm (24 x 4 x 10mm)
BWA127S	130 - 138mm (24 x 4 x 10mm)
BWA152S	150 - 158mm (24 x 4 x 10mm)
BWA200S	180 - 200mm (24 x 4 x 10mm)
BWA350S	300 - 350mm (24 x 4 x 10mm)
BWA400S	400 - 450mm (24 x 4 x 10mm)





Core Drilling Machines

DM9 CORE DRILL MOTOR

CODE	PTM-DM9
Power	3500W
Load Speed(rpm)	345 / 630 / 1000
Spindle thread	1-1/4" UNC male & 1/2" BSP Box
Max drill diameter	Ø250mm
Shipping dimensions	550 x 155 x 210mm
Weight	12.9kg

DMI4 CORE DRILL MOTOR

CODE	PTM-DMI4
Power	3500W
Load Speed(rpm)	255 / 300 / 565 / 780
Spindle thread	1-14" UNC male & 1/2" BSP Box
Max drill diameter	Ø500mm (With Spacer)
Max drill diameter	Ø400mm (Without)
Shipping diameter	550 x 155 x 210mm
Weight	13.5kg
DMI4 Spacer Block	PT-S500-0054





S250 DRILL STAND

Suitable for DM9

CODE	PTM-S250
Travel Length	500mm
Shipping Dimensions	485 x 320 x 1000mm
Weight	10.5kg

S500 DRILL STAND

Suitable for DM9 and DM14

CODE	PTM-5500
Travel length	660mm
Shipping Dimensions	520 x 20 x 1050mm
Weight	16.6kg





DMSI60A & DMSI60AT CORE DRILL MOTORS AND STANDS

A small but powerful electric drill motor and stand system. Used for light core dilling applications up to 120mm diameter. Suitable for stitch drilling and drilling close to walls and edges such as small channels and pipes as well as electrical sockets.

CODE - DMSI60A	H965I57502
Power	1550W
Max drill diameter	Ø120mm
Pivot Angle	Fixed 90°
Weight	10.5kg
CODE - DMSI60AT	H965I57504
Pivot Angle	80° Angled with 360° Rotation
Weight	12kg

DMT8 HAND CORE DRILL MOTOR

Specially designed heavy duty 2200W motor with 3 speeds for dry and wet core drilling in a handheld portable form factor with the ability to be mounted on a core drill stand. Smart LED warning indicator for overload and carbon brush replacement.

CODE	PTM-DMT8
Power	2200w / 220v
Max Portable Drill Diameter	Ø162mm
Max Stand Drill Diameter	Ø202mm
No Load Speed	650 / 1300 / 2600rpm
Spindle Thread	1-1/4" UNC & 1/2" G
ST250 Core Drill Stand	PTM-ST250







CORE DRILL ADAPTORS

CODE	ŒTAILS
GAD001	Adaptor 1 1/4" UNC Box to 1/2" Box
GAD007	Adaptor 1/2" Pin to 1 1/4" Pin
GAD014	Adaptor Hilti Pin to 1 1/4" UNC Pin
GAD015	Adaptor Hilti thread to 1 1/4" UNC Pin

CORE DRILL EXTENSIONS

CODE	Œ TAILS
GAD003	300mm extension 1/2" BSP Box to Pin
GAD002	300mm extension 1 1/4" UNC Box to Pin
GAD009	500mm extension 1 1/4" UNC Box to Pin
GAD011	1000mm extension 1 1/4" UNC Box to Pin



Core Drilling Accessories





IOL PRESSURISED WATER TANK
The Mesto PROFI 3270W 3bar pressurised water tank is designed for supplying core drills, concrete saws, cut off grinders, etc. with cooling and rinsing liquids, usually water.

CODE	DETAILS
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
MS6707	Pressure guage 3bar nut
MS6208	Piston washer 38mm
MS6241	Valve disk, NBR

OTHER SPARES ARE AVAILABLE ON REQUEST

ACCESSORIES







RETIPPING MAGNETS

JM Magnets: Economic, solid and easy to handle. 0.75 / 1.00mm clearances. Strong Flux Magnets:Long life and fits nearly all diameters. 0.50 / 0.75 / 1.00 / 1.25 mm clearances.

CODE	DETAILS	
DM201000	JM Magnet	
DM450125	Strong Flux Magnet	



Concrete Hand Grinding





SEGMENTED CUP GRINDERS **ECONOMY**

CODE	DETAILS
BCWS115ES	Single Row - 105mm x 22.23mm
BCWS115E	Double Row - 115mm x 22.23mm
BCWS180E	Double Row - 180mm x 22.23mm

SEGMENTED CUP GRINDERS **PREMIUM**

CODE	Œ TAILS
LCG115P0	Med Floor Red - 115mm x M14 x 16#
LCG115P1	Med Floor Gold - 115mm x M14 x 25#
LCG115P2	Med Floor Brown - 115mm x M14 x 80#
LCG115P3	Med Floor Black - 115mm x M14 x 120#
LCG115N1	Abrasive Floor White $$ - 115 mm x M14 x 25#
BCWS115P	Premium Silver - 115mm x M14 x 25#





SEGMENTED CUP GRINDERS **PREMIUM**

CODE	ŒTAILS
LCG180M016	Med Floor Red - 180mm x M14 x 16#
BCWS180M	Med Floor Gold - 180mm x M14 x 25#
LCG180M040	Med Floor Gray - 180mm x M14 x 40#
LCG180M080	Med Floor Brown - 180mm x M14 x 80#
LCG180M120	Med Floor Black - 180mm x M14 x 120#
LCG180H025	Hard Floor Green - 180mm x M14 x 25#
LCG180N1	Abrasive Floor White - 180mm x M14 x 25#

SEGMENTED CUP GRINDERS **PREMIUM**

CODE	Œ TAILS
BCW125E	125mm x 22.23mm x 25#
BCW150H	150mm x 22.23mm x 25#
BCWS180P	180mm x 22.23mm x 25#





T-SEGMENTED **CUP WHEELS**

An unique segment design for heavy grinding and removal applications. For removing paint and epoxy from concrete floors.

CODE	DETAILS	
LCG115BSL	115mm x 22.23mm	
LCG180BSL	180mm x 22.23mm	

PCD PAINT REMOVAL **CUP WHEELS**

CODE	DETAILS
BPCD0100	100mm x 22.23mm
BPCD0180	180mm x 22.23mm





PCD SHARK **CUP WHEELS**

For ripping floor coatings 1-3mm

CODE	DETAILS
BPCD2125	125mm x 22.23mm
BPCD2180	180mm x 22.23mm

PCD FLOWER **CUP WHEELS**

For ripping floor coatings 3mm and thicker.

CODE	DETAILS
BPCD1125	125mm x 22.23mm
BPCD1180	180mm x 22.23mm





SEMI-FLEX GRINDING DISCS

For grinding Marble, Granite, Terrazzo, Concrete, China Clay, Enamels, Fibreglass, Cast Iron, and cleaning of ship hulls.

CODE	DETAILS
CEC115C16	115mm x 22.23mm x 16# - 10 Pack
CEC115C24	115 x 22.23mm x 24# - 10 Pack
CEC115C40	115 x 22.23mm x 40# - 10 Pack
CEC175C16	178 x 22.23mm x 16# - Single Disc

METAL DOT PADS

For fast aggressive hand grinding of concrete without leaving deep scratches in the floor or counter top. Use the higher grits to help with the concrete polishing process.

CODE	DETAILS
LCI0030	100mm x 30#
LCI0050	100mm x 50#
LCI0100	100mm x 100#
LCI0200	100mm x 200#



Hand Polishing Tools

DRY POLISHING PADS - IOOMM

For polishing concrete and terrazzo.

CODE	DETAILS
LCC0050	100 x 3mm x 50# Light Green
LCC0100	100 x 3mm x 100# Red
LCC0200	100 x 3mm x 200# Yellow
LCC0400	100 x 3mm x 400# Light Blue
LCC0800	100 x 3mm x 800# Green
LCC1500	100 x 3mm x 1500# Orange
LCC3000	100 x 3mm x 3000# Pink
LCF0050	150 x 3mm x 50# Light Green
LCF0100	150 x 3mm x 100# Red
LCF0200	150 x 3mm x 200# Yellow
LCF0400	150 x 3mm x 400# Light Blue
LCF0800	150 x 3mm x 800# Green
LCF1500	150 x 3mm x 1500# Orange
LCF3000	150 x 3mm x 3000# Pink

WET POLISHING PADS - IOOMM

For polishing and buffing of all straight or slightly curved granite, marble, and concrete.

CODE	DETAILS
BPP0050	100 x 3mm x 50# Light Blue
BPP0100	100 x 3mm x 100# Dark Blue
BPP0200	100 x 3mm x 200# Yellow
BPP0400	100 x 3mm x 400# Orange
BPP0800	100 x 3mm x 800# Red
BPP1500	100 x 3mm x 1500# Dark Green
BPP3000	100 x 3mm x 3000# Light Green
BPC0025	100 x 5mm x 25# Dark Blue
BPC0050	100 x 5mm x 50# Light Blue
BPC0100	100 x 5mm x 100# Dark Blue
BPC0200	100 x 5mm x 200# Yellow
BPC0400	100 x 5mm x 400# Orange
BPC0800	100 x 5mm x 800# Red
BPC1500	100 x 5mm x 1500# Dark Green
BPC3000	100 x 5mm x 3000# Light Green







WET POLISHING PADS - IOOMM

For polishing and buffing of all straight or slightly curved Backing pads for use with Polishing Pads. granite, marble, and concrete.

CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

VELCRO BACKING PADS

CODE	DETAILS
BPAD115	105mm x M14
BPAD100A	105mm x 5/8
BPAD100F	105mm x M14 - Flexi Foam
BPAD100R	100m x M14 - Foam
BPAD105R	105 x M14 - Flexi Rubber
BPAD150	150mm x M14



BPAD100R

BPAD100F



BPAD105R



BPAD150

Dust Shrouds



125MM DUST SHROUD

125mm Dustless concrete grinding shroud to fit all major brands of grinders. Please enquire with our sales team regarding the correct vacuum.
We recommend the Makita 9557HN, GA5040C, & GA4530

CODE	DETAILS
BDS1251	125mm Dust shroud to fit all major brands
BCW125E	Segmented Diamond Cup Grinder

IBOMM DUST SHROUD

180mm Dustless concrete grinding shroud to fit Makita and Hitachi grinders. Please enquire with our sales team regarding the correct vacuum.

W 90

/e recommend the Makita GA9010C, GA9020, GA9050, & 040		
CODE	ŒTAILS	
BDS001	180mm Dust Shroud, Makita & Hitachi	
BDS002	Dust Shroud Nylon Replacement Strip	
BDS004	Dust Shroud Replacement Rubber	
BDS006	Dust Shroud collar for Makita 9237CB	





KYNKO DUST SHROUD

Our KYNKO 125 and 180mm dust shrouds fits all major brands of grinders. Please enquire with our sales team regarding the correct vacuum. $\label{eq:correct} % \begin{subarray}{ll} \end{subarray} % \begin$

CODE	DETAILS
KNKD69/900	125mm Dust Shroud
KNKD71/056	180mm Dust Shroud



Power Trowels



BETONELLI BN24 WALK-BEHIND POWER TROWEL

Rated Power: 4.1kw Trowel Diameter: 610mm Speed Range: 40-130rpm Number of Blades: 4 Operating Weight: 50kg

CODE	DETAILS
EDV/1000	Walk-Behind Power Trowel - 4 1kw / 610mm

BETONELLI BN36LG RIDE-ON POWER TROWEL

Rated Power: 20.1kw Trowel Diameter: 915mm Speed Range: 50-140rpm Number of Blades: 8 Operating Weight: 300kg Water Tank Capacity: 17L Fuel Tank Capacity: 17L

LUDE	DETAILS
FPV7000	Ride-On Power Trowel - 20.1kw / 17L





BETONELLI BN36 WALK-BEHIND POWER TROWEL

Rated Power: 4.85kw Trowel Diameter: 915mm Speed Range: 40-130rpm Number of Blades: 4 Operating Weight: 75kg

CODE	BUIAICO
FPV5000	Walk-Behind Power Trowel - 4.85kw / 915mm

BETONELLI BN36HG RIDE-ON POWER TROWEL

Rated Power: 20.1kw Trowel Diameter: 915mm Speed Range: 50-140rpm Number of Blades: 8 Operating Weight: 350kg Water Tank Capacity: 20L Fuel Tank Capacity: 20L

CODE	DETAILS
FPV8000	Ride-On Power Trowel - 20.1kw / 20L





BETONELLI BN46 WALK-BEHIND POWER TROWEL

Rated Power: 9.7kw Trowel Diameter: 1165mm Speed Range: 40-150rpm Number of Blades: 4 Operating Weight: 105kg

CODE	DETAILS
FPV6000	Walk-Behind Power Trowel - 9.7kw / 1165mm

MASTERVIBE CONCRETE VIBRATOR

The more air bubbles you have in your concrete, the weaker its structural integrity when it hardens. A concrete vibrator is a concrete tool that produces stronger concrete by vigorously shaking the concrete right after you pour it to eliminate the air bubbles or air pockets.

CODE	DETAILS	
FPV2000	Concrete Vibrator	



Floor Application Tools



VARIABLE POSITION SCREED

The variable position screed is extremely light and has rounded and square profile edges and a bubble level. The clamp handle can be reversed to the other side of the beam.

120		
	CODE	DETAILS
	FPV31000	Variable Position Screed - 1.2m
	FPV30t01	Variable Position Screed - 1.5m
	FPV30002	Variable Position Screed - 1.8m
	FPV3003	Variable Position Screed - 2.1m
	FPV3004	Variable Position Screed - 2.4m
	FPV3005	Variable Position Screed - 2.7m
	FPV3006	Variable Position Screed - 3.0m
	FPV3007	Variable Position Screed - 3.6m

MASTERSCREED

The Master screed has been engineered to give the maximum frequency of vibration across the entire blade length. This allows the operator to screed the concrete surface in 75% less time than traditional manual screeding methods.

	CODE	DETAILS
	FPV1000	Masterscreed - 1.12kw
	FPV1001	1220mm Blade
	FPV1002	1830mm Blade
	FPV1003	2440mm Blade
	FPV1004	3050mm Blade
	FPV1005	3660mm Blade
	FPV1006	4270mm Blade
	FPV1007	4880mm Blade





NII I FI NAT

These lightweight and durable bullfloats are made from the finest extruded material. They are multi-ribbed for strength with the standard blade being rounded. The complete assembly comes with a pitch control gearhead and three snaplock extension handles.

CODE	DETAILS
FPV3020	Bullfloat 1.2m

TEXAS PLACER

Texas placers are the solution for effectively placing and screeding large volumes of newly poured concrete with considerably less effort than using conventional shovels and rakes. These are lightweight Texas Placers, with bracing, welded on each side of the placer's head, giving even more control over the distribution of the poured concrete.

CODE	DETAILS	
FPV3010	Texas Placer	





METAL FINISHING BLADES

A finishing blade is made of high-carbon steel which provides a flex and swiping action to densify the concrete.

CODE	DETAILS
FPFB024	Finishing Blade 24"
FPFB0915S	Finishing Blade 36", 6" x 14" ECO
FPFB09151.6	Finishing Blade 36", 6" x 14" x 1.6mm
FPFB11681.6	Finishing Blade 46". 6"x 18" x 1.6mm

PLASTIC FINISHING BLADES

Plastic finishing blades are a combination-style blade made to float and finish any application where leaving burnish marks is a concern.









TROWEL SHINE SYSTEM


For industrial floors with large square footage where traditional grinding and polishing is not a good option due to time-frame, budget or other constraints. Transforms your power trowel into a planetary polishing machine, it can be adapted for use with any ride-on power trowel and offers over 10,000 square feet per hour, per step. The Trowel Shine tool holders feature rotating head technology and flexible foam for even tool wear and perfect balance.

CODE	DETAILS
BDH0000	Trowel Shine System - 270mm Head
BDH0002	Trowel Shine System - 350mm Head

RIDE ON AND EDGE PANS

Various sizes of pans which are typically used on ride-on and walk-behind power trowel machines for achieving more production and flatter floors.

CODE	DETAILS
FP1178U10	Ride On Pan 1178mm x 10 Hooks (Premium)
FP1178U8	Ride On Pan 1178mm x 8 Hooks (Premium)
FP09425	Ride On Pan 942mm x 8 Hooks (Standard)
FP0942U	Ride-On Pan 942mm x 8 Hooks (Premium)
FP0610U	Edge Pan 610mm x 4 Hooks (Premium)



PLEASE REFER TO PAGE 41 FOR OUR RANGE OF FLOORING PADS

Floor Grinding Heads

FLOOR GRINDING HEADS

 $250 mm \ x \ 12 mm \ x \ 20$ segment Diamond Heads for concrete grinding. These grinding heads work perfectly with our Tool-Co BDG250 Floor Grinder.

CODE	DETAILS
LFG250S0	16# - Purple - Coating Removal
LFG250S	25# - Red - Coarse Grinding
LFG250S5	40# - Gray - Medium Grinding
LFG250S2	80# - Brown - Fine Grinding
LFG250S3	120# - Black - Extra Fine Grinding
LFG250A	25# - Blue - Abrasive Floors
LEG250EH	25# - Green - Extra Hard Floors

FLOOR GRINDING HEAD **ECONOMY**

250mm x 10mm x 20 segment Diamond head for grinding hard concrete.

25# - Black - Course Grinding

DETAILS

	45	•
4	=	
	1	

CODE	DETAILS
LFG250S0	16# - Purple - Coating Removal
LFG250S	25# - Red - Coarse Grinding
LFG250S5	40# - Gray - Medium Grinding
LFG250S2	80# - Brown - Fine Grinding
LFG250S3	120# - Black - Extra Fine Grinding
LFG250A	25# - Blue - Abrasive Floors
LFG250EH	25# - Green - Extra Hard Floors

COATING REMOVAL PLATES


loor coatings from





CO/11140	IVCIVIO	~~~		\neg	_
PCD tools for	removing	ероху	and	other	flo
concrete floor	rc				

CI	ODE	DETAILS
LC	FE15PCE	PCD Epoxy Ripping Plate Economy 250mm
LC	FE16PCD	PCD Epoxy & Bitumen Grinding Plate 250mm



Tool-Co Floor Grinders

BDG250 FLOOR GRINDER

CODE

BFG250P

The Tool-Co Single head direct drive floor grinder used for floor preparation. This machine uses a 250mm grinding head. From preparing standard concrete floors to repairing badly damaged floor, this machine can do the job. The Tool-Co BDG250 Floor Grinders head can be adjusted to $90^{\rm o}$ for grinding against walls.

The switch is specially adjusted to protect the motor from over current by disconnecting power supply when the current exceeds its rated maximum. The handle of the machine can fold down to make the machine easier to transport and store. The specialised flexible coupling transmits maximum torque through to the floor while allowing the grinding head to flex with the floor. With the direct drive power system running at 1400RPM the BDG250 can put incredible power to



TECHNICAL DETAILS

BDG2501/0202

BDG2501/0203

TECHNICAL DETAILS	
Power	2.2kW
Voltage	230V
Weight	68kg
CODE	Details
BDG2501	Single Head 250mm Floor Grinder
BDG2501/0272	Flexible Coupling
BDG2501/0223-5	Complete Switch
BDG2501/0269	Shroud Strip – Short
BDG2501/0207	Shroud Strip – Long
,	, ,

Running Capacitor 60µF

Start-up Capacitor 300µF



SCANMASKIN Floor Grinding Tools















SCAN DIAMOND GRINDING PLATES

Diamond plates for concrete grinding and coating removal.

CODE	DETAILS
LCOHE025	Extra Soft Floor 25# - Blue
LCOH016	Soft Floor 16# - Red
LCOH025	Soft Floor 25# - Gold
LCOH120	Soft Floor 120# - White
LCOM0016	Medium Floor 16# - Red
LCOM0025	Medium Floor 25# - Gold
LCOM0040	Medium Floor 40# - Silver
LCOM0080	Medium Floor 80# - Brown
LCOM0120	Medium Floor 120# - Black
LCOS0016	Hard Floor 16# - Red
LCOS0025	Hard Floor 25# - Green
LCOSE025	Extra Hard Floor 25# - Orange
	Single Segments
LCOM1025	Medium Floor 25# - Gold
LCOS1025	Hard Floor 25# - Green
LCOSE125	Extra Hard Floor 25# - Orange

SCAN PCD GRINDING & RIPPING

Tools for removing epoxy and other floor coatings from concrete floors.

CODE	ŒTAILS
LCSPCD9	Piranha For coatings up to 3mm thick
LCSPCD2	Twin Tiger For coatings up to 7mm thick
SCC-592078	Bauta Crush For coatings up to 10mm thick
LCSPCD4	Guided PCD Plate 2 x PCD / 2 x Round Segment
LCSPCD4A	PCD Arrow Plate 2 x PCD / 2 x Arrow Segment



Piranha

Twin Tiger

SCANMASKIN BUSH HAMMER


The bush hammer tool is used to create a very rough surface on concrete.

CODE	DETAILS	
SCC-521100	Large - Fits SC650 or WS28	













SCANMASKIN BAUTA DOUBLE

Our premium series of diamond tools that give you more diamond for your money. It's efficient and high quality grinding tools in a wide range of grit sizes and hardness's to suit vour needs.

GRIT	DETAILS
Silver 8/16#	Very rough diamonds for course grinding.
Black 14/16#	Rough diamonds for course grinding.
Brown 20/25#	Rough diamonds for coarse grinding.
Blue 30/40#	Fine grinding prior to applying thin coatings.
Green 60/80#	Provides very fine and smooth surfaces.
White 150#	Provides a very fine surface. Also able to grind natural stone, both wet and dry.
	and the second second second second

White 150#	Provides a very fine surface. Also able to grind natural stone, both wet and dry.
Yellow 200#	Used to increase the life of plastic bond polishing tools. Also usable with natural stone, both wet and dry.

BAUTA DOUBLE HARDNESS INDEX

Every colour of each tool comes in different hardnesses. Use this table to help you choose the correct grit and hardness for the job.

Should you require any assistance, please feel free to contact your local branch.

	HARDNESS	DETAILS
nding.	SCSSSS	Special diar
g.	SCSSS	Extremely
g.	SCSS	Extra soft o
coatings.	SCS	Soft diamo
aces.	SCM	Medium ha
ole to	SCX	Extra hard
ry.	SCXX	Very hard o
ond	SCAAA	Extramaly

SCSSSS	Special diamond tool.
SCSSS	Extremely soft diamond tool for concrete floors with a glossy hard surface.
SCSS	Extra soft diamond tool for extra hard concrete.
SCS	Soft diamond tool for hard concrete.
SCM	Medium hard diamond tool for fast cutting of normal concrete.
SCX	Extra hard diamond tool for soft concrete and filler remnants.
SCXX	Very hard diamond tool for rain damage concrete and rough concrete surfaces.
SCXXX	Extremely hard diamond tool for newly cast concrete.
SCXXXX	Special diamond tool.

Floor Grinders



BDYFG300E 300mm FLOOR GRINDER

Features a self-levelling head for perfect alignment to achieve a smooth and level floor surface finish, as well as a flexible dust shroud and a vacuum port for effective dust control. It has easily accessible control switch and an adjustable handle for ergonomic use. This machine is ideal for removing surface covering and smoothing rough concrete floors.

CODE	BDYFG300E	
Power	3KW	
Voltage	220V	
Weight	66kg	

SCAN COMBIFLEX 18

A great entry Level, variable speed, single phase floor grinder. Can be used on concrete, natural stone and wood. Excellent for getting started.

CODE	SCM-524518
Power	2.2KW
Voltage	1-phase, 230V / 12amp / 50Hz
Single Speed	300-1100rpm
Grinding Disc	3x150mm
Grinding Width	450mm
Weight	100kg





SCANMASKIN Floor Grinders

SCAN COMBIFLEX 330

CODE

Power Voltage

Single Speed

Grinding Disc

Weight

Grinding Width

1 5KW

600rpm

330mm

65kg

1x330mm

The 3C 330 leatures a single 330 min giniding disc that works
great for grinding small areas, removing tough coatings,
and general surface preparation. The SC 330 can also be
configured as a single disc edger by adjusting the axel in two
different directions.
3-Phase & Variable Speed also available on request

SCM-516000

1-phase, 230V / 12amp /50Hz

SC450	SCM-524500
Power	1.5KW
Voltage	1-phase, 230V / 10amp / 60Hz
Single Speed	750rpm
Grinding Disc	3x150mm
Grinding Width	450mm
Weight	90kg

for the rental market and smaller renovating businesses.



SCAN COMBIFLEX 450NS

SC450NS is a new generation of floor grinders, which combines a small footprint with high productivity. Along with grinding concrete and natural stone, the SC450NS is also perfect for building remodel applications and coatings removal. With the wide range of available tooling options, the SC450NS can be used for virtually any application out there.

CODE	SCM-524502
Power	1.5KW
Voltage	1-phase, 230V, 10amp, 50Hz
Single Speed	500-1050rpm
Grinding Disc	3x150mm
Grinding Width	450mm
Weight	90kg

SCAN COMBIFLEX 500PD

The SC500PD is the ideal grinding machine for professional grinding and polishing applications. It is extremely versatile in its different applications. The machine is also very effective when it comes to removal work and floor preparation. It really shines in paint and coating removal applications. 3-Phase also available on request.

SCM-53050I
4KW
1-phase, 230V, 16amp, 50Hz
250-1150rpm
3x150mm
500mm
160kg





SCAN COMBIFLEX 650

The SC650 is a robust and stable machine designed for commercial projects. The counter-rotating design also reduces operator fatigue and allows the machine to be operated with minimal effort. The SC650 features a grinding width of 650mm, and is perfect for both residential and commercial applications.

I-Phase 230volt	SCM-560003
3-Phase 400volt	SCM-560002
Propane I3.2 kW	SCM-560500
Power 1/3-phase	4KW / 7.5KW
Voltage 1/3-phase	230\/ / 400\/

Variable Speed 350-900rpm / 350-1100rpm

Grinding Disc 3x210mm Grinding Width 650mm Weight 320kg





SCANMASKIN 28

Designed with a focus on the operator the machine features cast alloy components along with a floating shroud, designed for years of durability and dust free operation. Equipped with a new tool-head for better balance and tool support, and a new electrical cabinet with a sealed cooling system that protects the electrical components from heat and dust.

Push Type	SCM-572800
Remote Type	*On Request*
Propane I3,2 kW	*On Request*
Power	7.5KW/11KW
Voltage	3-Phase, 400V, 16/32amp, 50/60Hz
Variable Speed	230-825rpm
Grinding Disc	3x220mm
Grinding Width	700mm
Weight	610kg

SCANMASKIN 32

Designed with a focus on the operator the machine features cast alloy components along with a floating shroud, designed for years of durability and dust free operation. Equipped with a new tool-head for better balance and tool support, and a new electrical cabinet with a sealed cooling system that protects the electrical components from heat and dust. The 370 mm wheels and the quick release makes it easy to operate.

Remote Type Propane I8.5 kW	SCM-583250 *On Request*
Power	15KW
Voltage	3-Phase, 400V, 32amp, 50/60Hz
Variable Speed	230-825rpm
Grinding Disc	3x300mm
Grinding Width	800mm
Weight	630kg



Floor Polishing Pads



DIAMOND BUFF PADS

Use on a single disc buffer or auto-scrubber for the final buff or rebuff of concrete, terrazzo or even epoxy floors. For both dry and wet use.

CODE	DETAILS
LBA240050	240mm x 50#
LBA240100	240mm x 100#
LBA240200	240mm x 200#
LBA240800	240mm x 800#
LBA241500	240mm x 1500#
LBA243000	240mm x 3000#
LBA270050	270mm x 50#
LBA270100	270mm x 100#
LBA270200	270mm x 200#
LBA270800	270mm x 800#
LBA271500	270mm x 1500#
LBA433000	430mm x 3000#





MARBLE POLISHING PADS

Specialised polishing pads used on marble flooring.

CODE	DETAILS
BPX0050	100 x 2mm x 50# - Light Green
BPX0100	100 x 2mm x 100# - Red
BPX0200	100 x 2mm x 200# - Yellow
BPX0400	100 x 2mm x 400# - Blue
BPX0800	100 x 2mm x 800# - Dark Green
BPX1500	100 x 2mm x 1500# - Orange
BPX3000	100 x 2mm x 3000# - Pink









HEAVY DUTY POLISHING PADS

Resin-bonded diamond concrete polishing pads gives you a faster polishing speed, higher clarity and gloss shine with no discolouring or swirls. Optimal results when used under heavy machines.

CODE	DETAILS
BPY0050	80mm x 50# Light Green - Dry/Wet
BPY0100	80mm x 100# Red - Dry/Wet
BPY0200	80mm x 200# Yellow - Dry/Wet
BPY0400	80mm x 400# Light Blue - Dry/Wet
BPY0800	80mm x 800# Green - Dry/Wet
BPY1500	80mm x 1500# Orange - Dry/Wet
BPY3000	80mm x 3000# Pink - Dry/Wet

CONCRETE POLISHING PADS

First stage polishing under heavy machines for improved scratch removal with a better final polish. Our C bond pads are used for dry polishing of hard floors while P bond is only for wet polishing of hard floors.

CODE	DETAILS
BPW00C1	80mm x C1 - Ceramic - Medium Floors - Dry
BPW00C2	80mm x C2 - Ceramic - Medium Floors - Dry
BPW00C3	80mm x C3 - Ceramic - Medium Floors - Dry
BPW00P1	80mm x P1 - Copper - Hard Floors - Wet Only
BPW00P2	80mm x P2 - Copper - Hard Floors - Wet Only
BPW00P3	80mm x P3 - Copper - Hard Floors - Wet Only
BPW00P4	80mm x P4 - Copper - Hard Floors - Wet Only





Grinding Plates & Wedges



DIAMOND WEDGE SET

Diamond and Carborundum wedges for concrete grinding and coating removal.

CODE	DETAILS
DWS80	Diamond Wedge Set 12 Segments Yellow (Medium Hard Floors) 25#
DWS90	Diamond Wedge Set 12 Segments Blue (Abrasive Floors) 25#
CWS001	Carborundum Wedge Set
DWS001	Wedge Set Conversion To U-Shape Grinding Plate (On Request)

FLOOR GRINDING SEGMENTS CONCRETE

Quality concrete grinding segments.

CODE	DETAILS
	Medium Floors
LSPF302	40mm x 10mm x 10mm - Gold 25#
LSPF303	40mm x 10mm x 10mm - Brown 80#
LSPF304	40mm x 10mm x 10mm - Black 120# (On Request)
	Sof Floors
LSPF402	40mm x 10mm x 10mm - Blue 25#





Features a velcro backing pad.

CODE	DETAILS
BPG00025H	80mm x 25# - Hard Floors
BPG00025M	80mm x 25# - Medium Floors
BPG00080M	80mm x 80# - Medium Floors
BPG00120M	80mm x 120# - Medium Floors
BPG00025S	80mm x 25# - Soft Floors




Grinding & Polishing Plates













CODE	DETAILS	
5oft f loor Grinding Plates		
CFIS025	Soft Floor Grinding 25# - Black	
CFISE025	Extra Soft Floor Grinding 25# - Blue	
medium f loor Grinding Plates		
CFIM016	Medium Floor Grinding Plate 16# - Red	
CFIM025	Medium Floor Grinding Plate 25# - Gold	
CFIM040	Medium Floor Grinding Plate 40# - Silver	
CFIM080	Medium Floor Grinding Plate 80# - Brown	
CFIM120	Medium Floor Grinding Plate 120# - Black	
CFG016	Medium Floor Grinding Plate 16# - Red Round	
CFG400	Medium Floor Grinding Plate 400# - Blue Round	
and Floor Criedian Diator		

hard floor Grinding Plates LCFIH025 Hard Floor Grinding Plate 25# - Green

	Polishing Plates
LCFP0050	Floor Polishing Plate 50# - Black
LCFP0100	Floor Polishing Plate 100# - Blue
LCFP0200	Floor Polishing Plate 200# - Red
LCFP0400	Floor Polishing Plate 400# - White
LCFP1500	Floor Polishing Plate 1500# - Yellow
LCFP3000	Floor Polishing Plate 3000# - Green

DIA **GRINDING PLATES**









PCD **GRINDING PLATES**





CODE	DETAILS
LCFE01P	Single Segment For small machines lighter than 300kg
LCFE02P	Double Segment For large Machines heavier than 300kg

Grinding Accessories

CONVERSION PLATES

Conversion plates to enable the use of SCANMASKIN Tools on the machines listed below.

CODE	DETAILS
BDG91001	HTC 420 NY
BDG91002	HTC 500 / 650 / Greyline 550 NY
BDG91003	HTC 800 / 950
BDG92001	D435 Diamatic
BDG92002	D500 / 535 Diamatic
BDG93001	Husqvarna 280
BDG93002	Husqvarna 400
BDG93003	Husqvarna 450
BDG93004	Husqvarna 630
BDG93005	Husqvarna 830
BDG95002	Tool-Co BDG250
BDG95003	Tool-Co BDG300

WOOD FLOOR GRINDING TOOLS

Scratch discs for hardwood floors, and various grits of sandpaper for floor grinders. See Velcro conversions in the Scanmaskin Tools Section.

CODE	DETAILS
SC-592044	Scratch Disc, Scan-On Scratch with Claw
SC-592141	Scratch Disc, Scan-On Scratch-Ruff #20
SC-592142	Scratch Disc, Scan-On Scratch-Medium, #30
SC-592143	Scratch Disc, Scan-On Scratch-Fine, #60
SC-522002	Sandpaper No. 16
SC-522003	Sandpaper No. 24
SC-522004	Sandpaper No. 36
SC-522005	Sandpaper No. 40
SC-522006	Sandpaper No. 60
SC-522007	Sandpaper No. 80
SC-522008	Sandpaper No. 100
SC-522120	Sandpaper No. 120
SCC-522009	Scan-On Middle Cushion 180mm x 3
SCC-522039	Scan-On Middle Cushion 330mm x 1





CONCRETE TESTING

Concrete is made up of various elements which have different hardness and density. Use these test kits to determine how hard or soft your concrete or stone surface is.

CODE	DETAILS
SCC-100500	Scanmaskin Concrete Test Kit
MTT17100	Schmidt Hammer

VELCRO ADAPTOR PLATES

CODE	DETAILS
BDH0003	Scanmaskin 80mm Velcro Adapter Plate for SC650, WS28, WS32
BDH0007	Scanmaskin 80mm Velcro Replacement
SCC-522015-S	Scan-On Velcro Adapter Plate for SC330, SC450 & SC500 (Single Plate)
SCC-522015-L	Scan-On Velcro Adapter Plate for SC330, SC450 & SC500 (Set of 9 Plates)
LCFG002	U Shape Grinding Plate To 80mm Velcro Conversion Plate







U Shape Grinding Plate To 80mm Velcro Conversion Plate

Floor Finishing



TOOL-CO DIAMOND FLOOR PADS

Use on a high-speed burnisher, single disc buffer or auto-scrubber for the final buff or rebuff of concrete, terrazzo or even epoxy floors. For both wet and dry use.

CODE	DETAILS
LCA400400	400mm x 400#, No.0 - Blue
LCA400800	400mm x 800#, No.1 - Red
LCA401500	400mm x 1500#, No.2 - Yellow
LCA403000	400mm x 3000#, No.3 - Green
LCA430400	430mm x 400#, No.0 - Blue
LCA430800	430mm x 800#, No.1 - Red
LCA431500	430mm x 1500#, No.2 - Yellow
LCA433000	430mm x 3000#, No.3 - Green
LCA433001	430mm x 3000#, No.3 - Green (Soft)
LCA500400	500mm x 400#, No.0 - Blue
LCA500800	500mm x 800#, No.1 - Red
LCA501500	500mm x 1500#, No.2 - Yellow
LCA503000	500mm x 3000#, No.3 - Green
LCA680800	680mm x 800#, No.1 - Red
LCA683000	680mm x 3000#, No.3 - Green

TOOL-CO FLOOR PADS

Polyester fibre pads for stripping, scrubbing, buffing, and polishing.

CODE	DETAILS
FAP40000	400mm BLACK (SRIP)
FAP42500	425mm BLACK (STRIP)
FAP42501	425mm BLUE (SCRUB)
FAP42504	425mm RED (BUFF)
FAP42505	425mm WHITE (BURNISHING)
FAP50002	500mm RED (BUFF)
FAP50004	500mm WHITE (BURNISHING)
FAP60000	600mm WHITE (BURNISHING)
FAP68000	680mm WHITE (BURNISHING)





Polishing, Buffing & Burnishing Machines



Solution Tank

TOOL-CO POLISHER LIGHT DUTY

A light duty floor polisher with plastic chassis. Can be used with our polishing pads on concrete, terrazzo, epoxy, vinyl,

Includes 425mm Pad Drive **Excludes Solution Tank**

CODE	FAPI4I034
Voltage	230V / 50Hz
Power	1.1kW
Speed	150RPM
Size	425mm
Weight	45.5kg

CODE	DETAILS
FAP141035	425mm - Pad Drive
FAP141036	425mm - Soft Floor Brush
FAP141037	425mm - Hard Floor Brush
FAP141038	15 Litre Solution Tank

TOOL-CO POLISHER **HEAVY DUTY**

A heavy duty polisher which features a robust steel chassis, a water tank for working wet and a vacuum extraction port for dry dustless work, this machine will meet most needs. For heavy duty polishing of concrete, terrazzo, epoxy, vinyl etc.

CODE	BDI430/00I
Voltage	220V / 50Hz
Power	2.2kW
Speed	200RPM
Size	430mm
Weight	58kg

CODE	DETAILS
BDI430/002	Multi-tool plate for velcro & bolt-on tools
BDI430/004	Pad Driver for cleaning & diamond pads
BDI430/005	12.5kg weight for aggresive polishing
BDI430/007	Floor brush for scrubbing & cleaning


















Our ultra high speed, 15hp, propane powered burnisher has a capacity of 3000sqm per day, and uses a 685mm floor pad, making it excellent for bringing out the executive shine for the best finish on the market.

Suitable for Vinyl Floors, Natural Stone Floors, Polished Concrete Floors, and Power Floated Concrete Floors.

Can also be used for stripping of waxes and other similar materials.

CODE	AZLR000I	
Power	13.4kW	
Speed	1500-3400rpm	
Pad Size	680mm	
Weight	148kg	

TOOL-CO ELECTRIC POWERED **BUFFER / BURNISHER**

An ultra high speed burnisher, designed to cover large areas with less maintenance costs. It is used for long-lasting shine to hard floors or for polishing and maintaining floors in mediumduty applications.

The burnisher is robust, reliable and service friendly. The ergonomic design makes it easy to spray clean hard floors in a good working position for the operator

CODE	BDJ500/00I
Voltage	220V / 50Hz
Power	2.2kW
Speed	200RPM
Size	430mm
Weight	58kg





Floor Chemicals



MICROFIBRE MOP

Used for the application of flooring chemicals on concrete

CODE	E TAILS
FA1901	Micro Fibre Mop Refill
FA1902	Micro Fibre Mop Frame
FA-HA1300	Aluminium Broomstick Handle - 1.3m

AZTEC GRAND FINALE

A finish applicator designed to provide an easy, high-speed way to lay down a smooth, uniform coat of fresh finish. At up to 2183 m2/h, you'll quickly recognise huge labour savings!

CODE	AZLRO003
Head Width	61cm
Battery Life	5-7 hours
Shipping HxLxW	10.2 x 99 x 20.3cm
Shipping Weight	8.16kg





GROUT & BINDER

Liquid pin-hole and crack filler for polished concrete and terrazzo.

CODE	DETAILS
COBC	BETAILES
LCH30001	Grout & Binder, 1L
LCH30005	Grout & Binder, 5L
LCH30025	Grout & Binder, 25L
LCH30200	Grout & Binder, 200L
LCH31000	Grout & Binder, 1000L

SODIUM DENSIFIER

An economic floor hardener for polished concrete and terrazzo. Application: Polished concrete and ant-dusting

CODE	ŒTAILS
LCH50005	Sodium Densifier, 5L
LCH50025	Sodium Densifier, 25L
LCH50200	Sodium Densifier, 200L
LCH51000	Sodium Densifier, 1000L





LITHIUM DENSIFIER

A pure lithium Hardener for concrete. Works well on unexposed polished concrete surfaces

CODE	DETAILS	
LCH10001	Lithium Densifier, 1L	
LCH10005	Lithium Densifier, 5L	
LCH10025	Lithium Densifier, 25L	
LCH10200	Lithium Densifier, 200L	

LITHIUM BLEND DENSIFIER

A Specially formulated multi silicate densifier with Lithium. Great for hardening concrete floors and providing excellent protection. Works extremely well in unexposed concrete applications.

CODE	Œ TAILS
LCH80001	Lithium Blend Densifier, 1L
LCH80005	Lithium Blend Densifier, 5L
LCH80025	Lithium Blend Densifier, 25L
LCH80200	Lithium Blend Densifier, 200L
LCH81000	Lithium Blend Densifier, 1000L





AMERIPOLISH SR2 PROTECTOR

Creates a protective surface for concrete and terrazzo.

CODE	DETAILS	
LCH90001	Protector, 1L	
LCH90005	Protector, 5L	
LCH90020	Protector, 20L	

AMERIPOLISH 3D SPE SEALER

A premium sedier for polished concrete and terruzzo.				
CODE	IETAILS			
LCH20001	3D SPE Sealer, 1L			
LCH20005	3D SPE Sealer, 5L			
LCH20020	3D SPE Sealer, 20L			
LCH20200	3D SPE Sealer, 200L			
LCH21000	3D SPE Sealer, 1000L			





AMERIPOLISH REJUVINATING CLEANER

DETAILS

Ameripolish® Rejuvenating Cleaner is a concentrated multipurpose cleaner that removes daily debris from hard surfaces. Rejuvenating Cleaner Concentrate provides an additional level of protection to combat microorganisms, for floors cleaned with this product. Rejuvenating Cleaner contains no harsh chemicals and does not cause build up on the surface. In addition to polished concrete, it is ideal for use on vinyl tile, ceramic tile, terrazzo, wood, and composite materials. It rejuvenates the floor by reapplying trace amounts of densifier and stain-resistant additives while you clean with an auto-scrubber. This allows the reapplication of SR² as far out as every 2 years.

	-	٩M	ERI	PO	LISH
	SUR	E L	.00	KΕ	IYES
-	rmula	hac	rece	ntly	heen

Ameripolish® SureLock Dyes formula has recently been updated making them the most vibrant concrete dyes Ameripolish® has ever produced. SureLock Dyes are versatile colorants for polished concrete that mix with water or solvent. SureLock Dyes are to be applied just before densifying helping the colour penetrate and chemically bond to the concrete

The dissolved concentrate liquid is fast and easy to use. The formula includes UV stabilizers to resist fading as well as a penetrating agent to eliminate further mixing and develop deep, rich colours even on hard, dense concrete



				LCH1100	01 1L Rejuv	/en	ating Cleaner			
-	TOR VAL		Distributi	DAMES IN		tagrant.	Becom	186.801		188.861
-	100.00	SWEET AND ASSESSMENT	DECEM			iman	DATHE	18.80	_	(MALEN)
	000 TMI	EMPLOY.	000 TWC		SAFER .	281.00	PERSON	500.180	ма	181,500
	, Lie		100			ī	611	ī		ī

CODE	ŒTAILS	CODE	ŒTAILS
LCHD01	Gold	LCHD15	Eggplant
LCHD03	Raw Sienna	LCHD16	Turquiose
LCHD04	Carmel	LCHD17	Slate Blue
LCHD05	Sand	LCHD18	Patriot Blue
LCHD06	Terra Cotta	LCHD19	Green
LCHD07	Mahogany	LCHD20	Pine Green
LCHD08	Saddle Brown	LCHD21	Forest Green
LCHD09	Chocolate Brown	LCHD22	Black
LCHD10	Walnut	LCHD23	Midnight Black
LCHD11	Burnt Sienna	LCHD24	Red
LCHD12	Chestnut	LCHD02	Gray
LCHD13	Maroon		
LCHD14	Sepia		

PLEASE NOTE: PICTURES ARE ONLY AN INDICATION AND MAY NOT ALWAYS BETO SCALE

Flooring Chemicals



TOOL-CO CONCRETE BUSTER DRIED CONCRETE DISSOLVER

An Eco friendly, specially formulated industrial strength product that will remove dried concrete, mortar, and grout from tools, equipment, and most surfaces. It can be used on acid resistant natural stone such as granite, ceramics, porcelain, and acid resistant tiles. It is safe to use on paint, rubber, glass, and aluminium. Always pre-test in an inconspicuous area for product suitability.

AMERIPOLISH OIL INGESTER

Ameripolish® Oil Ingester is a water-based microbial stain remover that consumes and breaks down oil-based materials and absorbs odors from the surface of the concrete without causing damage or affecting any existing colorant, sealer, or stain protector. The biodegradable product is environmentally safe and can be left on surfaces for several days if needed to deeply penetrate seeped stains.

CODE	ŒTAILS
LCH40000	Oil Ingester - 4L



Von Arx Dust Control



VON ARX 52 DUST EXTRACTOR

Powerful single-phase dust extractors, designed to tackle even the toughest cleaning tasks with ease. With motors boasting an impressive 1200W each for a total of 2400W, VonArx extractors deliver performance and efficiency!

Despite their robust power, our S2 dust extractors remain conveniently portable, with a manageable weight. Move them effortlessly wherever you need them most.

CODE	VXN-S20I
Power	2x 1200W
Max Air Flow	400m3/h
Max Vacuum	22 kPa
Pre Filter	Conical Polyester
HEPA Filter	H13
Dimensions	761 x 547 x 1300mm
Weight	52kg



Pullman Ermator Dust Control



AIOOO AIR CLEANER

Compact design, with a high flow, 1000 m3/hour. Can be run at two speeds. Has a H13 filter that's provided with child protection. Equipped with double warning lamps with signal. Red lamp for leakage — worn filter, orange lamp for 90% blocked filter. The air outlet is directed 90° from the inlet and is fitted with an outlet connector 160 mm in diameter for the evacuation hose (8 m max.).

CODE	PE-200900II2
Power	285W
Max Air Flow	1000m3/h
Coarse Filter	Yes
HEPA Filter	H13
Dimensions	465 x 385 x 466mm
main hePa filter	PeS-200700532
Pre-f ilter	PeS-201000014

W70P SLURRY VACUUM

Powerful wet cleaner with a 70 litre tank and evacuation pump. Emptying is carried out via a valve. The oil-cooled pump can handle concrete sludge, oils and cutting fluids. The machine is equipped with a coarse separation basket and wet suction bag. The combined filter/float system protects the motor. Pumping out can take place at the same time as suction.

CODE	PE-201000032
Power	1200W
Max Air Flow	200m3/h
Pump	650W
Pump Capacity	260l/m
Dimensions	600 x 570 x 1250mm
Polyester f ilter	PeS-001337019



Workshop Vacuums





CODE	VCM-BZ3000	
Power	1000W	
Max Air Flow	191m3/h	
15/301 filter Bag	Vcm-BZ0002	
f ine Dust f ilter Bag	Vcm-BZ0005	

60L PLASTIC VACUUM WET/DRY - 2 MOTORS

NOT RECOMMENDED FOR HIGH DUST ENVIRONMENTS





80L STAINLESS STEEL VACUUM WET/DRY - 2 MOTORS



80L STAINLESS STEEL VACUUM WET/DRY - 3 MOTORS

CODE	VCM-BZ6000
Power	3000W
Max Air Flow	572m3/h
80I filter Bag	Vcm-BZ0004
f ine Dust f ilter Bag	Vcm-BZ0005



NOT RECOMMENDED FOR HIGH DUST ENVIRONMENTS

Tool-Co Dust Control



TOOL-CO GI2 VACUUM

Designed for small grinders and hand held power tools. Uses a single motor with a two-stage filtering system. Compatible with the continuous drop down bagging system for ease of use and efficiency

Drop Down Bag Sold Separately

CODE	VCM-AZ00280
Power	1700W
Max Air Flow	300m3/h
Max Vacuum	220mbar
Primary Filter	1400 cm2, F8
Second Filter	1250 cm2, H13
Dimensions	60 x 37 x 105cm
Weight	35kg
Drum Pre-f ilter	Vcc-Bm0043I
r ear f ilter	Vcc-Bm00287



TOOL-CO G22 VACUUM

Designed for medium grinders. Uses dual motors with a twostage filtering system. Features the continuous drop down
bagging system for ease of use and efficiency. For best results,
use with the Tool-Co Separator.

Note: Two rear filters are required.

CODE	VCM-AZ0028I
Power	2400W
Max Air Flow	400m3/h
Max Vacuum	220mbar
Primary Filter	2500 cm2, F8
Second Filter	2 x 1250 cm2, H13
Dimensions	65 x 50 x 120cm
Weight	54kg
Drum Pre-fillter	Vc c-Bm 00432
r ear fillter	Vc c-Bm 00287

TOOL-CO G32 VACUUM
Designed for medium to large grinders. Uses three motors with a two-stage filtering system. Features the continuous drop down bagging system for ease of use and efficiency. For best results, use with the Tool-Co Separator.
Note: Three rear filters are required.

CODE	VCM-AZ00282
Power	3600W
Max Air Flow	600m3/h
Max Vacuum	220mbar
Primary Filter	3500 cm2, F8
Second Filter	3 x 1250 cm2, H13
Dimensions	77 x 50 x 145cm
Weight	69.8kg
Drum Pre-filter	Vcc-Bm00433
r ear filter	Vcc-Bm00287





TOOL-CO SEPARATOR

Recommended for use with our Tool-Co and Scanmaskin vacuums. The Tool-Co Separator effectively separates up to 90% of dust and leaves very little fine dust for the vacuum to filter. It works with great reliability and virtually zero-cost maintenance.

CODE	VCM-AZ00283

TOOL-CO G4I7 VACUUM

Recommended for large grinders. Aworld-class quality turbine motor which provides up to 530 m3/h and 320mbar vacuum, securing high suction power to all sizes of concrete grinders, and a reliable 24 hours of non-stop operations. Equipped with a HEPA Filter, the machine can separate 0.3um dust with a 99% efficiency, securing a high standard of quality and safety.

CODE	VCM-AZ00285
Power	7500W
Max Air Flow	530m3/h
Max Vacuum	320/31.4
Filter Capacity	0.3um, efficiency > 99%
Filter Area	3.5m2
Dimensions	73 x 105 x 160 cm
Weight	170kg









Plastic Bags

GENERAL ACCESSORIES

our vacuums and separators.	
CODE	DETAILS
VCC-BM00241	Drop Down Bag - Pack of 4 Per Box
VCC-BM00225	Drop Down Bag Holder
VCC-BM00160	Ametek 240V / 1200W Vacuum Motor Replacement
MTT17000	Plastic Bags - 500 x 750 x 70micron (100pcs)

TOOL-CO ACCESSORIES

Drop Down Bag: Continuous plastic bags for use with all of our vacuums and separators.

Various accessories and spare parts for our Tool-Co G12, G22 and G32 vacuums.

and G32 vacuums.	332 vacuums.	
CODE	DETAILS	
VCC-BD00438	D50mm x 375mm hose & fitting(G12)	
VCC-BC00033	D40mm lower wand (G12)	
VCC-BC00034	D40mm upper wand (G12)	
VCC-BD00030	Floor Brush 40mm x 400mm (G12)	
VCC-BM00004	Spare Brush (G12)	
VCC-BM00439	D50mm x 5.4m hose & fitting (G22)	
VCC-BM00441	D50mm x 8mm hose & fitting (G32)	
VCC-BM00050	50mm S wand (G22 & G32)	
VCC-BC00043	50mm crevice tool (G22 & G32)	
VCC-BD00054	50mm floor brush (G22 & G32)	
VCC-BM00001	Spare brush (G22 & G32)	





VCC-BD00030 VCC-BM00004



VCC-00043



6 Point Drum

12 Point

VonArx Scarifiers



12 Point

Steel Wire Brush

VONARX VA IO L

Designed for roughening and cleaning small areas and tight corners. Equipped with swivel handgrip. Runs on 230V household mains supply. Various cutters can be fitted to suit different applications.

5 Point: Tungsten carbide inserts, for roughening concrete and asphalt, for removing old coatings.

6 Point: Tungsten carbide inserts, for roughening concrete and asphalt, for removing old coatings.

12 Point: For removing road markings and paint from asphalt and concrete, and for work on large steel structures with

only a slight change of the surface structure.

Steel Wire Brush: For polishing and cleaning various surfaces and for removal of light rust.

	VONARX FR 20
dles a variety of different	jobs, from straight forwa
ning to the tricky removal	of navement markings T

cleaning to the tricky removal of pavement markings. T compact size and the easy handling of the machine malitideal for carrying out precise work on small or medic surfaces, both indoors and outdoors

The drum can be fitted with various types of cutters. It tak about 2 minutes to make the switch, enabling the FR 200 work fast on a variety of tasks

Available as both an electric and petrol version.

Product CODE:	VXN-702311
Power	2200W
Working Width	100mm
Distance To Wall	20mm
5 Point Set	VXN-701027
5 Point Drum	VXN-701006
6 Point Set	VXN-701928
6 Point Drum	VXN-706561
12 Point Set	VXN-701028
12 Point Drum	VXN-701007
Steel Wire Brush	VXN-700982

Electric CODE:	VXN-701449	
Power	2200W	
Petrol CODE:	VXN-701436	
Power	4000W (Honda Petrol Engine)	
Working Width	200mm	
Distance To Wall	54mm	
5 Point Set	VXN-701505	
5 Point Drum	VXN-701422	
6 Point Set	VXN-701930	
6 Point Drum	VXN-706563	
12 Point Set	VXN-701506	
12 Point Drum	VXN-701423	





VONARX VA 25 S

The VA 25 S is an ideal solution for tasks involving the roughening, grooving, cleaning, or removal of various surface layers. Its infinite variable depth adjuster ensures a perfect fit for any surface, while the vibration absorption system and user-friendly design make the job efficient and comfortable. This heavy-duty surface preparation machine can tackle even the toughest challenges, and it accommodates various cutters to suit different applications. It's suitable for materials like asphalt, concrete, natural stone, metals, and more, making it a versatile tool for surface preparation tasks.

Pentagonal: Roughening concrete and asphalt, for removing

Hexagonal: Roughening concrete and asphalt, for removing old coatings.

Beam Cut ers: For removing road markings and paint from asphalt and concrete, and for work on large steel structures with only a slight change on the surface structure.

Milling Cutters: For removing and stripping thermoplastic

and cold plastic coatings and markings.

Clover Leaf Cutters: For roughening concrete and asphalt, or removing old coatings.

VONARX VA 30 5

The VA 30 S is an ideal solution for tasks involving the roughening, grooving, cleaning, or removal of various roughering, grooving, cleaning, or removal of various surface layers. Its infinite variable depth adjuster ensures a perfect fit for any surface, while the vibration absorption system and user-friendly design make the job efficient and comfortable. This heavy-duty surface preparation machine can tackle even the toughest challenges, and it accommodates various cutters to suit different applications. It's suitable for materials like asphalt, concrete, natural stone, metals, and more, making it a versatile tool for surface preparation tasks.

Octagonal: Roughening concrete and asphalt, and removing old coatings.

Hexagonal: Roughening concrete and asphalt, and removing

old coatings.

Beam: Removing road markings and paint from asphalt and concrete, and work on large steel stuctures with only a slight change of the surface structure.

Milling: Removing and stripping thermoplastic and cold

plastic coatings and markings

Round: Ro coatings.

VXN-701840

VXN-701695

VXN-701842

VXN-701697

39mm Milling Set

Round Cutter Set

39mm Milling Drum

Round Cutter Drum

Round: Roughening concrete and asphalt, and removing old coatings.		0	8 Point Set	8	8 Point Drum
Product CODE:	VXN-706276	Ann		1	
Power	6000W (Honda Petrol Engine)	400	12 Point	4	12 Point
Working Width	300mm	AL R	Set	400	Drum
Distance To Wall	90mm	-388		1	,
8 Point Set	VXN-701836	266	Beam	4	Beam
8 Point Drum	VXN-701691	40	Cutter Set	400	Cutter Drum
12 Point Set	VXN-706691	340		-	,
12 Point Drum	VXN-706566	-	19mm		19mm
Beam Cutter Set	VXN-701839	T	Milling	1000	Milling
Beam Cutter Drum	VXN-701694	Ale	set	100	Diulii
19mm Milling Set	VXN-701841	All I		-	
19mm Milling Drum	VXN-701696	400	39mm Milling	GO.	39mm Milling
39mm Milling Set	VXN-701840	B 100	Set	1000	Drum

Round

Cutter Drum

Cutte



Milling Cutters

19mm Milling

Cutters















	Product CODE:	VXN-707335
	Power	5300W (Honda Petrol Engine)
	Working Width	250mm
	Distance To Wall	67mm
	5 Point Set	VXN-706306
	5 Point Drum	VXN-706946
	6 Point Cutter Set	VXN-706306
	6 Point Cutter Drum	VXN-706946
	11mm Milling Set	VXN-702594
	11mm Milling Drum	VXN-707194
	19mm Milling Set	VXN-702387
	19mm Milling Drum	VXN-706947
	22mm Milling Set	VXN-702593
	22mm Milling Drum	VXN-707193
	Beam Cutter Set	VXN-702385
	Beam Cutter Drum	VXN-706948
	Clover Leaf Cutter Set	VXN-702590
	Clover Leaf Cutter Drum	VXN-707190

VonArx Surface Shaver



VONARX DTF 25 SH

Precisely grinds the surface instead of chipping away at it, producing a smooth surface by using a drum fitted with 125mm diamond blades. Both grooving and milling can be achieved by choosing between two different diamond blades. One for a rough, and the other for a smooth finish.

Surface Materials:

- Asphalt and cast asphalt surfaces
 Concrete and cement, synthetic stone, floor tiles
 Screeds of cement, wood cement, ceramic etc.
- · Natural stone
- Thermoplastic materials

	Electric Code:	VXN-708697
	Power	11kW 400V, 50HZ
	Petrol Code:	VXN-800076
	Engine	16.5kW Honda Propane Engine
	Working Width	250mm
	Distance To Wall	100mm
	Shaving Depth	12mm
	Production/h	50-55m2/h
í	Diamond Blades	73pcs x 125mm
	Pat per	4 TO 1 7 10 4



SPARE DIAMOND BLADES & DRUMS

Replacement parts for the VonArx DTF 25

CODE	DETAILS
VXN-707326	Blade Set for Regular Concrete - 72 Blades
VXN-707289	Complete Drum for Regular Concrete
VXN-800040	Blade Set for Hard Concrete - 72 Blades
VXN-800036	Complete Drum for Hard Concrete
VXN-800041	Blade Set for Regular Concrete - 33 Blades
VXN-800034	Complete Drum for Regular Concrete
VXN-800042	Blade Set for Hard Concrete - 33 Blades
VXN-800035	Complete Drum for Hard Concrete
VXN-707410	Blade Set for Regular Concrete - 24 Blades
VXN-707417	Complete Drum for Regular Concrete
VXN-800099	Blade Set for Hard Concrete - 24 Blades
VXN-800098	Complete Drum for Hard Concrete





Regular Concrete 72 Blades











Hard Concrete 33 Blades





Regular Concrete 24 Blades





Hard Concrete 24 Blades



VonArx Floor Scrapers



The Von Arx SC 20 is a versatile, hand-guided, motor-driven floor scraper. Expertly designed for efficient removal of floor coverings from various surfaces including screed, latex, concrete, or wood, it ensures a clean, residue-free

surface. It also serves a dual purpose by creating an aging effect on hardwood floors, making it a valuable tool for both renovation and maintenance projects.

Product CODE:	VXN-80007I	
Power	1500W	
Working Width	200-230mm	
Distance To Wall	88mm	
		Strip floor coverings Lift carpet tiles

Basic Blade VXN-400110

U Blade VXN-400215

and foam backed carpets Cork tiles and matting

 Remove felt, underlays Linoleum and vinyl flooring Matting

Chisel Set

Electric CODE:

Working Width Distance To Wall

Power

U Blade VXN-400213 Debris Blade VXN-400217 Wide Blade VXN-400219 U Blade Top Edge VXN-400216 Long Blade VXN-400218

VONARX SC 35

• Tiles

• Hard glued

• Strip floor

coverings

and foam

matting

Matting

• Strip floor coverings

and foam

matting Strip floor coverings

 Cork tiles and matting

The Von Arx SC 35 shares the functionality of the SC 20, but adds a self-propelled design for increased operator comfort and productivity. It effortlessly lifts floor coverings from a range of surfaces without leaving any residue. In addition to its primary function, the SC 35 can also be used to age hardwood floors. Its self-propelled nature makes it a particularly suitable choice for larger, more demanding projects, bringing efficiency and ease-of-use to any commercial or industrial flooring task!

VXN-800077

1500W


60mm

350-370mm

VXN-400253

VXN-400123







Basic Blade

U Blade

Basic Blade



SPIKED ROLLER **I2MM SPIKES**

721100

721225

721300

721450

721600

721100R

721225R

721300R

721450R

721600R

For removing air bubbles from coatings 1mm and thicker. The bubble at the end of the spike displaces the material more which in turn creates a more uniform finish. This is to be used on flowable products. Used for ensuring the floor coating is smooth and properly distributed. The 12mm bubble buster spike should be used

sed on 4mm thick coatings.	bubble buster spike shou	
DETAILS	CODE	DETA
Roller assembly 100mm	721100SS	Roller
Roller assembly 225mm	721225SS	Roller
Roller assembly 300mm	721300SS	Roller
Roller assembly 450mm	721450SS	Roller
Roller assembly 600mm	721600SS	Roller
Refill 100mm	721100SSR	Refill

SPIKED ROLLER **I2MM SHARP SPIKES**

The sharp spike gives a more pin like effect that is easier able to penetrate the surface of the coating. This will result in the relaxation in the product and allow it to flow. For removing air bubbles from coatings 1mm and thicker. Used for ensuring the floor coating is smooth and properly distributed. The 12mm ould be used on 4mm thick coatings.

CODE	DETAILS
721100SS	Roller assembly 100mm
721225SS	Roller assembly 225mm
721300SS	Roller assembly 300mm
721450SS	Roller assembly 450mm
721600SS	Roller assembly 600mm
721100SSR	Refill 100mm
721225SSR	Refill 225mm
721300SSR	Refill 300mm
721450SSR	Refill 450mm
721600SSR	Refill 600mm





SPIKED ROLLER

3IMM SPIKES
This is designed to roll thicker applications, 4mm and up. Rolling the surface of the self-levelling coating will result in a smooth and more even distribution of the product. This results in a better finish and higher quality overall. Never press down on the roller handle.

Refill 225mm

Refill 300mm

Refill 450mm

Refill 600mm

CODE	DETAILS
731100	Roller assembly 100mm
731225	Roller assembly 225mm
731300	Roller assembly 300mm
731450	Roller assembly 450mm
731600	Roller assembly 600mm
731100R	Refill 100mm
731225R	Refill 225mm
731300R	Refill 300mm
731450R	Refill 450mm
731600R	Refill 600mm

SPIKED ROLLER LOOSE DISC

The 16mm loose disc spiked roller can be used when rolling screed with small aggregate in it. The gap between the spikes and the fact that it is made up of individual free spinning discs aids this procress.

CODE	DETAILS
IZ80100	Spike Roller assembly 100mm
IZ80225	Spike Roller assembly 225mm
IZ80350	Spike Roller assembly 300mm
IZ80450	Spike Roller assembly 450mm
IZ80600	Spike Roller assembly 600mm
IZ80000	Spike Roller replacement disc box of 60





SPIKED SHOES 25MM & 3IMM SPIKES

SQUEEGEES

SO91600R

Spiked shoes are used to gain safe access onto new flooring overlay systems

CODE	DETAILS
SS700	Spike Shoe – 31mm Spike
SS725	Spike Shoe – 25mm Spike
SS700R	Replacement Spike Set – 31mm
SS725R	Replacement Spike Set – 25mm
SS760	Replacement Straps

Squeegees are available in three sizes, 325mm 450mm and 600mm wide for efficient spreading of primers & thin

HAND TROWELS

Trowels are for hand application of high build, self-leveling coatings and semi-flowable mortars.

1	CODE	DETAILS
	SS700	Spike Shoe – 31mm Spike
	SS725	Spike Shoe – 25mm Spike
	SS700R	Replacement Spike Set – 31mm
	SS725R	Replacement Spike Set – 25mm
	SS760	Replacement Straps

CODE	DETAILS
	Double Edged
BTE29102	290mm x 2mm V Notched Trowel
BTE29103	290mm x 3mm V Notched Trowel
BTE29104	290mm x 4mm V Notched Trowel
BTE29105	290mm x 5mm V Notched Trowel
BTE29106	290mm x 6mm V Notched Trowel
BTE29108	290mm x 8mm V Notched Trowel
BTE29110	290mm x 10mm V Notched Trowel
BTE29115	290mm x 15mm V Notched Trowel
BTE29116	290mm x 16mm V Notched Trowel
	Double Edged
BTE40102	400mm x 2mm V Notched Trowel
BTE40103	400mm x 3mm V Notched Trowel



554111851		
CODE	DETAILS	
SQ81300	300mm Soft Squeegee with black rubber	
SQ81450	450mm Soft Squeegee with black rubber	
SQ81600	600mm Soft Squeegee with black rubber	
SQ91300R	300mm Squeegee with stiff white rubber	
SQ91450	450mm Squeegee with stiff white rubber	
SQ91600	600mm Squeegee with stiff white rubber	
SQ81300R	300mm black blades – 10/pack	
SQ81450R	450mm black blades – 10/pack	
SQ81600R	600mm black blades – 10/pack	
SQ91300R	300mm white blades – 10/pack	
SQ91450R	450mm white blades – 10/pack	

600mm white blades - 10/pack

BTE29116	290mm x 16mm V Notched Trowel
	Double Edged
BTE40102	400mm x 2mm V Notched Trowel
BTE40103	400mm x 3mm V Notched Trowel
BTE40104	400mm x 4mm V Notched Trowel
BTE40105	400mm x 5mm V Notched Trowel
BTE40106	400mm x 6mm V Notched Trowel
BTE40108	400mm x 8mm V Notched Trowel
BTE40110	400mm x 10mm V Notched Trowel
BTE40115	400mm x 15mm V Notched Trowel
BTE40116	400mm x 16mm V Notched Trowel



DOUBLE EDGE RAKE 450MM & 600MM

For spreading new floor coatings to desired thicknesses.

Will spread the material to 40% of the tooth depth. A rake with a 5mm tooth will achieve a 2mm coating thicknes u=Micron

μ = iviicron	
CODE	DETAILS
BR24501	450mm No 1# x 500μ
BR24502	450mm No 2# x 1000μ
BR24503	450mm No 3# x 1250μ
BR24504	450mm No 4# x 1500μ
BR24505	450mm No 5# x 2000μ
BR24506	450mm No 6# x 2500μ
BR24508	450mm No 8# x 3000μ
BR24510	450mm No 10# x 4000μ
BR24512	450mm No 12# x 5000μ
BR26001	$600 mm$ No 1# x 500μ
BR26002	600mm No 2# x 1000μ
BR26003	$600 mm$ No $3 \# x 1250 \mu$
BR26004	600 mm No 4 # x 1500 μ
BR26005	600 mm No 5# x 2000 μ
BR26006	600mm No 6# x 2500μ
BR26008	$600mm$ No $8\#x3000\mu$
BR26010	$600 mm$ No $10 \text{\#}\text{x}4000 \mu$
BR26012	600mm No 12# x 5000μ
BR24501R	Replacement Blade 450mm No 1#
BR24502R	Replacement Blade 450mm No 2#
BR24503R	Replacement Blade 450mm No 3#
BR24504R	Replacement Blade 450mm No 4#
BR24505R	Replacement Blade 450mm No 5#
BR24506R	Replacement Blade 450mm No 6#
BR24508R	Replacement Blade 450mm No 8#
BR24510R	Replacement Blade 450mm No 10#
BR24512R	Replacement Blade 450mm No 12#
BR26001R	Replacement Blade 600mm No 1#
BR26002R	Replacement Blade 600mm No 2#
BR26003R	Replacement Blade 600mm No 3#
BR26004R	Replacement Blade 600mm No 4#
BR26005R	Replacement Blade 600mm No 5#
BR26006R	Replacement Blade 600mm No 6#
BR26008R	Replacement Blade 600mm No 8#
BR26010R	Replacement Blade 600mm No 10#
BR26012R	Replacement Blade 600mm No 12#



FLOOR SQUEEGEF

CODE	DETAILS
EA CONTENO	Floor Saucogoo





A Triglide Spreader is a simple to use leveller for spreading semi flowable materials at precise thicknesses.

A Floor Spreader is an adjustable heavy-duty spreader for application of flowable overlay materials applied in excess of 4mm thick.		
	CODE	DETAILS
	FS60080	Floor Spreader 0 –30mm x 600mm
	FS80080	Floor Spreader 0 –30mm x 800mm
	FS60081	Replaceable Skis for 600mm Floor Spreader
	FS80081	Replaceable Skis for 800mm Floor Spreader

SPATULAS

FLOOR SPREADERS

600MM & 800MM

Available in 2 sizes. The thin flexible spring steel blade allows the tool to be used as a surface smoother providing trowelling quality. It may also be used as a squeegee to apply thin film materials.

CODE	DETAILS
SP30135	300mm long x 100mm Mild Steel
SP60110	600mm long x 100mm Mild Steel

CODE	DETAILS
TG61604	600mm x 4mm
TG61605	600mm x 5mm
TG61606	600mm x 6mm
TG61608	600mm x 8mm
TG61610	600mm x 10mm
TG61004	Replaceable 600mm x 4mm set of 2
TG61005	Replaceable 600mm x 5mm set of 2
TG61006	Replaceable 600mm x 6mm set of 2
TG61008	Replaceable 600mm x 8mm set of 2
TG61010	Replaceable 600mm x 10mm set of 2









SKEG LEVELERS 450MM & 600MM

Skeg Levelers have four pre-set skegs that determine the depth of overlay. This tool is the perfect choice for applying self-smoothing materials to achieve uniform thickness. The skegs glide over the substrate with minimum tool chatter.

CODE	DETAILS
SL33452	450mm x 2mm Skeg Leveler
SL33453	450mm x 3mm Skeg Leveler
SL33454	450mm x 4mm Skeg Leveler
SL33455	450mm x 5mm Skeg Leveler
SL33456	450mm x 6mm Skeg Leveler
SL33458	450mm x 8mm Skeg Leveler
SL334510	450mm x 10mm Skeg Leveler
SL33602	600mm x 2mm Skeg Leveler
SL33603	600mm x 3mm Skeg Leveler
SL33604	600mm x 4mm Skeg Leveler
SL33605	600mm x 5mm Skeg Leveler
SL33606	600mm x 6mm Skeg Leveler
SL33608	600mm x 8mm Skeg Leveler
SL33610	600mm x 10mm Skeg Leveler
SL33002	Skeg Set of 4pcs x 2mm
SL33003	Skeg Set of 4pcs x 3mm
SL33604	Skeg Set of 4pcs x 4mm
SL33005	Skeg Set of 4pcs x 5mm
SL33006	Skeg Set of 4pcs x 6mm
SL33008	Skeg Set of 4pcs x 8mm
SL33010	Skeg Set of 4pcs x 10mm

ADJUSTABLE PIN LEVELLER 450MM & 600MM

Adjustable Pin Levellers spread flooring overlay compounds in one easy application. The tools are ideal for application of floor coatings having good flow characteristics.

DETAILS
450mm Pin Leveller – adjustable 0 – 10mm
600mm Pin Leveller – adjustable 0 – 10mm
Replacement Round Pin Plate 450mm
Replacement Round Pin Plate 600mm





BROOMSTICK HANDLES

CODE	DETAILS
FA-HW1200	25mm x 1.2m - Wooden Broomstick
FA-HA1500	25mm x 1.5m - Aluminium Broomstick
FA-HM1400	25mm x 1.4m to 2.5m Metal Telescopic Broomstick

1.2m Wooden Broomstick

1.5m Aluminium Broomstick

1.4m to 2m Metal Telescopic Broomstick



RAIMONDI FLUID MIX
A mixing drum attached to a trolley to easily manoeuvre and pour out the contents.
Mixing Machine Not Included - We recommend our AGP

EV160 electric mixer

CODE	DETAILS
RA238EUN	Raimondi Fluid Mix Bucket

ADJUSTABLE SCREED BOX
For use with cement bound or resin-based mortars. After adjusting the front screeding plate to the required height the surfacing material is applied to a uniform finished thickness. There is no need for screeding bars, or time consuming inefficient setting up, just set the height and weight the ballast cavity, then load with material and pull!
The use of a screeding box will speed up application for a level flooring finish of consistent quality. Any abutting runs may be

flooring finish of consistent quality. Any abutting runs may be filled and smoothed by hand trowelling.

CODE	ŒTAILS
SB60060	600mm Stainless Steel Screed Box
SB60061	600mm Replacement Plate





AGP EVI60
The AGP EV series are electric mixers with revolutionary ergonomic design and sturdy mechanics. Electronic speed control thumb wheels allow the operator to adjust the speed without taking his hands off the handles. Features a locking trigger switch & fibre reinforced nylon motor housing with easily accessible brushes

CODE	PTM-EVI60
Voltage	230V
Power	1600W
Load Speed	180 - 350 / 280 - 550rpm
Thread	M14
Shipping Dimensions	580 x 240 x 330mm
Weight	5.6kg

CUDE **DETAILS** PT0101003 160 x 590mm x M14 (General Purpose) PT0101004 120 x 590mm x M14 (High Viscosity) PT0101005 140 x 590mm x M14 (High Viscosity) PT0101006 160 x 590mm x M14 (Highest Viscosity)

MI4 PADDLE MIXERS
Helix style mixing paddles to fit the AGP EV160 and mixers that

accept a M14 thread.





PT0101003



PT0101006



SCANMASKIN POWER TROWEL

An electric power trowel for resin-based floor coatings with coloured granules, and floorings of natural stone.
We have different blades for different applications:

Compact Blades: Made to be used on floor where you scatter the sand into the surface of slurry and then trowel the surface to a smooth and nice surface.

White Flex: Made to be used on when you mix the sand and

White Flex: Made to be used on when you mix the sand and epoxy to a mortal and bring the coating on the floor with a screed box.

White Plastic: Made to be used on when you mix the sand and epoxy to a mortal and bring the coating on the floor with a screed box.

CODE	DETAILS
SCM-220000	Electric Power Trowel
SCC-230000	Compact Blade
SCC-230004	White Plastic Flex Blade (Single Blade)
SCC-230009	White Plastic Flex Blade (Complete Set)



SCANMASKIN

FROM SMALL TO LARGE GRINDING MACHINES



SEE OUR COMPLETE RANGE AT www.MACTODL.co.za

Dry Blades



SEGMENTED STONE

Dry economy cutting of granite and marble products.

CODE	ETAILS
HQS125P	125 x 2.2 x 8 x 22.23mm
HQS180P	180 x 2.4 x 8 x 25.4mm
HQS230E	230 x 2.6 x 8 x 22.23mm

TUr Bo **SEGMENTED CYCLONE**

Super fast cutting of all natural and engineered stone products.

CODE	ŒTAILS
BTY230P	230 x 2.9 x 8 x 22.23mm





TURBO SEGMENTED

Dry cutting of granite and marble products.

CODE	ŒTAILS
HQS230ET	230 x 2.8 x 15 x 22.23mm

SEGMENTED PREMIUM

For fast cutting of all natural stone, engineered stone and building products. Suitable for dry or wet use.

CODE	ŒTAILS
BGS115S	115 x 2.2 x 7 x 22.23mm
BGS125S	125 x 2.5 x 7 x 22.23mm
BGS180S	180 x 2.6 x 7 x 25.4mm
BGS230S	230 x 2.8 x 7 x 22.23mm





TURBO WAVE

For fast and smooth cutting of all natural stone, engineered stone, and building products. Suitable for dry or wet use.

CODE	Œ TAILS
BTW115P	115 x 2.2 x 10 x 22.23mm
BTW125P	125 x 2.2 x 8 x 22.23mm
BTW180P	180 x 2.5 x 8 x 25.4mm
BTW230P	230 x 2.6 x 8 x 22.23mm

 $\label{eq:total_formula} \mbox{TUr Bo CYCLONE} \\ \mbox{For super fast cutting of all natural and engineered stone}$ products.

CODE	Œ TAILS
BTX125P	125 x 2.2 x 9 x 22.23mm
BTX180P	180 x 2.6 x 9 x 25.4mm
BTX230P	230 x 2.9 x 9 x 22.23mm





TUr Bo PremiUm For fast and smooth cutting of all natural stone, engineered stone, and building products. Suitable for dry or wet use.

CODE	ŒTAILS
LTG125P	125 x 2.2 x 8 x 22.23mm
LTG150P	150 x 2.6 x 8 x 22.23mm
LTG180P	180 x 2.6 x 9 x 25.4mm
LTG200P	200 x 2.8 x 8 x 22.23mm
LTG230P	230 x 2.8 x 9 x 22.23mm

CODE	Œ TAILS
BSC125P	125 x 3.5 x 8 x 22.23mm - Economy
BSC180P	180 x 2.5 x 9 x 22.23mm - Economy
LSC125PP	125 x 2.8 x 8 x 22.23mm - Premium
LSC180PP	180 x 3.2 x 9 x 22.23mm - Premium



Achilli & Blue Ripper Blades



TUr Bo SeGmenTeD WeT cUTTinG

CODE	E TAILS
BBR350P25	Achilli Diamond Blade - 25.4mm Bore
BBR350P60	Blue Ripper Diamond Blade - 60mm Bore





Wet Blades



Sil enT cenTr e GraniTe - cYcl one

CODE	IETAILS	0
LUDE	IE IAILS	ļ
HQS350Z	350 x 15 x 50/60mm	Е
HQS400Z	400 x 15 x 50/60mm	Е
HQS450Z	450 x 15 x 50/60mm	Е
HQS500Z	500 x 15 x 50/60mm	Е
HQS600Z	600 x 15 x 50/60mm	Е
HQS800Z	800 x 15 x 100mm	
HQS400ZP	400 x 15 x 50/60mm - Premium*	

Sil enT cenTr e GraniTe - PremiUm

CODE	ETAILS
BGS300P	300 x 12 x 50/60mm
BGS350P	350 x 12 x 50/60mm
BGS400P	400 x 12 x 50/60mm
BGS450P	450 x 12 x 50/60mm
BGS500P	500 x 12 x 50/60mm
BGS600P	600 x 12 x 50/60mm






Sil enT cenTr e QUar TZ - cYcl one

CODE	ŒTAILS
HQS400Q	400 x 2.8 x 8 x 50/60mm

STanDar D cenTr e mar Bl e

CODE	ETAILS
HQM350P	350 x 10 x 50/60mm - Economy*
HQM400P	400 x 10 x 50/60mm - Economy*
BGS400M	400 x 12 x 50/60mm - Premium
BGS500M	500 x 12 x 50/60mm - Premium






STanDar D cenTr e SanDSTone

CODE	ŒTAILS
BGT300P	300 x 3.2 x10 x 25.4mm
BGT350P	350 x 3.2 x 10 x 25.4mm
BGT450P	450 x 3.6 x 10 x 25.4mm
HQN700P	700 x 6.5 x 15 x 50/60mm
HQN800P	800 x 7 x 15 x 50/60mm

STanDar D cenTr e Gr aniTe

CODE	ŒTAILS
BGS350N	350 x 10 x 50/60mm
BGS400N	400 x 12 x 50/60mm
BGS450N	450 x 12 x 50/60mm





SinTer eD STone & Por cel ain TUr Bo - WeT/Dr Y

CODE	ŒTAILS
BNT125DN	125 x 1.3 x 22.23mm
BNT180DN	185 x 1.8 x 22.23mm

SinTer eD STone & Por cel ain I aSer SI oT - WeT/Dr Y

CODE	ŒTAILS
BNC115P	115 x 1.3 x 22.23mm
BNC125P	125 x 1.3 x 22.23mm
BNC180P	180 x 1.7 x 22.23mm





SinTer eD STone & Por cel ain Thin TUr Bo - WeT/Dr Y

CODE	Œ TAILS
LTE115P	115 x 7.5 x 1.3 x 22.23mm
LTE125P	125 x 7.5 x 1.4 x 22.23mm
LTE180P	180 x 7.5 x 1.8 x 22.23mm









BLADE SHARPENING ABRASIVE BARS
Used to re-sharpen diamond blades by making cuts on either
the F120 or F240 side of the abrasive bar. It's advisable to use
a clamp to secure the bar for better control while using the
blade sharpening abrasive bar.

PED-10040	250 X 50 X 2511111 X F120/.	240
12		
		/ /
_	max 5 mm 3	



ADW Diamond Blades





The V30 will replace the V25 in 2024





ADW JOKER SILENT CENTRE MULTI-PURPOSE

The ADW JOKER is not your ordinary cutting tool; it's a multi-purpose silent center designed to revolutionize your cutting experience. With one blade that seamlessly tackles a wide range of materials and delivers exceptional cutting speed and a pristine finish, the ADW JOKER stands out as the go-to choice for various applications.

Ultracompact Surfaces: up to 2.5 meters a minute Natural Quartzite: up to 3 meters a minute Marble: up to 4 meters a minute Quartz Stone: up to 6 meters a minute Granite: up to 6 meters a minute

CODE	E TAILS
BGS350US	ADW JOKER - 350mm x 10mm x 60mm Bore - 2450rpm
BGS400US	ADW JOKER - 400mm x 10mm x 60mm Bore - 2100rpm
BGS450US	ADW JOKER - 450mm x 10mm x 60mm Bore - 1900rpm
BGS500US	ADW JOKER - 500mm x 10mm x 60mm Bore - 1700rpm

ADW JUMBO

SILENT CENTRE GRANITE & QUARTZ

The ADW Jumbo is your answer to the demands of high-speed cutting in the world of granite, quartzite, and engineered quartz stone. This silent center boasts exceptional RPM, making it a game-changer for professionals seeking both speed and quality in their cutting tasks. Featuring innovative Positioned Diamonds technology DOCTO, this technology's precise distribution of diamond particles in the segment, ensuring consistent and top-tier performance.

MATERIAL CUT SPEEDS

Natural Quartzite: up to 5 meters a minute Quartz Stone: up to 12 meters a minute Granite: up to 10 meters a minute

CODE	Œ TAILS
BGS350QS	ADW JUMBO - 350mm x 20mm x 60mm Bore - 2450rpm
BGS400QS	ADW JUMBO - 400mm x 20mm x 60mm Bore - 2100rpm
BGS450QS	ADW JUMBO - 450mm x 20mm x 60mm Bore - 1900rpm
BGS500QS	ADW JUMBO - 500mm x 20mm x 60mm Bore - 1700rpm

ADW IKON V25 SINTERED STONE & PORCELAIN (TO BE DISCONTINUED IN 2024)

MATERIAL CUT SPEEDS 12mm Thick Slabs: up to 1.5 meters a minute 20mm Thick Slabs: up to 1 meter a minute

CODE	E TAILS
BGS350DS1	ADW IKON V25 - 350mm x 10mm x 60mm Bore - 2300rpm
BGS400DS1	ADW IKON V25 - 400mm x 10mm x 60mm Bore - 2000rpm
BGS450DS1	ADW IKON V25 - 450mm x 10mm x 60mm Bore - 1800rpm
BGS500DS	ADW IKON V25 - $500 \text{mm} \times 10 \text{mm} \times 60 \text{mm}$ Bore - 1600rpm

ADW IKON V30

SINTERED STONE & PORCELAIN
The all new ADW Ikon v30 is a specialized bridge saw blade tailored for cutting ultra-compact surfaces and sintered stone slabs with precision. It boasts 10mm high segments with a unique sandwich lazer silent center, featuring reinforced corners of a different bond that ensures straight cutting and minimizes segment rounding. Additionally, the closely spaced segments help prevent chipping during use.

MATERIAL CUT SPEEDS 8mm Thick Slabs: up to 3.5 meters a minute 12mm Thick Slabs: up to 2.5 meters a minute 20mm Thick Slabs: up to 1.5 meter a minute

CODE	ŒTAILS
BGS350DS2	ADW IKON V30 - 350mm x 10mm x 60mm Bore - 2700rpm
BGS400DS2	ADW IKON V30 - 400mm x 10mm x 60mm Bore - 2400rpm
BGS450DS2	ADW IKON V30 - 450mm x 10mm x 60mm Bore - 2100rpm
BGS500DS2	ADW IKON V30 - 500mm x 10mm x 60mm Bore - 1800rpm

ADW IKON V30 STEP SINTERED STONE & PORCELAIN

A faster and completely silent version of the Ikon V30 with a step up in thickness in the middle of the blade for reinforcement.

MATERIAL CUT SPEEDS

8mm Thick Slabs: up to 4 meters a minute 12mm Thick Slabs: up to 3.5 meters a minute 20mm Thick Slabs: up to 2.3 meter a minute

CODE	IETAILS
BGS350DS3	ADW IKON V30 Step - 350mm x 10mm x 60mm Bore - 2700rpm
BGS400DS3	ADW IKON V30 Step - 400mm x 10mm x 60mm Bore - 2400rpm
BGS450DS3	ADW IKON V30 Step - 450mm x 10mm x 60mm Bore - 2100rpm
BGS500DS3	ADW IKON V30 Step - 500mm x 10mm x 60mm Bore - 1800rpm

ADW Diamond Blades



ADW MARMOFAST

SILENT CENTRE MARBLE & LIMESTONE

The ADW Marmofast marble blade is ideal for cutting all marbles and limestones. The blade cuts fast and give a really high quality smooth edge. The segments are a bronze alloy and are 8mm high. The body of the blade is made of a metal/rubber/metal sandwich which absorbs vibration and reduces noise.

MATERIAL CUT SPEEDS

Marble: up to 3 meters a minute Limestone: up to 4 meters a minute

חחב	TETA II C

BGS400MS ADW MARMOFAST - 400mm x 8mm x 50/60mm - 2150rpm



ADW IKON V7 MARBLE, SINTERED STONE & PORCELAIN

The ADW iKon V7 is a high speed diamond blade for mitre cutting

CODE	ŒTAILS
BGS220DS	ADW IKON V7 MITRE CUT - 220mm x 3.2mm x 60mm



ADW EPIC SINTERED STONE & PORCELAIN

The ADW Epic Blade is a specialized solution designed for ultra-compact surfaces. Crafted with a unique bond, this blade effortlessly handles the density of these surfaces, offering precise and clean cuts. The ADW Epic Blade features a turbo rim for accuracy and a drilled body for efficient cooling.

Kev Features:

For Ultra-Compact Surfaces: Purpose-built to excel on ultra-compact surfaces, which are exceptionally dense and challenging materials for cutting.

Designed for Efficiency: The blade's turbo rim design guarantees accuracy, allowing for neat and clean cuts, essential when working with ultra-compact materials, while the drilled holes enable efficient cooling during operation, preventing overheating and ensuring prolonged blade life.

ETAILS
ADW EPIC - 125mm x 10mm x 22.23mm - 12000rpm
ADW EPIC - 180mm x 10mm x 22.23mm - 9000rpm
ADW EPIC - 200mm x 10mm x 25.4mm - 6600rpm
ADW EPIC - 230mm x 10mm x 22.23mm - 6600rpm
ADW EPIC - 300mm x 10mm x 25.4mm (Bush to 22.23mm) - 3600rpm

ADW LIJA VACUUM BRAZED GRINDING CUPS

For wet grinding of ultra-compact surfaces, which are exceptionally dense and challenging materials for grinding.





KGS HYBRID DIAMOND FLAP DISC

Hybrid wet and dry 50 grit diamond flap disc for grinding and polishing granite, hard marble, concrete, and

CODE	Œ TAILS
GPF10050	KGS WET/DRY FLAP DISC - 115mm x 22.23mm / M14 x 50# - 63m/s @ 10500rpm



ADW DEKTOOL

ULTRACOMPACT SURFACES CORE BIT

Thin wall, softdiamond bond core drills to cope with drilling very dense material, approved for use on ultracompact surfaces.

SE SE			
Ш			

CODE	ŒTAILS
BNE006	ADW DEKTOOL - 6mm x 10mm x M14
BNE008	ADW DEKTOOL - 8mm x 10mm x M14
BNE010	ADW DEKTOOL - 10mm x 10mm x M14
BNE020	ADW DEKTOOL - 20mm x 10mm x M14
BNE025	ADW DEKTOOL - 25 mm x 10 mm x $M14$
BNE035	ADW DEKTOOL - 35mm x 10mm x M14

Polishing Pads



WET POLISHING PADS STANDARD

CODE	Œ TAILS
BPP0050	100 x 3mm x 50# Light Blue
BPP0100	100 x 3mm x 100# Dark Blue
BPP0200	100 x 3mm x 200# Yellow
BPP0400	100 x 3mm x 400# Orange
BPP0800	100 x 3mm x 800# Red
BPP1500	100 x 3mm x 1500# Dark Green
BPP3000	100 x 3mm x 3000# Light Green

WET POLISHING PADS PROFESSIONAL

CODE	ETAILS
BPO0050	100 x 3mm x 50# Brown
BPO0100	100 x 3mm x 100# Red
BPO0200	100 x 3mm x 200# Orange
BPO0400	100 x 3mm x 400# Yellow
BPO0800	100 x 3mm x 800# Red
BPO1500	100 x 3mm x 1500# Light Blue
BPO3000	100 x 3mm x 3000# Purple
BPOBUFFB	Buff Black
BPOBUFFW	Buff White





WET POLISHING PADS 5MM THICK PREMIUM

CODE	ŒTAILS
BPC0025	100 x 5mm x 25# Dark Blue
BPC0050	100 x 5mm x 50# Light Blue
BPC0100	100 x 5mm x 100# Navy Blue
BPC0200	100 x 5mm x 200# Yellow
BPC0400	100 x 5mm x 400# Orange
BPC0800	100 x 5mm x 800# Red
BPC1500	100 x 5mm x 1500# Dark Green
BPC3000	100 x 5mm x 3000# Light Green

3 STEP WET POLISHING PADS IOOmm PREMIUM

CODE	Œ TAILS
BPT0001	100 x 2.4mm x №1
BPT0002	100 x 2.4mm x №2
BPT0003	100 x 2.4mm x №3





WET POLISHING PADS WHITE

CODE	Œ TAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

3 STEP WET POLISHING PADS ISOmm PREMIUM

CODE	IETAILS
BPT1501	150mm x 3mm x №1
BPT1502	150mm x 3mm x №2
BPT1503	150mm x 3mm x №3





DRY POLISHING PADS PREMIUM

CODE	Œ TAILS
BPD0050	100 x 1.5mm x 50# Dark Blue
BPD0100	100 x 1.5mm x 100# Yellow
BPD0200	100 x 1.5mm x 200# Orange
BPD0400	100 x 1.5mm x 400# Red
BPD0800	100 x 1.5mm x 800# Green
BPD1500	100 x 1.5mm x 1500# Light Blue
BPD3000	100 x 1.5mm x 3000# Brown

VELCRO BACKING PADS

CODE	DETAILS
BPAD115	105mm x M14
BPAD100A	105mm x 5/8
BPAD100F	105mm x M14 - Flexi Foam
BPAD100R	105mm x M14 - Foam
BPAD105R	105mm x M14 - Flexi Rubber
BPAD150	150mm x M14











BPAD150



DIAMOND POLISHING PADS HANDHELD BLOCKS

Versatile, general purpose tools that are used for a wide variety of manual applications such as grinding and polishing of glass, ceramics, stone, porcelain or composites. They are often used dry, but if used to obtain a more polished finish, they must be used wet, - plain water is usually sufficient.

CODE	IETAILS
BPH0060	Pink 60mm x 95mm x 60#
BPH0100	Orange 60mm x 95mm x 100#
BPH0200	Green 60mm x 95mm x 200#
BPH0400	Purple 60mm x 95mm x 400#

NEW!

DIAMOND SANDPAPER

Upgrade your abrasives with our cutting-edge alternative to traditional sandpaper. Up to 2-4 times more aggressive than conventional abrasives, offering superior polishing without discoloration, and exceptional durability. Coarse grits last 3-4 times longer, fine grits up to 15 times longer, minimizing disc changes for enhanced efficiency. Eco-friendly, it reduces resin dust and waste, compatible with standard and high-speed angle grinders. Color-coded for quick identification.

CODE	DETAILS
GPF10010	Swiflex - 100mm x 60#
GPF10011	Swiflex - 100mm x 120#
GPF10012	Swiflex - 100mm x 200#
GPF10013	Swiflex - 100mm x 400#
GPF10014	Swiflex - 100mm x 800#
GPF10015	Swiflex - 100mm x 1500#
GPF10016	Swiflex - 100mm x 3000#



Stone Tools



Jenny I inD

meTal

CODE

LPD5040

LPD0050

LPD0100

LPD0200

LPD0400

LPD0800

LPD1500 LPD3000

For grinding stone with a radial arm polisher or single head machine.

	CODE	ŒTAILS
	GPG0050	180mm x 50#
	GPG0200	180mm x 200#
	GPG0400	180mm x 400#
	GPG10050	220mm x 50#
	GPG10200	220mm x 200#
	GPG10400	220mm x 400#

Jenny I in D Pol iShinG

For polishing stone with a radial arm polisher or single head machine.

CODE	ŒTAILS
GPG33000	Polishing Buff Wheel 200mm
GPG30500	200mm x 500#
GPG30800	200mm x 800#
GPG31500	200mm x 1500#
GPG40500	250mm x 500#
GPG40800	250mm x 800#
GPG41500	250mm x 1500#





Dr Um Wheel 5 D50 X 40mm Gr in Din G & Pol i Shin G

POLISHING POWDER

Used for polishing stone surfaces, including marble, granite, and quartz. Its high hardness and fine particle size make it an effective abrasive for smoothing and bringing a high luster to various types of stone.

E TAILS	CODE	ŒTAILS
M14 - Metal	PPOW001	Calcined Alumina Powder - 1kg
50# x M14 - Black	PPOW040	Calcined Alumina Powder - 30kg
100# x M14 - Yellow		
200# x M14 - Orange		
400# x M14 - Red		
800# x M14 - Green		
1500# x M14 - Blue		



GRINDING X BLOCKS

3000# x M14 - Brown

r eBUf f



CODE	Œ TAILS
TPGX0	X0 24# Green
TPGX1	X1 36# Black
TPGX2	X2 60# Orange
TPGX3	X3 120# Red
TPGX4	X4 320# Yellow

CODE	ŒTAILS	
GPR0001	Black Polishing Block	
GPR0002	White Polishing Block	



Pol iShinG Bl ocKS

Sil icone car BiDe anTiQUinG Br USheS Used for cleaning and applying textured finished on marble, limestone, granite, ceramic, and agglomerates.

	5)	
	J	H.C	7
1			

CODE	ŒTAILS
GCP01	Number 1 - 90 x 28mm - 36# Blue
GCP02	Number 2 - 90 x 28mm - 120# Red
GCP03	Number 3 - 90 x 28mm - 320# Yellow
GCP04	Number 4 - 90 x 28mm - 400# Green
GCP05	Number 5 - 90 x 28mm - 800# Grey

CODE	E TAILS	
WHA046	Antiquing Brush 46#	
WHA060	Antiquing Brush 60#	
WHA120	Antiquing Brush 120#	
WHA240	Antiquing Brush 240#	





Snail Lock



CODE	E TAILS
FELTBUFF10030	100 x 30mm
FELTBUFF15030	150 x 30mm

CODE	Œ TAILS
SNLK2	Snail Lock 100mm x M14
SNLK1	Snail Lock 100mm x 5/8
SNLK3	Snail Lock 127mm x M14 (150mm)
SNLKBP115	Snail Lock Velcro Backing Pad 115mm





Snail Lock SPir al maGneSiTe Wheel

mI4 ShaPinG Wheel

511011 1 00	IN SI II OI IIIOONESITE WITEEL		11111 21101 1110 11110
CODE	Œ TAILS	CODE	ŒTAILS
WHG060	Spiral Magnesite Wheel - 150mm x 60#	CAPW301	80 x 40mm x M14 x 24#
WHG220	Spiral Magnesite Wheel - 150mm x 220#	CAPW401	80 x 40mm x M14 x 36#
WHG320	Spiral Magnesite Wheel - 150mm x 320#	CAPW501	80 x 40mm x M14 x 60#
WHG400	Spiral Magnesite Wheel - 150mm x 400#	CAPW601	80 x 40mm x M14 x 80#
WHG600	Spiral Magnesite Wheel - 150mm x 600#	CAPW701	80 x 40 mm x M14 x 120#
WHGBUFF	Spiral Magnesite Wheel - 150mm x BUFF		



Stone Tools



miTr e cl amP

A useful tool to assemble seamless 90° mitre edges. Fast and simple to use, it features a built-in square, fascia clamping rod, and fascia retaining arm.

CODE	ŒTAILS
GRMC001	Clamp 45° Mitre Clamp

STone SI aB I if Ter S

Our powerful range of slab lifters are dependable for lifting and moving heavy slabs. The lifter integrates a spring-loaded latch that automatically releases from the slab.

CODE	E TAILS
GRTL001	Lifter - 50mm slab - 1300kg
GRTL002	Lifter - 75mm slab - 1500kg



SI aBl if TinGcl amP

CODE	E TAILS
GRTL003	Pair of Clamps - 40mm slab - 250kg each
1 6	
	7,9





f iBer Gl aSS r oDDinG DiSPenSer

Dispenser to easily store and cut fibreglass rodding to the required length.

 f iBr eGl aSS r oDDin	G	

Protect your natural stone installations with fibreglass reinforced rods. Reinforcing of stone counter-tops is highly recommended to prevent breakages during transport and installation. The reinforcing rods can also be used to hold intricate patterns within the material together. Recommended for use around basins and thinner areas of stone.

Sold per meter.



CODE	E TAILS
GR0002	Fiberglass Rodding Dispenser

CODE	ETAILS
GR0001	3.17 x 6.35mm



Sink hole Saver & clamPS
Protects finished stone slabs from breaking during lifting, transport and installation. Ideal for reinforcing counter-tops and backslashes. The stiffening rail is strong and light weight with a sliding channel for custom placement of each clamp. This device can be applied in the workshop and left on the counter-top all the way to and through the installation.

CODE	ŒTAILS
GRMC002	Sink Hole Saver 2.44m Bar
GRMC003	Clamp for Sink Hole Saver

Trimmer BlaDeS

Trimmer blades packed in a convenient casing with each blade oiled for protection and longevity.









Plastic Casing

TAPE MEASURES

Rubber and plastic covered tape measures

masser and plastic covered tape measures.	
CODE	DETAILS
MTT09000	Tape Measure 3m x 16mm Rubber Case Magnetic H/D
MTT09001	Tape Measure 5m x 19mm Rubber Case Magnetic H/D
MTT09002	Tape Measure 8m x 25mm Rubber Case Magnetic H/D
MTT09003	Tape Measure 10m x 25mm Rubber Case Magnetic H/D
MTT09008	Tape Measure 3m x 16mm Plastic Case 2-Stop
MTT09009	Tape Measure 5m x 19mm Plastic Case 2-Stop
MTT09010	Tape Measure 8m x 25mm Plastic Case 2-Stop

MEASUREMENT & MARKING

Note: Chalk line includes chalk refill.

CODE	DETAILS
MTT09004	Spirit Level 400mm
MTT09005	Spirit Level 600mm
MTT09007	Chalk Line - Including Chalk
GM0004	Yellow China Markers (Single)
GM0005	Red China Markers (Single)





maSKinG TaPe

Various widths of masking tape.

CODE	ETAILS
GM0018	18mm x 40m x 80C - Box of 48
GM0011	24mm x 40m x 80C - Box of 36
GM0013	36mm x 40m x 80C - Box of 24
GM0010	48mm x 40m x 80C - Box of 24

SUCTION CUPS

Suction cups used for lifting slabs and tiles.

CODE	DETAILS
MTT13000	Single Suction Cup
MTT13001	Double Suction Cup
MTT13002	Triple Suction Cup
RAT185	Raimondi Single Suction Cup



Stone Tools



FTTO0116 - 5-12mm

FTTO0118 - 20-65mm

CORE DRILLING GUIDES The Diamond Core Bit Guide will keep your core bit in the correct position and prevent the core bit from jumping or skipping on your work piece.

CODE	Details
FTT00116	Diamond Core Bit Guide (Small) 5-12mm
FTT00118	Diamond Core Bit Guide (Large) 20-65mm



SILICONE SEALANT TOOLS

Various tools used for applying and working with silicone.

CODE	DETAILS
MTT05008	Silicone Sealant Gun
GS0024	Bulk Fill Gun 12inch
MTT05009	Silicone Sealant Set





VinYl SanDBl aSTinG

CODE	ŒTAILS
GM0020	Grey 300 micron - 620mm x 25m

TOOL-CO MITRE JOINT ADHESIVE

A non-flexible solid adhesive that has extremely high strength and precise glue application. It's fast drying in winter and it never cracks, has no whitening, no blackening, no mold, no yellowing, 100% seamless splicing effect, and provides environmental protection with high efficiency. All products comply with EU SGS-ROHS, REACH, and ISO9001 certification. Material Bonding: sintered stone, quartz stone, granite, marble, etc.

Working Time: 8-10 minutes @ 24 °C

Working Time: 8-10 minutes @ 24 °C
Polishing Time: 18-22minutes @ 24 °C
Mixing Ratio of Glue to Curing Agent: 10 to 1

CODE	DETAILS
GSG0001	Mitre Joint Adhesive Iron Moss 250ml
GSG0002	Mitre Joint Adhesive Perfect White 250ml
GSG0003	Mitre Joint Adhesive Chameleon 250ml
GSG0004	Mitre Joint Adhesive Black 250ml
GSG0005	Mitre Joint Adhesive Ash 250ml
GSG0006	Mitre Joint Adhesive Quarry 250ml
GSG0007	Mitre Joint Adhesive Sand 250ml
GSG0008	Mixing Tip 250ml
GSG0000	Mitre Joint Adhesive Dispenser 250ml







gicone





SoUDal Silicone

CODE	ŒTAILS
GS1001	Universal - Black - 270ml
GS1002	Universal - White - 270ml
GS1006	Universal - Clear - 270ml
GS1007	Paintable Sealant Acrylic - White - 270ml
GS1008	Fix All High Tack - Black - 290ml
GS1010	Fix All High Tack - White - 290ml
GS1011	Fix All High Tack - Crystal - 290ml
GS1012	Soudaflex 40FC - White - 600ml
GS1013	Pro Nails Solvent Free - 310ml
GS1014	Silirub NES - 280ml

SILTECH SILICONE

CODE	DETAILS
GS0001	1000 Universal Sealant - Clear - 260ml
GS0002	1000 Universal Sealant - White - 260ml
GS0003	1000 Universal Sealant - Black - 260ml
GS0009	100 Acetoxy Sealant - Grey - 280ml
GS0016	9000 Paintable Sealant - White - 260ml
GS0017	900 Acrylic Sealant - White - 280ml
GS0020	60 Kwik Stick - White - 280ml
GS0021	PU40 Shore Grey - 600ml





Core Drill Bits



GRANITE CORE DRILLS

BLACK
Economic drilling of all marble and granite.
Good life with slower drilling speed.
USE WITH WATER

CODE	DETAILS
BZG020P	Core Drill Bit - 20 x 105mm x M14
BZG025P	Core Drill Bit - 25 x 105mm x M14
BZG032P	Core Drill Bit - 32 x 105mm x M14
BZG035P	Core Drill Bit - 35 x 105mm x M14
BZG051P	Core Drill Bit - 51 x 105mm x M14
BZG065P	Core Drill Bit - 65 x 105mm x M14
BZG080S	Core Drill Bit - 80 x 105mm x M14
BZG085P	Core Drill Bit - 85 x 105mm x M14
BZG102P	Core Drill Bit - 102 x 105mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8

STONE & TILE CORE DRILLS

Fast drilling into all types of tiles: Porcelain, ceramics, and natural stone. USE WITH WATER

CODE	DETAILS
LZG005P	Dowel Drill Bit - 5 x 40mm x Straight Shank
LZG006P	Dowel Drill Bit - 6 x 40mm x Straight Shank
LZG008P	Core Drill Bit - 8 x 40mm x Straight Shank
LZG010P	Core Drill Bit - 10 x 40mm x Straight Shank
LZG012P	Core Drill Bit - 12 x 40mm x Straight Shank
LZG014P	Core Drill Bit - 14 x 40mm x Straight Shank
LZG016P	Core Drill Bit - 16 x 40mm x Straight Shank
LZG006M	Core Drill Bit - 6 x 40mm x M14
LZG008M	Core Drill Bit - 8 x 40mm x M14
LZG010M	Core Drill Bit - 10 x 40mm x M14
LZG016M	Core Drill Bit - 16 x 40mm x M14
LZG018P	Core Drill Bit - 18 x 40mm x M14
LZG020P	Core Drill Bit - 20 x 50mm x M14
LZG025P	Core Drill Bit - 25 x 50mm x M14
LZG032P	Core Drill Bit - 32 x 70mm x M14
LZG035P	Core Drill Bit - 35 x 70mm x M14
LZG040P	Core Drill Bit - 40 x 70mm x M14
LZG045P	Core Drill Bit - 45 x 70mm x M14
LZG052P	Core Drill Bit - 52 x 70mm x M14
LZG065P	Core Drill Bit - 65 x 70mm x M14
LZG078P	Core Drill Bit - 78 x 70mm x M14
LZG080P	Core Drill Bit - 80 x 70mm x M14
LZG090P	Core Drill Bit - 90 x 70mm x M14
LZG095P	Core Drill Bit - 95 x 70mm x M14
LZG102P	Core Drill Bit - 102 x 70mm x M14
LZG120P	Core Drill Bit - 120 x 70mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8





SINTERED STONE & PORCELAIN **CORE DRILL BITS**

CODE	DETAILS
BND006	Core Drill Bit - 6mm x M14
BND008	Core Drill Bit - 8mm x M14
BND012	Core Drill Bit - 12mm x M14
BND020	Core Drill Bit - 20mm x M14
BND025	Core Drill Bit - 25mm x M14
BND035	Core Drill Bit- 35mm x M14
BND040	Core Drill Bit- 40mm x M14
BND045	Core Drill Bit- 45mm x M14
BND051	Core Drill Bit- 51mm x M14
BND060	Core Drill Bit- 60mm x M14
BND081	Core Drill Bit- 81mm x M14
BND095	Core Drill Bit- 95mm x M14
BND100	Core Drill Bit- 100mm x M14

Vacuum Brazed Tools



VACUUM BRAZED DIAMOND CORE BITS

Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.

porceiam.		
CODE	DETAILS	
LVRC020P	20 x 3.5 x 7mm x M14	
LVRC025P	25 x 3.5 x 7mm x M14	
LVRC032P	32 x 3.5 x 7mm x M14	
LVRC035P	35 x 3.5 x 7mm x M14	
LVRC040P	40 x 3.5 x 7mm x M14	
LVRC045P	45 x 3.5 x 7mm x M14	
LVRC050P	50 x 3.5 x 7mm x M14	
LVRC060P	60 x 3.5 x 7mm x M14	
LVRC065P	65 x 3.5 x 7mm x M14	
LVRC070P	70 x 3.5 x 7mm x M14	
LVRC075P	75 x 3.5 x 7mm x M14	
LVRC082P	82 x 3.5 x 7mm x M14	
LVRC090P	90 x 3.5 x 7mm x M14	
LVRC102P	102 x 3.5 x 7mm x M14	
LVRC120P	120 x 3.5 x 7mm x M14	

VACUUM BRAZED ENGRAVING BITS

Vacuum Brazed Engraving Bits designed for edge details grind-ing and engraving applications.

LVED03 D3 x 6mm Straight Shank LVED07 D7 x 6mm Straight Shank LVED10 D10 x 6mm Straight Shank LVED11 D11 x 6mm Straight Shank LVED15 D15 x 6mm Straight Shank LVED19 D19 x 6mm Straight Shank LVED19 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED01	D1 x 6mm Straight Shank
LVED07 D7 x 6mm Straight Shank LVED10 D10 x 6mm Straight Shank LVED11 D11 x 6mm Straight Shank LVED15 D15 x 6mm Straight Shank LVED19 D19 x 6mm Straight Shank LVED50/40 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED02	D2 x 6mm Straight Shank
LVED10 D10 x 6mm Straight Shank LVED11 D11 x 6mm Straight Shank LVED15 D15 x 6mm Straight Shank LVED19 D19 x 6mm Straight Shank LVED50/40 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED03	D3 x 6mm Straight Shank
LVED11 D11 x 6mm Straight Shank LVED15 D15 x 6mm Straight Shank LVED19 D19 x 6mm Straight Shank LVED50/40 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED07	D7 x 6mm Straight Shank
LVED15 D15 x 6mm Straight Shank LVED19 D19 x 6mm Straight Shank LVED50/40 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED10	D10 x 6mm Straight Shank
LVED19 D19 x 6mm Straight Shank LVED50/40 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED11	D11 x 6mm Straight Shank
LVED50/40 D50 x 8mm x 40# Straight Shank LVED50/60 D50 x 8mm x 60# Straight Shank	LVED15	D15 x 6mm Straight Shank
LVED50/60 D50 x 8mm x 60# Straight Shank	LVED19	D19 x 6mm Straight Shank
, g	LVED50/40	D50 x 8mm x 40# Straight Shank
LVED50/80 D50 x 8mm x 80# Straight Shank	LVED50/60	D50 x 8mm x 60# Straight Shank
	LVED50/80	D50 x 8mm x 80# Straight Shank

LVED01
LVED02
LVED03
LVED07
LVED10
LVED11
LVED15
LVED19
LVED50/**







CODE	E TAILS
LVEM1001	10 x 25mm x M14

CODE	ŒTAILS
LVES1013	2mm to 50mm x M14
LVES1014	2mm to 70mm x M14



Vacuum Brazed Tools



VACUUM BRAZED CUTTING DISCS

CODE	Œ TAILS
LVEC1030	ELECTROPLATED BLADE 30mm X M14
LVEC1040	ELECTROPLATED BLADE 40mm X M14
LVEC1050	ELECTROPLATED BLADE 50mm X M14
LVEC1075	ELECTROPLATED BLADE 75mm X M14
LVEC1080	ELECTROPLATED BLADE 80mm X M14
LVEC1001	M14 X 90mm MALE TO FEMALE ADAPTOR

VACUUM BRAZED **BULLNOSE GRINDING WHEEL**

For grinding and shaping materials such as marble, granite, quartz, ceramics, and stone. It is especially useful for concrete exterior walls in building or decorative projects. The wheel is ideal for tasks such as partially flattening floors and finely edging marble or granite boards.

CODE	Œ TAILS
LVES1001	Concave Shaping Wheel 75 x 10 x 22.23mm
LVES1002	Concave Shaping Wheel 75 x 15 x 22.23mm
LVES1003	Concave Shaping Wheel 75 x 20 x 22.23mm





TOOL-CO EXTREME THIN

 $\ensuremath{\mathsf{A}}$ specialised blade for cutting and griding porcelain and glass.

CODE	ŒTAILS
LVC115CG30	115 x 1.5 x 30 x 22.23mm

CONCAVE AND CONVEX

CODE	E TAILS
VB350C	Concave 350mm x 60mm Bore
VB350I	Convex 350mm x 60mm Bore





TURBO CUP GRINDER **PREMIUM**

CODE	E TAILS
LCGC105P	105mm x M14 - Course
LCGM105P	105mm x M14 - Medium
LCGF105P	105mm x M14 - Fine

TURBO CUP GRINDER **ECONOMY**

CODE	Œ TAILS
HCGC105C	105mm x M14 - Course
HCGM105C	105mm x M14 - Medium
HCGF105C	105mm x M14 - Fine



Grinding & Shaping



IVC





CODE	E TAILS
LVC125CG7.5	Cutting & Grinding 125mm x 7.5mm x M14
LGVB125	Grinding Wheel 125mm x 22.23mm

CUTTING & GRINDING WHEELS









Back

CERAMIC CUP WHEELS

Specially designed bond for improved edge work, reducing scratches and gauging that metal cup wheels leave.

CODE	E TAILS
LCX125030	125mm x 30# x M14
LCX125050	125mm x 50# x M14

DRAINAGE GROOVE WHEEL

CODE	ŒTAILS
GROOVE	100mm x 10mm x M14
GROOVE125	125mm x 10mm x M14





EDGE PROFILE MILLING MACHINE

Perfect for almost all of your profiling needs. It offers 0-8500rpm, this makes it perfect for polishing as well as cutting. The revolutionary hydrofloat base is extremely easy to operate. The machine glides on water, without even touching the stone. No need to cover up the stone before use or no replacing rollers!

Max Stone Thickness: 20mm Diamond Grinding Wheel: 90mm No Load Speed: 0-8500rpm


LUDE	世 IAILS
POM000T001	2000w Edge Profile Milling Machine

EDGE PROFILING TOOLS

CODE	ETAILS
LVMF1000	Shape F - 20mm 30# Ogee
LVMF1001	Shape F - 20mm 50# Ogee
LVMF1002	Shape F - 20mm 100# Ogee
LVMF1003	Shape F - 20mm 200# Ogee
LVMH1000	Shape H - 20mm 30# Dupont
LVMH1001	Shape H - 20mm 50# Dupont
LVMH1002	Shape H - 20mm 100# Dupont
LVMH1003	Shape H - 20mm 200# Dupont





































Bellinzoni Glues



MASTIC 2000

Two-component polyester mastic for the filling and smoothing, ideal for bonding and filling marble, granite, travertine and natural stones. MASTIC 2000 is available in solid form for vertical use and is also available in multiple colours.

CODE	DETAILS
GB02802	Glue Yellow Solid Kit 750ml
GB02803	Glue Yellow Solid Kit 5L
GB02804	Glue Yellow Solid Kit 17L
GB02902	Glue White Solid Kit 750ml
GB02903	Glue White Solid Kit 5L
GB02904	Glue White Solid Kit 17L
GB03102	Glue Transparent Solid 750ml
GB03103	Glue Transparent Solid 5L
GB03104	Glue Transparent Solid 17L
GB04002	Catalyst Hardener 40ml
GB04003	Catalyst Hardener 180ml

EPOX 2000

Two pack epoxy mastic, suitable to glue, joint, fill and reinforce various types of granite marble and stones. Product with a higher adhesive power, its performance makes it useful to fill or rectify also big imperfections on works that otherwise would be considered waste. Weather-proof and with a very high resistance to solvent, alkali and acid, is the best filler-paste for marbles and granites.

CODE	DETAILS
GB03301	Epoxy A - 1lt
GB03302	Epoxy B - 250ml



IMPREPOX IOOO

Two-component epoxy system used mainly in the stone processing field to restore and consolidate natural stone surfaces, porous and leaky concrete and cement objects, and to reinforce the rear of natural stone slabs subject to breakage.

LUDE	DETAILS
GB04501	Premium Extra Fluid Epoxy A 1kg
GB04502	Premium Extra Fluid Epoxy B 250g






MARMOSIL NEUTRAL SILICONE

Professional one component neutral curing silicone sealant. Odorless and not corrosive. Excellent weathering resistance. Its chemical composition is indicated for expansion joints (movement according factor 25% (LM25) as per EU standard), sealing of façades, sanitary ware, washbasin, mirrors, glass in contact with natural stones. The product has a good bond and doesn't need a primer. The formulation does not leave stains on natural stone or porous substrates. It's formulation have been improved with anti mould additive. For indoor and outdoor application.

LUDE	DETAILS
GB08401	Marmosil Neutral Silicone - White 300ml
GB08403	Marmosil Neutral Silicone - Transparent 300ml
CDOSAGA	Marmacil Noutral Cilicana Cray 200ml





Bellinzoni Sealants



IDEA HP

GB01502

GB01503

GB01504

LUUE GB01802

GB01803

Clear protective agent to protect stones against water, oil, grease and humidity. IDEA HP penetrates deep into the stone, blocking the efforescence and lets the stone breath.

Idea HP Water & Oil Repellent - 1L

Idea HP Water & Oil Repellent - 5L

Idea HP Water & Oil Repellent - 25L

DETAILS

DETAILS

Is a new impregnating sealer to protect stones against water, oil, grease and humidity giving an attractive wet-look effect;
optimum also for polished materials. When applied, IDEA XC penetrates the stone without forming unsightly plastic films.

Idea XC Water & Oil Repellent - 5L

IDEA XC

IDEA STONAGER

IDEA BLACK

IDEA DARK

GREZZO

penetrates the stone without forming unsightly p		
CODE	DETAILS	
GB01602	Idea XC Water & Oil Repellent - 1L	

GB01603





IDEA GOLD

Is an exceptional anti-stain product based on nanotechnology formulation; it protects marble and granite stones from a wide range of stains and has prolonged efficiency.

Idea Gold Water & Oil Repellent - 1L

Idea Gold Water & Oil Repellent - 5L

A product specifically designed to protect and intensify the
colour to give an antique look to stones marble, granite and
artificial stones. Its typical application is on unpolished stones
such as sand-blasted, bush-hammered, rough, flamed or

honed ones. IDEA STONAGER protects against stains due to oils, greases, humidity and prevents formation of mildew.

, 0	, ,
CODE	DETAILS
GB08801	Idea Stonager - 250ml
GB08802	Idea Stoneager - 1L
GB08803	Idea Stoneager - 5L





IDEA TROPICAL

A product specifically designed to protect and intensify the colour and give an antique look to tropical stones. Its typical application is on unpolished stones such as sand-blasted, rough, bush-hammered, flamed or honed. The product protects against stains such as oil, grease, humidity and prevents formation of mildew.

A new silicone-based protective impregnating agent, dyed in
an intense black colour for the treatment of black granites
and stones. Great for enhancing black polished granites, that
usually cannot be easily enhanced with other products.





GB08901 IDEA Tropical - 250ml

DETAILS CODE

GB01704

GB01902 Idea Black 750ml Water Repellent -750ml



IDEA QUARZO

Water and oil repellent protective, impregnating enhancer with extra darkening action for quartz resin surfaces and against the penetration of water, oils, grease and moisture. Certified for foodstuff direct contact.

Protective impregnating agent, for the treatment of both shiny and rough surfaces of natural stones such as granites, marbles
etc. Specific for dark or black absorbing stones, IDEA DARK
deeply enhances the natural colour of stone, covers scratches
and flaws of dark/black stone.





IDEA Quarzo - 1L

CODE **DETAILS** GB01702 Idea Dark Water Repellent - 1L GB01703 Idea Dark Water Repellent - 5L



LIMESEALER

GB09002

Colourless impregnating and anti-salts resurfacing product, that also protects the material from water and oil LIMESEALER is suited for very porous and fragile stones such as limestone and sandstone.

	STRONG 2000
Is a clear siloxane consolidating buildings and stones against penetr humidity.	

Idea Dark Water Repellent - 25L



CODE	DETAILS
GB02001	Limeseal Water & Oil Repellent - 1L
GB02002	Limeseal Water & Oil Repellent - 5L
GB02003	Limeseal Water & Oil Repellent - 25L

CODE	DETAILS
GB02101	Strong 2000 Consolidator - 1L
GB02102	Strong 2000 Consolidator - 5L
GB02103	Strong 2000 Consolidator - 25I



BLOCK D70

Colourless water and oil repellent for protection of stone facade, floors and stone products against penetration of water, humidity, oil, alimentary grease, and mildew formation. It's chemical composition allows the treated material to breathe and allows humidity to exit from the stone but prevent the same from entering.

Is a deep colour enhancing and protective agent, used to
intensely increase colour of material. It also raises resistance
against penetration of water and oils, on surface and
handmade objects with rough finish.



DETAILS

Block D70 Water & Oil Repellent - 1L GB02302 GB02303 Block D70 Water & Oil Repellent - 5L GB02304 Block D70 Water & Oil Repellent - 25L

Block D70 Eco+ Water & Oil Repellent- 1L
Block D70 Eco+ Water & Oil Repellent- 5L
Block D70 Eco+ Water & Oil Repellent- 25L

GB06701 Grezzo Enhancer - 1L GB06702 Grezzo Enhancer - 5L GB06703 Grezzo Enhancer - 25L



Bellinzoni Sealants



DURALBRILL

DURALBRILL is a nanotechnological polish capable of hardening and strengthening the surface of the stone. Tests show that DURALBRILL makes the surface of a marble almost as resistant as that of a granite. Perfect for polishing, reviving and protecting marble, granite and terrazzo-marble-cement, with notable resistance to water, detergents and abrasion. DURALBRILL forms a very transparent film which makes it ideal for use to treat heavily trafficked surfaces.

OD	E	[JE.	TΑ	ILS

GB05901 Duralbrill - 1L

DURALMAX

DuralMax is the new, ideal product for bonding, hardening and protection of floors in marble, terrazzo, engineered stones, limestone, sandstone. Its exclusive resin based formulation with nanotechnology components allows to consolidate and protect the stone, increasing superficial hardness and highly reducing risks of damages due by trampling. It gives a pleasant matt look to treated material.

CODE DETAILS

GB02701 Duralmax - 1L



Ellinzoni Polishers



B-3ACTION TOP

Ready to use, 3 in 1 formula. Triple action product for the cleaning, protection and maintenance of all polished and semi polished marble, granite, natural stone and quartz counters and vanity tops, public spaces, and other tables. Product cleans eectively while supplying protection against staining and enhances surface shine.

CODE DETAILS

GB04902 B-3 Action Top - 750ml

WAX PASTE

This product comes in a paste form for polishing marble, granite and cement. It dries quickly and forms a film of top quality wax on the surface which penetrate the material.

CODE DETAILS

GB00102 Wax Paste for Polishing - White 930ml

GB00202 Wax Paste for Polishing - Black 930ml



SUPER CRYSTAL

This powder is used as a final step in achieving the high reflectivity finish that is seen on polished marble or granite tiles and slabs. To be used with water and a buffing pad to get excellent results.

CODE DETAILS	

GB01401	Marble Polishing Powder Super Crystal - 1kg
GB01402	Marble Polishing Powder Super Crystal - 5kg
GB08701	Granite Polishing Powder Super Crystal - 750g

LIQUID WAX

Specially formulated to intensify and enhance marble and granite colours giving them attractive "wet look".

CODE DETAILS

GB00301 Special Liquid for Polishing - 675ml





EUREKA POLISHING GELS

The new line of products in gel specifically formulated for polish and maintain various types of materials: marble, granite, porcelain and quartz resin.

ODE DETAILS

GB01101	Eureka Granite Polishing Gel - 1L
GB01201	Eureka Marble Polishing Gel - 1L
GB01301	Eureka Porcelain Polishing Gel - 1L
GB08301	Eureka Quartz Polishing Gel - 1L

VETRO-GLASS

It's now easy to renew a long-lasting sheen and to harden the surfaces of marble and stone agglomerates without using wax

CODE DETAIL

GB00901	Crystallizer Vetro-Glass - 1L
GB00902	Crystallizer Vetro-Glass - 51





CRYSTALLIZER ONE

Product for the crystallization of marble, marble agglomerates, marble-cement, terrazzo and limestone floors to obtain a high durable surface gloss and restore the beauty of the material. Periodic use of product increases surface hardness and resistance to potential absorption, foot traffic, scratches and marks. Suitable for use a periodic floor buffing and gloss maintenance to increase surface shine of material.

CODE DETAILS

GB01001	Crystallizer One - 1L
GB01002	Crystallizer One - 5L

SUPERLUX E3

A specialised liquid developed to polish and boost color of every stone material; it protects and polishes marble, granite and stones edges. Application of SUPERLUX E3 makes unnecessary the following polishing of treated material. SUPERLUX E3 is particularly suitable to be used on corners and edges, it strongly enhances color and shine to material smoothed up to 800 grit.

CODE DETAILS

GB00901 Crystallizer Vetro-Glass - 750ml




VX-SL SILICON WAX

A polishing liquid containing a special modified silicone. Dries very quickly. This product has been specially formulated for the use with automatic line waxing machines to protect and polish marble, granite, agglomerate slabs and tiles and also terrazzo and ceramic tiles. Its special formulation allows for use to hand polish and protect internal and external walls, skirtings, risers and monuments.

CODE DETAILS

 ${\sf GB00501} \qquad {\sf VX-SL\ Polish-675ml} \ \hbox{(\ To\ Be\ Discontinued\)}$





Bellinzoni Cleaners



MARBLE & GRANITE CARE KIT

Specific system for the cleaning and protection of marble, granite and stone surfaces. Certified for foodstuff direct

	F			ГΔ	

GB11001 Marble & granite care kit - 250ml



Specific system for the cleaning and protection of quartz surfaces. Certified for foodstuff direct contact.

DETAILS

Quartz Care kit - 250ml GB08601





MOULD CLEANER

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

DETAILS CULE

GB05703 Mould Cleaner - 750ml ALGAKILL

A concentrated cleaner, it removes and prevents deposits of algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming pools.

DETAILS

GB05701 Algae Killer - 1L





RUST REMOVER

Specific gel cleaner for rust removal from marble, granite, ceramic, porcelain, stones and metals

DETAILS

GB06901 Rust Cleaner Gel - 1L

GB06902 Rust Cleaner Gel - 250ml

VIP IO LIQUID CLEANER

Formulated specifically for the removal of coloured stains from marble and stone surfaces. Highly recommended for the removal of purple haze or stains lefton stone following the application of RUST REMOVER.

DETAILS

GB07001 VIP 10 Liquid Cleaner - 500ml





L&L CLEAN & POLISH

Product for an easy and quick maintenance of ceramic, natural and agglomerated stone floors. Used for the maintenance of polished or waxed natural stones.

CODE **DETAILS**

GB06401 L & L Clean & polish - 1L

SPOT REMOVER

Spot Remover Absorbing Paste - for stubborn dirt removal is a product specifically formulated to remove stains on marble, granite, ceramic and concrete.

CODE

DETAILS

GB06601 Spot Remover Absorbing Paste - 250ml GB06602 Spot Remover Absorbing Paste - 1L

GB06603 Spot Remover Absorbing Paste - 5L





LEM-3 DETERGENT

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

DETAILS CODE

Lem-3 Neutral Detergent - 1L GR06201 GR06202 Lem-3 Neutral Detergent - 51

TILE & GROUT CLEANER

Specific solvent-free cleaner for joints and grouts. It respects the environment, EC ECOLABEL



DETAILS CODE

GB12001 Tile & Grout Cleaner - 500ml





ULTRA STRIPPER

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

DETAILS

GB06101 Ultra-stripper Concentrate Cleaner - 1L GB06102 Ultra-stripper Concentrate Cleaner - 5L GB06501 Ultra-stripper Gel Formula - 1L

BERT 27

This is an extremely concentrated, acid-based detergent for granite, ceramic or porcelain. Should only be used for stronglyresistant soiling or to eliminate rust or potassium nitrate. One of its great advantages is that it forms a layer of foam that does not drip when used on vertical surfaces, so it is especially useful for the deep cleaning of wall-tiles immediately after fixing.



Bert 27 Detergent - 1L





ANTI-SLIP POLISH

Liquid wax based on natural and synthetic waxes, its special formula gives reduced slipperiness compared to traditional waxes. Suitable for all kind of marble, granite, terrazzo and ceramic floors. It gives a brilliant-warm sheen.

AS11 Anti-Slip Polish - 11 GB05101

DECER DOS

How many times have you seen floors become yellow o covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there aggressive of acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted, the wax removing power of DECER-DOS remains unchanged and removes all traces of wax from the floor, while restoring its natural appearance.

CODE

GB10001 Decer Dos De-waxer - 1L



Electric Saws



MANTA I50 & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics, the head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts.

EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

TECHNICAL DETAILS	Manta 150 / 200
Power	230V, 2.2kW
Max Blade Size	350mm x 25.4mm
Max cutting length	1500mm / 2000mm
Max cutting depth	110mm
Weight	210kg / 260kg
CODE - MANTA 150	MNI20350ED
CODE - MANTA 200	MNI20458
CODE - MANTA 200 MNS17M003	MNI20458 Side Stop
MNS17M003	Side Stop
MNS17M003 MNS17M004	Side Stop Long Diagonal Square 50cm





AGP SCS7


Wet stone saw with quick release water house coupling and vacuum cleaner port for dry cutting. Excluding Diamond Blade

TECHNICAL	DETAILS	

PT-SCS7-0031

Power	230V, 1800W
Load Speed	5800rpm
Blade Size	180mm
Blade Bore	22.23mm
Dimensions	475 x 410 x 355mm
Weight	6.7kg
CODE	DETAILS
PTM-SCS7	AGP SCS7 Rail Saw
PTM-SCS7C	SCS7 Rail Saw with Rail, Connector, and Clamps
PT0401001	Guide Rail 1.4m
PT0401002	Guide Rail Connector
PT0401003	Quick Release Clamp
BTW180P	Turbo Wave Economy - 180 x 2.2 x 25.4mm
LTG180P	Turbo Premium - 180 x 2.2 x 8mm
BTX180P	Turbo Stone Cycle - 180 x 22.23mm
PT-SCS7-0047	Brush Cap
PT-SCS7-0046	Carbon Brush


Parallel Guide





Up to 45 Bevel Cut COMING SOON





Electric Saws



MANTA 200-250-300 ECO

Available in both manual and automatic, the Manta ECO is a heavy duty, inexpensive and easy to run electric saw, making it deal for both small warkshops and big industries that need to cut any kind of stone material. It features a cutting head that cuts from 90° to 45°.

INCLUDING: 1 Side Roller Bench

OPTIONAL: Extra Side Roller Benches, Diagonal Square, Water Pump

TECHNICAL DET	AII C A	AANITA	שחת ברת /	250 FC0 /	/ סחח ברח
I FI HIVII AL LIFT	AII 'S IV	/IAIN IA I	71111111/	77U FUU /	3000

230V, 2.2kW / 400V, 4kW Max Blade Size 450mm x 30mm 1400rpm or 2800rpm Blade Speed Max cutting length 2000mm / 2500mm / 3000mm

Max cutting depth 150mm

390kg / 410kg / 470kg Weight CODE (On Request)





MANTA POKER JUMBO BASIC

Robust and versatile monolithic machine. It cuts both length ways (X axis) and cross ways (Y axis). The head traverse is driven by means of an electronic program card. The main technical features are: X Axis Traverse: 3500 mm.; Y Axis Traverse: 1650 mm.; Z Axis Raise: 140 mm.; Cutting head speed driven by inverter; manual turning head (0-90 degree); head inclination (0-90 degree) by means of a hand-wheel.

TECHNICAL DETAILS

Power	5500W, 400V
Blade Size	450mm x 40m
Speed	1400rpm
Cutting Length	3500mm
Cutting Thickness	140mm
Weight	1500kg
CODE	(On Decuse





RADIAL ARM STONE POLISHER
Used for surface grinding and polishing of tombstones, slabs and mosaic which needs to change the thickness frequently.

TECHNICAL DETAILS

Power 5500W Wheel Size 220mm Gyro Radius 2600mm Range of Vertical Stroke 0-800mm Water Consumption 3m³/h 850kg Weight

CODE ML-M2B2600





MANUAL POLISHING MACHINE

Manual stone and tile polishing machine with a table size of 1200mm by 800mm

TECHNICAL DETAILS

4000W Power 100mm Wheel Size

200-600/800/1200mm Application Size Dimensions 1500 x 1300 x 1500mm

Weight 400kg

ML-MLAI200 (On Request) CODE



KYNKO Grinders



KYNKO KD69 II5mm ANGLE GRINDER

CODE	POGII5KOOI
Power	800W
Blade Size	115mm
Speed	11000rpm
Weight	1.7kg

KYNKO KD69-VS I25mm VARIABLE SPEED GRINDER

CODE	P0Gl25K002	
Power	800W	
Blade Size	125mm	
Speed	3000-11000RPM	
Weight	1.8kg	



KYNKO KD69 I25mm ANGLE GRINDER

CODE	P0Gl25K003
Power	800W
Blade Size	125mm
Speed	11000rpm
Weight	1.7kg

KYNKO KD7I-DG IBOMM DUSTLESS GRINDER

CODE	POGI8OKOOI
Power	2600W
Blade Size	180mm
Speed	6600RPM
Weight	5.3kg





KYNKO KD7I 230MM ANGLE GRINDER

CODE	P0G230K00I
Power	2600W
Blade Size	230mm
Speed	6600RPM
Weight	5.0kg
KNKD71/056	DS7 180mm Dust Shroud



KNKO Drills



KYNKO KDO9 I3MM IMPACT DRILL

CODE	PODOI3KOOI
Power	850W
Max Bit	Steel: 13mm, Concrete: 16mm, Wood: 25mm
Speed	0-3000RPM
Impact	0-44800BPM
Weight	2.47kg

KYNKO KD28 26MM SDS+ ROTARY HAMMER

CODE	P0DSDS026K002
Power	800W
Max Bit	26mm SDS PLUS
Speed	0-1300RPM
Impact	0-4500BPM @ 3.3J
Weight	2.9kg



KYNKO Saw



KYNKO KD76 I85MM CIRCULAR SAW

CODE	POSI85KO
Power	1500W
Blade Size	185mm
Speed	5500rpm
Weight	3.5kg



Flex Grinders & Polishers



FLEX LW I202N I30mm POLISHER

COD	Ē	P0Pl30F002
Power	r	1600W
Size		130mm
Speed	ł	1750rpm
Fixtur	е	M14
\ <i>Λ</i> /ρίσΙ	nt	5.1kσ

FLEX L2200 230mm ANGLE GRINDER

CODE	P0G230F005
Power	2200W
Blade Size	230mm
Speed	6500rpm
Fixture	M14
Weight	5.4kg





Safety Equipment

450gr 400gr

APRONS SAFETY GEAR

CODE	DETAILS
MTT10401	PVC Kahki Green Aprons 450gr
MTT10402	PVC Green Aprons 400gr

ODE	DETAILS
MTT10001	Safety Glasses - Clear
MTT10002	Safety Vests ZIP - 1 Size Fits All



MTT10002



Plastic Cap

MTT10104

KNEE PADS

LUDE	DETAILS
MTT10003	Knee Pads Plain
MTT10004	Knee Pads Plastic Cap

EAR PROTECTION

CODE	DETAILS
MTT10006	Ear Plugs Re-usable with cord
MTT10700	For Muffs







DUST MASK

CODE	DETAILS
MTT10000	Dust Mask FFP1 (Loose)
MTT10101	Dust Mask FFP2 NR No Valve (Box of 20)
MTT10103	Dust Mask FFP2 Valve (Box of 20)
MTT10105	Dust Mask FFP2 Valve (Loose)
MTT10104	Respirator Cartridge C8 Solvents,Organic,Petrolm Fumes
MTT10106	Respirator Cartridge D2 Dust, Fumes & Mist
MTT10102	Dust Mask Single Respirator
MTT10107	Dust Mask Double Respirator

GLOVES

CODE	DETAILS				
MTT10802	PVC Red Elbow Gloves 40 Density				
MTT10803	Rubber Shoulder Gloves H2-55				
MTT10804	Rubber Elbow Gloves H2-55				







Double Respirator



Display Stands










Tool-Co Blade Counter Stand









DISPLAY STANDS

CODE	DETAILS
STAND08	Tool-Co Blue Display Stand
STAND03	Tool-Co Blade Counter Stand
STAND10	Tool-Co Drill Bit Counter Stand
STAND02	Tool-Co Edge Trim Display Stand
STAND09	KYNKO Powertool Display Stand
SIGZ0001	Sigma Tile Cutter Display Stand
ON REQUEST	KAM Tools Display Stand









Diamond Blade Size Chart

Death of Cut		
nehili oi coi	Min RPM	Max RPM
25mm	8000	11000
30mm	7200	12200
50mm	5100	8730
80mm	4000	6700
92mm	3000	5095
120mm	2500	4365
150mm	2200	3820
170mm	2000	3300
195mm	1800	3000
250mm	1500	2550
280mm	1200	2185
350mm	1100	1910
370mm	1000	1700
500mm	700	1275
	30mm 50mm 80mm 92mm 120mm 150mm 150mm 250mm 250mm 230mm	25mm 8000 30mm 7200 50mm 5100 80mm 4000 92mm 3000 120mm 2500 150mm 2200 170mm 2000 195mm 1800 250mm 1500 280mm 1200 350mm 1100 370mm 1000

Core Drilling Bit Segment Spacing

Core Bit Size	Number of Segments	Core Bit Size	Number of Segments
42mm	4	127-132mm	11
52mm	5	152-160mm	12
60-67mm	6	180mm	13
77mm	7	200mm	14
82-92mm	8	250mm	16
102-109mm	9	300mm	18
112-117mm	10	350mm	20

Core Drilling Speed Chart


One of the major factors in grinding properly and avoiding the diamond segments glazing over is your core drill motor's rpm, which stands for revolutions per minute. Diamonds perform their optimal cutting at a predetermined surface speed, which is why every core bit should run at the proper rpm. If you have a large core diameter, you need to have a low rpm, whereas if you have a small core diameter, you will need to have a higher rpm. Thankfully, these ratings are standard for almost all manufacturers in the industry. Most electric core drill motors have multiple speeds, so you can use different sized core bits and operate them at their appropriate speed. The table below can assist you in selecting the recommended speed for the core size you are drilling.

Core Bit Diameter (mm)	25	50	75	100	150	500	250	300	350	450	500	600	900	1000
Recommended Speed (rpm)	3200	1600	1050	800	530	400	320	265	225	175	160	130	85	75


Diamond Blade Troubleshooting

PROBLEM	CALISE .	COLUTION
	2,1032	SOLUTION Install now blade shoft or replace blade shoft bearings
Blade Work Out Of Round	Shaft bearings are worn (masonry & concrete).	Install new blade shaft or replace blade shaft bearings.
	Blade rotation surges; engine not tuned for concrete saws. Blade arbour hole is damaged from previous mounting.	Tune engine according to manufacturer's manual. Re-braze segments onto new steel centre if the steel thickness is 3mm or less. If steel centre is more than 3mm, re-bore the arbour hole and brush to original size.
	Blade mounting arbour worn in a groove-like formation from previous blades.	Replace worn shaft or mounting arbour bushing.
	Blade is slipping on arbour shaft.	Masonry saws: Tighten blade collar. Concrete saws: Check drive pin is functioning correctly.
	Bond too hard for material causing a "pounding" and wearing one half of the blade more than the other half.	Use proper blade specification.
Blade Will Not Cut	Blade is too hard for material being cut.	Select proper blade specification for material being cut.
	Blade has become dull as a result of being used on too hard a material.	Sharpen by cutting on a lightweight abrasive building block to expose the blade's diamonds. If continual sharpening is required, the blade is too hard for the material being cut.
	Blade does not cut material it was specified for.	Make sure the blade is correct. If so, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade.
Loss Of Tension	Steel centre has been overheating.	Check the water flow, distribution, and lines.
	Steel centre has been overheating as a result of blade spinning on arbour.	Tighten the blade clamping disc nut and make certain the drive pin is functioning on concrete saws.
	Steel centre has been overheating from rubbing the side of material being cut. $ \label{eq:cut-problem}$	Properly align the saw to prevent square cutting. Make certain the blade RPM is correct, so the blade operates at it's tensioned speed.
	Unequal pressure at blade clamping collars.	Blade clamping collars should be identical in diameter and the recommended size.
1	Improper blade specification; blade is too hard for the material being cut.	Use a softer bonded blade to reduce operating stresses.
Blade Wobbles	Blade is too hard for material being cut.	Select proper blade specification for material being cut.
	Blade has become dull as a result of being used on too hard a material.	Sharpen by cutting on a lightweight abrasive building block to expose diamonds. If continual sharpening is required, the blade is too hard for the material being cut and a softer bonded blade is required.
Cracks In Steel Centre Or Segment	Cracks in steel centre - blade flutters in cut as a result of losing blade tension.	Tighten the blade clamping disc nut. Make sure the blade is running at proper tensioned speed and that the drive pin is functioning properly.
	Cracks in steel centre - blade specification is too hard for the material being cut.	Use a softer bonded blade to eliminate stresses which create cracks.
Uneven Segment Wear	Insufficient water. (Usually on one side of the blade)	Flush out water system and check flow and distribution to both sides of the blade.
	Equipment defects cause the segments to wear unevenly.	Replace bad bearings, worn arbour shaft, or misaligned spindle. For concrete saws, the engine must run smoothly to prevent harmonic vibration.
	Saw head is misaligned.	$\label{lem:check} \mbox{Check saw head alignment for squareness both vertically and horizontally.}$
Segment Loss	Material is not being firmly secured.	Hold material firmly against backstop.
C .	Overheating due to lack of water.	Check water feed lines, checks flow is adequate on both sides of blade.
	Steel centre is worn from undercutting.	Use sufficient water to flush out the cut.
. F	Defective blade collars are setting the blade out of alignment.	Clean blade clamp surfaces or replace if the clamps are under recommended diameter.
/\ \ \ \ \ \	Blade is too hard for material being cut.	Use proper blade specification for material being cut.
	Blade is cutting out of round, causing a pounding motion.	Replace worn bearings; realign blade shaft or replace the worn blade mounting arbour.
	Improper blade tension.	Give running speed of equipment when you order your blades in order to insure they are running at the correct RPM. With concrete saws, check spindle speed with tachometer to ensure blade is running at the correct cutting speed and blade tension.
Arbour Hole Out-Of-Round	Blade collar is not properly tightened, causing vibration on the shaft which causes the blade to rotate out of round.	Tighten the arbour nut with a wrench to make certain that the blade is adequately secured.
	Blade collars are worn or dirty, not allowing proper blade clamping.	Clean blade collars, making sure they are not worn. Tighten arbour nut properly.
	Blade is not properly mounted.	Make certain the blade is mounted on the proper shaft diameter before tightening the arbour nut. On concrete saws, make sure the pin hole slides over the arbour drive pin. Distorted blade arbour holes can be re-bored, provided they are within tolerance and the blank has not been abused.
Undercutting The Steel Centre	Abrasion of steel centre due to highly abrasive dust generated during cutting.	Use the correct amount of water in order to flush out the fine dust generated during cutting, or use wear-retardant cores.












PREVENTING DOWNTIME & ENSURING SAFETY!

A PRACTICAL SOLUTION FOR A COMMON PROBLEM!

PAT APP No 2004/7303 2004/7279



CABLE BUDDY PACK OF 10 - CODE: CABBUD10


Getting a perfect polished concrete floor – every time

The Tool-Co Polishing Specification by Mactool is the solution that architects have been waiting for. With the Tool-Co Polishing Specification we can turn any structurally sound concrete into a beautiful decorative finish to rival any other floor covering. A polished surface gives you a harder more durable surface, making it easier to keep clean and maintain.

any times, when your client wants a polished concrete floor, the picture that they had in their mind's eye and the final installation are very different. This often isn't the fault of the architect or even the engineer – it's the result of having differing ideas of what a polished concrete floor should look like. With the Tool-Co Polishing Specification we can be clear on what the floor should look like and partner with the contractor to make sure the outcome meets expectations.

Mactool partners with their clients to make sure The Tool-Co Polishing Specification follows a structured process. We help by recommending the correct equipment, tools and the right chemicals are used for every type of flooring installation. This is to help minimise human error and can prevent costly mistakes from happening on site. When an architect specifies the Tool-Co Polishing Specification from Mactool, the project will benefit from years of expertise, technical knowledge concerning flooring, as well as the use of state-of-the-art equipment.





There are a number of options to choose from in the Tool-Co Specification, namely:

Executive full exposure Specification

With this option, the top +-5mm of concrete is removed to get full exposure on the stone, this is done using a 7 stage grind and polish process. We use diamond tools to expose and remove scratches and marks before applying specialised Tool-Co Grout and Binder to fill pin holes and Tool-Co Lithium Densifier strengthen the floor. The process also involves a 4-stage polishing system followed by a Lithium Based Sealer. We use a high speed burnisher to achieve an executive shine that is easy to maintain. This is the top-of-the-range solution from the Tool-Co Polishing Specification.

There are many variables to consider when specifying a Tool-Co Polishing system. If a 7-stage application process isn't necessary or financially feasible for a project, then a standard 5-stage or 3-stage option is available.

The solution that an architect chooses will depend on the sheen that is required as well as other performance attributes such as slip resistance.

Overlay full executive Specification

This option is ideal for white flooring, where specialised equipment and tools are needed. To avoid damaging white floors, the Mactool team will assess the strength and thickness of the floor before using a unique combination of cutting-edge grinders and weighted floor polishers.

Trowel polish Specification

This system is specified for unexposed polished concrete floors. The Mactool team uses a power-float that has been modified with brushes so that the concrete isn't damaged. The Tool-Co Lithium Densifier is then applied before a high speed burnisher is utilised to make the floor shine.

Hand polished Specification

This system is used for countertop, furniture, gravestone and any other decorative concrete surface.





